



**Kenya Marine Fisheries Socioeconomic  
Development Project (KEMFSED)  
P.O. Box 58187-00200  
NAIROBI**



**MINISTRY OF MINING, BLUE ECONOMY AND MARITIME  
AFFAIRS**

**Request for Bids**

**CONSTRUCTION OF KIPINI FISH LANDING SITE**

**Employer:** State Department for Blue Economy & Fisheries  
**Project:** Kenya Marine Fisheries Socio-Economic  
Development Project (KEMFSED)  
**Contract Title:** **CONSTRUCTION OF KIPINI FISH LANDING  
SITE**  
**Country:** Republic of Kenya  
**Loan No./Credit No./Grant No.:** 6540-KE  
**RFBNo.:** KE-MOMBE&MA-TR-2024-012-CW  
**Issued on:** **13<sup>TH</sup> FEBRUARY 2024**

**VOLUME 2 OF 4**

**BILLS OF QUANTITIES**

## TABLE OF CONTENT

A. Preamble.....	1
B. Work Items.....	2
1. Bill No. 1: PARTICULAR PRELIMINARIES .....	2
2. BILL NO. 2 : GENERAL PRELIMINARIES .....	2
3. BILL NO. 3: MEETING HALL .....	2
4. BILL NO. 4 : BOAT YARD.....	2
5. BILL NO. 5 : FISH BANDA .....	2
6. BILL NO. 6: STALLS .....	2
7. BILL NO. 7: ABLUTION BLOCK.....	2
8. BILL NO. 8: PUMP ROOM.....	2
9. BILL NO. 9: POWER HOUSE.....	2
10. BILL NO. 10: GATE HOUSE.....	2
11. BILL NO. 11: CIVIL WORKS.....	2
12. BILL NO. 12: : LANDSCAPING WORKS .....	2
13. BILL NO. 13: MECHANICAL WORKS .....	2
14. BILL NO. 14: ELECTRICAL INSTALLATIONS .....	2
15. BILL NO. 15: DAY WORKS.....	2
16. BILL NO. 16 : ESMP .....	2
DAYWORK SCHEDULE.....	3
17. GRAND SUMMARY .....	17-1

## **A. PREAMBLE**

1. The Bill of Quantities shall be read in conjunction with the Instructions to Bidders, General and Particular Conditions, Technical Specifications, and Drawings.
2. The quantities given in the Bill of Quantities are estimated and provisional and are given to provide a common basis for bidding. The basis of payment will be the actual quantities of work ordered and carried out, as measured by the Contractor and verified by the Engineer and valued at the rates and prices bid in the priced Bill of Quantities, where applicable, and otherwise at such rates and prices as the Engineer may fix within the terms of the Contract.
3. The rates and prices bid in the priced Bill of Quantities shall, except insofar as it is otherwise provided under the Contract, include all Constructional Plant, labour, supervision, materials, erection, maintenance, insurance, profit, taxes, and duties, together with all general risks, liabilities, and obligations set out or implied in the Contract.
4. A rate or price shall be entered against each item in the priced Bill of Quantities, whether quantities are stated or not. The cost of Items against which the Contractor has failed to enter a rate or price shall be deemed to be covered by other rates and prices entered in the Bill of Quantities.
5. The whole cost of complying with the provisions of the Contract shall be included in the Items provided in the priced Bill of Quantities, and where no Items are provided, the cost shall be deemed to be distributed among the rates and prices entered for the related Items of Work.
6. General directions and descriptions of work and materials are not necessarily repeated nor summarized in the Bill of Quantities. References to the relevant sections of the Contract documentation shall be made before entering prices against each item in the priced Bill of Quantities.
7. Provisional Sums included and so designated in the Bill of Quantities shall be expended in whole or in part at the direction and discretion of the Engineer in accordance with Sub-Clauses 13.4 and 13.5 of the General Conditions except with respect to DAAB Fees and Expenses for which no instruction will be required from the Engineer.
8. The method of measurement of completed work for payment shall be Admeasurement in accordance with ICE Conditions of Contract measurement clauses.<sup>1</sup>

---

<sup>1</sup> The method of measurement should be spelled out precisely in the Preamble to the Bill of Quantities, describing for example the allowances (if any) for timbering in excavation, etc. Many national standard reference guides have been prepared on the subject, and one such guide is the Standard Method of Measurement of the U.K. Institution of Civil Engineers.

## **B. WORK ITEMS**

1. The Bill of Quantities contains the following part Bills, which have been grouped according to the nature or timing of the work:
  1. **BILL NO. 1: PARTICULAR PRELIMINARIES**
  2. **BILL NO. 2 : GENERAL PRELIMINARIES**
  3. **BILL NO. 3: MEETING HALL**
  4. **BILL NO. 4 : BOAT YARD**
  5. **BILL NO. 5 : FISH BANDA**
  6. **BILL NO. 6: STALLS**
  7. **BILL NO. 7: ABLUTION BLOCK**
  8. **BILL NO. 8: PUMP ROOM**
  9. **BILL NO. 9: POWER HOUSE**
  10. **BILL NO. 10: GATE HOUSE**
  11. **BILL NO. 11: CIVIL WORKS**
  12. **BILL NO. 12: : LANDSCAPING WORKS**
  13. **BILL NO. 13: MECHANICAL WORKS**
  14. **BILL NO. 14: ELECTRICAL INSTALLATIONS**
  15. **BILL NO. 15: DAY WORKS**
  16. **BILL NO. 16 : ESMP**
2. Bidders shall price the Bill of Quantities in local currency only and shall indicate in the Appendix to Bid the percentage expected for payment in foreign currency or currencies.

## **DAYWORK SCHEDULE**

### **General**

1. Reference should be made to Sub-Clause 13.5 of the General Conditions. Work shall not be executed on a daywork basis except by written order of the Engineer. Bidders shall enter basic rates for daywork items in the Schedules, which rates shall apply to any quantity of daywork ordered by the Engineer. Nominal quantities have been indicated against each item of daywork, and the extended total for Daywork shall be carried forward as a Provisional Sum to the Summary Total Bid Amount. Unless otherwise adjusted, payments for daywork shall be subject to price adjustment in accordance with the provisions in the Conditions of Contract.

### **Daywork Labour**

2. In calculating payments due to the Contractor for the execution of daywork, the hours for labour will be reckoned from the time of arrival of the labour at the job site to execute the particular item of daywork to the time of return to the original place of departure, but excluding meal breaks and rest periods. Only the time of classes of labour directly doing work ordered by the Engineer and for which they are competent to perform will be measured. The time of gangers (charge hands) actually doing work with the gangs will also be measured but not the time of foremen or other supervisory personnel.
3. The Contractor shall be entitled to payment in respect of the total time that labour is employed on daywork, calculated at the basic rates entered by the Contractor in the Schedule of Daywork Rates:
  1. Labour, together with an additional percentage payment on basic rates representing the Contractor's profit, overheads, etc., as described below:
    - a) The basic rates for labour shall cover all direct costs to the Contractor, including (but not limited to) the amount of wages paid to such labour, transportation time, overtime, subsistence allowances, and any sums paid to or on behalf of such labour for social benefits in accordance with [country of Borrower]Kenya law. The basic rates will be payable in local currency only.
    - b) The additional percentage payment to be quoted by the bidder and applied to costs incurred under (a) above shall be deemed to cover the Contractor's profit, overheads, superintendence, liabilities, and insurances and allowances to labour, timekeeping, and clerical and office work, the use of consumable stores, water, lighting, and power; the use and repair of stagings, scaffolding, workshops, and stores, portable power tools, manual plant, and tools; supervision by the Contractor's staff, foremen, and other supervisory personnel; and charges incidental to the foregoing. Payments under this item shall be made in local currency.

## **Daywork Materials**

4. The Contractor shall be entitled to payment in respect of materials used for daywork (except for materials for which the cost is included in the percentage addition to labour costs as detailed heretofore), at the basic rates entered by the Contractor in the Schedule of Daywork Rates: 2. Materials, together with an additional percentage payment on the basic rates to cover overhead charges and profit, as follows:
  - a) the basic rates for materials shall be calculated on the basis of the invoiced price, freight, insurance, handling expenses, damage, losses, etc., and shall provide for delivery to store for stockpiling at the Site. The basic rates shall be stated in local currency, but payment will be made in the currency or currencies expended upon presentation of supporting documentation.
  - b) the additional percentage payment shall be quoted by the bidder and applied to the equivalent local currency payments made under (a) above. Payments under this item will be made in local currency.
  - c) the cost of hauling materials for use on work ordered to be carried out as daywork from the store or stockpile on the Site to the place where it is to be used will be paid in accordance with the terms for Labour and Construction in this schedule.

## **Daywork Contractor's Equipment**

5. The Contractor shall be entitled to payments in respect of Contractor's Equipment already on Site and employed on daywork at the basic rental rates entered by the Contractor in the Schedule of Daywork Rates: **3. Contractor's Equipment.** Said rates shall be deemed to include due and complete allowance for depreciation, interest, indemnity, and insurance, repairs, maintenance, supplies, fuel, lubricants, and other consumables, the cost of drivers, operators, and assistants and all overhead, profit, and administrative costs related to the use of such equipment.
6. In calculating the payment due to the Contractor for Contractor's Equipment employed on daywork, only the actual number of working hours will be eligible for payment, except that where applicable and agreed with the Engineer, the travelling time from the part of the Site where the Contractor's Equipment was located when ordered by the Engineer to be employed on daywork and the time for return journey thereto shall be included for payment.
7. The basic rental rates for Contractor's Equipment employed on daywork shall be stated in local currency, but payments to the Contractor will be made in local currency.

**BILL OF QUANTITIES FOR PROPOSED CONSTRUCTION OF KIPINI FISH LANDING SITE IN TANA RIVER COUNTY**

ITEM	DESCRIPTION	AMOUNT (KSHS)
	<p><b><u>BILL NO 1: PARTICULAR PRELIMINARIES</u></b></p> <p>(All Rates are V.A.T Inclusive)</p> <p><b>1.0.1 EMPLOYER</b> The Employer is <b>MINISTRY OF MINING, BLUE ECONOMY AND MARITIME AFFAIRS</b> The term "Employer" and "MINISTRY OF MINING, BLUE ECONOMY AND MARITIME AFFAIRS" wherever used in the contract document shall be synonymous.</p> <p><b>1.0.2 PROJECT MANAGER</b> The term "PM" wherever used in these Bills of Quantities shall be deemed to imply the project Manager as defined in the Conditions of Contract or such person or persons as may be duly authorised to represent him/her on behalf of the employer.</p> <p><b>1.0.3 ARCHITECT</b> The term "Architect" shall be deemed to mean "The P.M " as defined above whose address unless otherwise notified is Project Engineer.</p> <p><b>1.0.4 QUANTITY SURVEYOR</b> The term "Quantity Surveyor" shall be deemed to mean "The P.M " as defined above whose address unless otherwise notified is Project Engineer.</p> <p><b>1.0.5 ELECTRICAL ENGINEER</b> The term "Electrical Engineer" shall be deemed to mean "The P.M " as defined above whose address unless otherwise notified is Project Engineer.</p> <p><b>1.0.6 MECHANICAL ENGINEER</b> The term "Mechanical Engineer" shall be deemed to mean "The P.M " as defined above whose address unless otherwise notified is Project Engineer.</p> <p><b>1.0.7 STRUCTURAL ENGINEER</b> The term "Structural Engineer" shall be deemed to mean "The P.M " as defined above whose address unless otherwise notified is Project Engineer.</p> <p><b>1.0.8 PROJECT ENGINEER (PE) (Member of NPCU, State Department of Fisheries)</b> The term "Project Engineer" shall be deemed to mean "The ENGINEER " as defined above whose address unless otherwise notified is National Project Coordination Unit (NPCU), State Department of Fisheries. P.O. Box 58187-00200 NAIROBI</p> <p><b>1.0.9 EMPLOYER'S REPRESENTATIVE</b> Wherever the term "Architect, Quantity Surveyor and Engineer" as defined above are used in all Contract Documents they shall be deemed to imply the "Employer's Representatives" and shall include such other persons as they may duly authorize to represent them on behalf of the Employer or the Successor in Office of such persons as may be deputed by such representatives to act on their behalf for the purpose of this Contract.</p>	
	<b>Carried to collection</b>	

**BILL OF QUANTITIES FOR PROPOSED CONSTRUCTION OF KIPINI FISH LANDING SITE IN TANA RIVER COUNTY**

ITEM	DESCRIPTION	AMOUNT (KSHS)
1.0.10	<p><b><u>CONTRACTOR</u></b></p> <p>The term "the Contractor" wherever used hereinafter and in all Contract Documents shall mean the person or persons, partnership firm or Company whose Tender for the works hereinafter defined has been accepted by the Employer and who has, or have signed this Contract and shall include his or their heirs, executors, administrators, assignees, successors and duly appointed.</p>	
1.0.11	<p><b>LOCATION OF SITE</b></p> <p>The site of the proposed works is in Kipini Landing Site Office, Tana River County. The Contractor is advised to visit the site, to familiarize with the nature and position of the site. No claims arising from the Contractor's failure to do so will be entertained.</p>	
1.0.12	<p><b>DESCRIPTION OF THE WORKS</b></p> <p>The works to be carried out under this contract is the Construction of PROPOSED CONSTRUCTION OF KIPINI FISH LANDING SITE AT KIPINI, IN TANA RIVER COUNTY.</p> <p>The project consists of the following:</p> <ol style="list-style-type: none"> <li>1. Excavation &amp; Earthworks including fillings</li> <li>2. Waterproofing.</li> <li>3. Concrete works</li> <li>4. Reinforcement</li> <li>5. Formwork.</li> <li>6. Walling.</li> <li>7. Roofing.</li> <li>8. Doors</li> <li>9. Windows</li> <li>10. Fittings.</li> <li>11. Finishes.</li> <li>12. Mechanical works</li> <li>13. Electrical Installations.</li> <li>14. Landscaping works</li> <li>15. Civil works</li> </ol>	
1.0.13	<p><b>FORM OF CONTRACT</b></p> <p>The Form of Contract shall be as stipulated in the Tender documents</p>	
1.0.14	<p><b>BID BOND</b></p> <p>A bid bond shall be required in the amount stated in the invitation to tender or advertisement.</p>	
	<b>Carried to collection</b>	



**BILL OF QUANTITIES FOR PROPOSED CONSTRUCTION OF KIPINI FISH LANDING SITE IN TANA RIVER COUNTY**

ITEM	DESCRIPTION	AMOUNT (KSHS)
1.0.15	<p><b>CLEARING AWAY</b></p> <p>The Contractor shall remove all temporary works, rubbish, debris and surplus materials from the site as they accumulate and upon completion of the works, remove and clear away all plant, equipment, rubbish, unused materials and stains and leave in a clean and tidy state to the reasonable satisfaction of the Project Manager.</p> <p>The whole of the works shall be delivered up clean, complete and in perfect condition in every respect to the satisfaction of the Project Manager.</p>	
1.0.16	<p><b>WORKING CONDITIONS</b></p> <p>The Contractor shall allow in his rates for any interference that he may encounter in the course of the works for the Client may in some cases ask the Contractor not to proceed with the works until some activities within the site are completed, as the facility will be operating as usual during the course of the contract. The contractor must allow for compliance with all County &amp; Statutory Authorities' laws &amp; regulations.</p>	
1.0.17	<p><b>CLAIMS</b></p> <p>It shall be a condition of this contract that upon it becoming reasonably apparent to the Contractor that he has incurred losses and / or expenses due to any of the contract conditions, or by any other reason whatsoever, he shall present such a claim or intent to claim notice to the PROJECT MANAGER within the contract period. No claim shall be entertained upon the expiry of the said contract period.</p>	
1.0.18	<p><b>LABOUR CAMPS</b></p> <p>The Contractor shall not be allowed to house labour on site. Allow for transporting workers to and from the site during the tenure of the contract.</p>	
1.0.19	<p><b>PRICING RATES</b></p> <p>The tenderer shall fill in rates and prices for all items of the Works described in the Bill of Quantities. <b>Items for which no rate or price is entered by the tenderer will not be paid for when executed and shall be deemed covered by the other rates and prices in the Bill of Quantities.</b> The tenderer shall include for all costs in executing the whole of the works, including transport, replacing damaged items, fixing, all to comply with the said Conditions of Contract.</p> <p>Prices quoted should be net inclusive of all taxes.</p> <p>Prices shall remain valid for One Hundred and twenty (120) days from the closing date of tender.</p> <p>The rates and prices quoted by the tenderer shall only be subject to adjustment during the performance of the Contract if provided for in the Appendix to Conditions of Contract and provisions made in the Conditions of Contract.</p>	
	<b>Carried to collection</b>	

**BILL OF QUANTITIES FOR PROPOSED CONSTRUCTION OF KIPINI FISH LANDING SITE IN TANA RIVER COUNTY**

ITEM	DESCRIPTION	AMOUNT (KSHS)
1.0.20	<p><b>MATERIALS FROM DEMOLITIONS</b></p> <p>Any materials arising from demolitions SHALL NOT BE re-used shall become the property of the client unless otherwise advised.</p>	
1.0.21	<p><b>URGENCY OF THE WORKS</b></p> <p>The Contractor is notified that these “ <b>works are urgent</b>” and should be completed within the period stated in these Particular Preliminaries.</p> <p>The Contractor shall allow in his rates for any costs he/ she deems that he/she may incur by having to complete these works within the stipulated contract period.</p>	
1.0.22	<p><b>PAYMENTS GENERALLY</b></p> <p>The tenderer’s attention is drawn to the fact that the client will only make advance payments and pay for work done and materials delivered to site: all in accordance with the Conditions of Contract Agreement. In order to facilitate this, a list of the general component elements for the works is given at the summary page of these specifications and the tenderer is requested to break down his tender sum commensurate to the said elements. The contractor is advised to deliver &amp; concur on his claim for payment with the PE before the following site visit to enable approval of the same by the Acceptance &amp; Approval Committee. The claim shall be prepared in the same format as these bills clearly showing quantities &amp; rates (both work &amp; materials). Both the PM &amp; contractor should be able to locate &amp; identify the items claimed from the main bill.</p>	
1.0.23	<p><b>PAYMENT FOR MATERIALS ON SITE</b></p> <p>All materials for incorporation in the works must be stored on site before payment is effected, unless specifically exempted by the Project Engineer. This is to include materials of the Contractor, nominated sub-Contractors and nominated suppliers.</p>	
1.0.24	<p><b>ADVANCE PAYMENTS</b></p> <p>The tenderer’s attention is drawn to the fact that the Client does not make any advance payments</p>	
1.0.25	<p><b>EXISTING SERVICES</b></p> <p>Prior to the commencement of any work, the Contractor is to ascertain from the relevant authority the exact position, depth and level of all existing services in the area and he/she shall make whatever provisions may be required by the authorities concerned for the support, maintenance and protection of such services.</p>	
1.0.26	<p><b>TENDER DOCUMENTS</b></p> <p>Tender documents are as listed in the Instruction to Tenderers</p>	
1.0.27	<p><b>DELIVERY OF TENDER</b></p> <p>Tenders and all documents in connection therewith, as specified above must be delivered in the addressed envelope which should be properly sealed and deposited at the offices as specified in the letter accompanying these documents or as indicated in the advertisement. Tenders will be opened at the time specified in the letter accompanying these Tender Documents or as indicated in the advertisement. Tenders delivered/received later than the above time will not be opened.</p>	
1.0.28	<p><b>SIGNING OF THE TENDER DOCUMENTS</b></p> <p>The bidder shall append his / her signature and / or company ‘s rubberstamp on each and every page of tender document.</p>	
	<b>Carried to collection</b>	

**BILL OF QUANTITIES FOR PROPOSED CONSTRUCTION OF KIPINI FISH LANDING SITE IN TANA RIVER COUNTY**

ITEM	DESCRIPTION	AMOUNT (KSHS)
1.0.29	<p><b>MEASUREMENTS</b></p> <p>In the event of any discrepancies arising between the Bills of Quantities and the actual works, the site measurements shall generally take precedence. However, such discrepancies between any contract documents shall immediately be referred to the PROJECT ENGINEER in accordance with the Conditions of Contract. The discrepancies shall then be treated as a variation and be dealt with in accordance with the said Conditions.</p>	
1.0.30	<p><b>VALUE ADDED TAX</b></p> <p>The Contractor's attention is drawn to the Legal Notice in the Finance Act part 3 Section 21(b) operative from 1<sup>st</sup> September, 1993 which requires payment of VAT on all contracts. The Contractor should therefore include allowance in his rates and prices for VAT and any other Government taxes currently in force.</p> <p><b>NB:</b> The Contractor should therefore include the tax within the rates.</p>	
1.0.31	<p><b>CONTRACT COMPLETION PERIOD</b></p> <p>The contract completion period in accordance with conditions of the Conditions of contract must be adhered to.</p> <p>The 'ENGINEER' shall strictly monitor the Contractors progress in relation to the progress chart and should it be found necessary the 'PE' shall inform the Contractor in writing that his actual performance on site is not satisfactory. In all such cases the Contractor shall accelerate his rate of performance production and progress by all means such as additional labour, plant, e.t.c and working overtime all at his cost.</p>	
1.0.32	<p><b>GEOTECHNICAL SURVEY</b></p> <p>Allow a sum of <b>KES. 950,000.00</b> (Nine Hundred and Fifty Thousand only) for conducting geotechnical survey on site before commencement of works. The survey and investigation to be conducted by a specialist subject to the Engineer's approval.</p>	950,000.00
	<b>Carried to collection</b>	

**BILL OF QUANTITIES FOR PROPOSED CONSTRUCTION OF KIPINI FISH LANDING SITE IN TANA RIVER COUNTY**

ITEM	DESCRIPTION	AMOUNT (KSHS)
1.0.33	<p><b><u>PARTICULARS OF INSERTIONS TO BE MADE IN APPENDIX TO CONTRACT AGREEMENT</u></b></p> <p>The following are the insertions to be made in the appendix to the Contract Agreement: -</p> <p><b>Period of Final Measurement - 3 Months</b> From Practical completion</p> <p><b>Defects Liability Period - 6 Months</b> from Practical completion</p> <p><b>Date for Possession - To be agreed</b> with the Engineer</p> <p><b>Date for Completion - 12 months</b> from date of Possession</p> <p><b>Liquidated and Ascertained - At the rate of Kshs.. 100,000...</b> per week or part thereof:</p> <p><b>Prime cost</b> sums for which the Contractor desires to tender                      .....</p> <p><b>Period of Interim Certificates - After 2 Months</b></p> <p><b>Period of Honouring Certificates - 60 days</b></p> <p><b>Percentage of Certified Value Retained - 10%</b></p> <p><b>Limit of Retention Fund - 5%</b></p>	
	Carried to collection	

## BILL OF QUANTITIES FOR PROPOSED CONSTRUCTION OF KIPINI FISH LANDING SITE IN TANA RIVER COUNTY

ITEM	DESCRIPTION	AMOUNT (KSHS)
	<p><b><u>COLLECTION</u></b></p> <p>Brought forward from page PP/1</p> <p>Brought forward from page PP/2</p> <p>Brought forward from page PP/3</p> <p>Brought forward from page PP/4</p> <p>Brought forward from page PP/5</p> <p>Brought forward from page PP/6</p>	
	<b>TOTAL FOR PARTICULAR PRELIMINARIES CARRIED TO GRAND SUMMARY</b>	

**BILL OF QUANTITIES FOR PROPOSED CONSTRUCTION OF KIPINI FISH LANDING SITE IN TANA RIVER COUNTY**

ITEM	DESCRIPTION	AMOUNT (KSHS)
	(All Rates are V.A.T Inclusive) <b><u>BILL NO 2: GENERAL PRELIMINARIES</u></b>	
2.0.1	<p><b>PRICING OF ITEMS OF PRELIMINARIES AND PREAMBLES</b></p> <p>Prices will be inserted against items of Preliminaries in the Contractor's priced Bills of Quantities and Specification.</p> <p>The Contractor shall be deemed to have included in his prices or rates (V.A.T Inclusive) for the various items in the Bills of Quantities or Specification for all costs involved in complying with all the requirements for the proper execution of the whole of the works in the Contract. Failure to price an item shall not exempt the contractor from carrying out works described therein. Should the contractor fail to carry out works which he/she did not price and after having received a written instruction from the PM, then the value of such works shall be deducted from the very immediate certificate issued to the contractor.</p> <p><b>MoPW current rates, JBC, IQSK, manufacturers or fair rates shall be used by the PM in valuation of unpriced items which the contractor shall fail to execute.</b></p> <p>The contractor is advised to read and understand all preliminary items.</p> <p>The Contractor is advised to visit the site, to familiarize with the nature and position of the site. No claims arising from the Contractor's failure to do so will be entertained.</p>	
2.0.2	<p><b>FIRM PRICE CONTRACT</b></p> <p>Unless otherwise specifically stated in the Contract Data and/or Particular preliminaries this is a firm price contract and the contractor must allow in his tender rates for any increase in the cost of labour and/or materials during the currency of the contract.</p>	
2.0.3	<p><b>VISIT SITE AND EXAMINE DRAWINGS</b></p> <p>The Contractor is recommended to examine the drawings and visit the site the location of which is described in the Particular Preliminaries hereof. He shall be deemed to have acquainted himself therewith as to its nature, position, means of access or any other matter which, may affect his tender. No claim arising from his failure to comply with this recommendation will be considered.</p>	
2.0.4	<p><b>SUFFICIENCY OF TENDER</b></p> <p>The Contractor shall be deemed to have satisfied himself before tendering as to the correctness and sufficiency of this tender for the works and of the rates and prices stated in the Priced Bills of Quantities, which rates and prices shall cover all his obligations under the Contract and all matters that are necessary for the proper completion and maintenance of the works.</p>	
	<b>Carried to collection</b>	

**BILL OF QUANTITIES FOR PROPOSED CONSTRUCTION OF KIPINI FISH LANDING SITE IN TANA RIVER COUNTY**

ITEM	DESCRIPTION	AMOUNT (KSHS)
2.0.5	<p><b>BONDS</b></p> <p>The Contractor shall find and submit with the Form of Tender a guarantor and who will be willing to be bound the Government in the amount of the bond.</p> <p>The amount of the bond is SPECIFIED IN THE INVITATION TO TENDER</p> <p>The guarantor shall be an approved institution as specified in the invitation to tender and who will when and if called upon, sign a Bond to that effect on the relevant standard form included herein. (without the addition of any limitations) on the same day as the Contract Agreement is signed, by the Government, the Contractor shall furnish within seven days another Surety to the approval of the Government.</p>	
2.0.6	<p><b>PERFORMANCE BOND</b></p> <p>Specified amount of bond in the tender documents shall be required from the specified institution.</p> <p>The period for supplying the bond shall be specified in the tender documents.</p> <p>No contract shall be signed, NOR shall any payment be made before the bidder has complied with the bond requirements</p> <p>Failure to deliver the bond within the specified period shall automatically disqualify the bidder and the tender shall be awarded to next most responsive bidder without reference to the defaulting bidder.</p> <p>Should the bidder commence works and subsequently fail to provide the bond, he shall be evicted from site without any reimbursement notwithstanding the site having been handed over by the PM and client. The handing over only kick-starts the process and is not a waiver to bond conditions.</p> <p>The bond for the due performances of the Contract shall be valid up to the date of completion as certified by the ENGINEER.</p> <p>Any bond which provides otherwise or attempts to vary the duration of validity shall be invalid.</p> <p>The bond shall comply in all respects with the PPOA copy enclosed in the instructions to tender. A bond that does not match the Specified copy shall be treated as NO BOND</p>	
2.0.7	<p><b>EXCEPTION TO THE STANDARD METHOD OF MEASUREMENT</b></p> <p><b>Attendance</b> ; Clause B19(a) of the Standard Method of Measurement is deleted and the following clause is substituted:-</p> <p>Attendance on nominated Sub-Contractors shall be given as an item in each case shall be deemed to include: allowing use of standing scaffolding, mess rooms, sanitary accommodation and welfare facilities; provision of special scaffolding where necessary; providing space for office accommodation and for storage of plant and materials; providing light and water for their work; clearing away rubbish; unloading checking and hoisting; providing electric power and removing and replacing duct covers, pipe casings and the like necessary for the execution and testing of Sub- Contractors' work and being responsible for the accuracy of the same.</p> <p><b>Fix Only:-</b></p> <p>"Fix Only" shall mean take delivery at nearest railway station (Unless otherwise stated), pay all demurrage charges, load and transport to site where necessary, unload, store, unpack, assemble as necessary, distribute to position, hoist and fix only.</p>	
	<b>Carried to collection</b>	

**BILL OF QUANTITIES FOR PROPOSED CONSTRUCTION OF KIPINI FISH LANDING SITE IN TANA RIVER COUNTY**

ITEM	DESCRIPTION	AMOUNT (KSHS)
2.0.8	<p><b>ABBREVIATIONS</b></p> <p>Throughout these Bills, units of measurement and terms are abbreviated and shall be interpreted as follows:-</p> <p><b>C.M.</b> Shall mean cubic metre</p> <p><b>S.M.</b> Shall mean square metre</p> <p><b>L.M.</b> Shall mean linear metre</p> <p><b>MM</b> Shall mean Millimetre</p> <p><b>Kg.</b> Shall mean Kilogramme</p> <p><b>No.</b> Shall mean Number</p> <p><b>Prs.</b> Shall mean Pairs</p> <p><b>B.S.</b> Shall mean the British Standard Specification Published by the British Standards Institution, 2 Park Street, London W.I., England.</p> <p><b>"K.S"</b> Shall mean the current Kenya Standard specification published by the Kenya Bureau of Standards, P.O. Box 54974, NAIROBI, Kenya.</p> <p><b>Ditto</b> Shall mean the whole of the preceding description except as qualified in the description in which it occurs.</p> <p><b>m.s.</b> Shall mean measured separately.</p> <p><b>a.b.d</b> Shall mean as before described.</p> <p><b>"Approved"</b> Shall mean approved by the Project Manager and the Employer in writing.</p> <p><b>"As directed"</b> Shall mean as directed by the Project Manager and the Employer in writing.</p> <p><b>"Demolish"</b> Shall be deemed to mean cutting away, breaking up, demolishing, pulling down, taking down, removing, etc., as the context requires and shall include in all cases temporarily strutting and supporting and making good remaining work as necessary, and clearing away and removing from Site all debris, etc.</p> <p><b>"Remove"</b> Shall mean taking down, hacking up, breaking down, removing etc., and clearing away from Site and all other expenses thereby entailed.</p> <p><b>"Make good"</b> Shall be deemed to mean all making good, fitting, facing up, plastering, paving, repairing and painting to match and jointing to remaining existing work.</p> <p><b>To "match"</b> Shall mean to be equal to relevant existing work in design, workmanship and all other respects.</p> <p><b>"Re-fix"</b> Shall apply to existing materials arising from the Works and shall mean take from store and fix in new position, including making good, repairing and adjusting as necessary.</p>	
	Carried to collection	



**BILL OF QUANTITIES FOR PROPOSED CONSTRUCTION OF KIPINI FISH LANDING SITE IN TANA RIVER COUNTY**

ITEM	DESCRIPTION	AMOUNT (KSHS)
<b>2.0.9</b>	<b>PLANT, TOOLS AND VEHICLES</b>  Allow for providing all scaffolding, plant, tools and vehicles required for the works except in so far as may be stated otherwise herein and except for such items specifically and only required for the use of nominated Sub-Contractors as described herein. No timber used for scaffolding, formwork or temporary works of any kind shall be used afterwards in the permanent work.	
<b>2.0.10</b>	<b>TRANSPORT.</b>  Allow for transport of workmen, materials, etc., to and from the site at such hours and by such routes as may be permitted by the competent authorities.	
<b>2.0.11</b>	<b>MATERIALS AND WORKMANSHIP.</b>  All materials and workmanship used in the execution of the work shall be of the best quality and description unless otherwise stated. The Contractor shall order all materials to be obtained from overseas immediately after the Contract is signed and shall also order materials to be obtained from local sources as early as necessary to ensure that they are onsite when required for use in the works. The Bills of Quantities shall not be used for the purpose of ordering materials.	
<b>2.0.12</b>	<b>SIGN FOR MATERIALS SUPPLIED.</b>  The Contractor will be required to sign a receipt for all articles and materials supplied by the PROJECT MANAGER at the time of taking deliver thereof, as having received them in good order and condition, and will thereafter be responsible for any loss or damage and for replacements of any such loss or damage with articles and/or materials which will be supplied by the PROJECT MANAGER at the current market prices including Customs Duty and V.A.T., all at the Contractor's own cost and expense, to the satisfaction of the PROJECT MANAGER	
<b>2.0.13</b>	<b>STORAGE OF MATERIALS</b>  The Contractor shall provide at his own risk and cost where directed on the site weather proof lock-up sheds and make good damaged or disturbed surfaces upon completion to the satisfaction of the PROJECT MANAGER Nominated Sub-Contractors are to be made liable for the cost of any storage accommodation provided especially for their use.	
<b>2.0.14</b>	<b>ORDERING OF MATERIALS</b>  The Contractor must assist in alleviating the effects of possible shortages of materials by advance ordering of materials in order to maintain a continuous supply. Early delivery of materials will be permitted and included in interim certificates and upon request by the Project Manager, the Contractor will be required to produce copies of order forms and invoices to establish that materials have been ordered in sufficient time and to check on material deliveries.	
	<b>Carried to collection</b>	

**BILL OF QUANTITIES FOR PROPOSED CONSTRUCTION OF KIPINI FISH LANDING SITE IN TANA RIVER COUNTY**

ITEM	DESCRIPTION	AMOUNT (KSHS)
2.0.15	<p><b>SAMPLES</b></p> <p>The Contractor shall furnish at his own cost any samples of materials or workmanship required for the works that may be called for by the PROJECT MANAGER for his approval until such samples are approved by the PROJECT MANAGER and the PROJECT MANAGER, may reject any materials or workmanship not in his opinion to be up to approved samples. The PROJECT MANAGER shall arrange for the testing of such materials as he may at his discretion deem desirable, but the testing shall be made at the expense of the Contractor and not at the expense of the PROJECT MANAGER. The Contractor shall pay for the testing in accordance with the current scale of testing charges laid down by the Ministry of Public Works.</p> <p>The procedure for submitting samples of materials for testing and the method of marking for identification shall be as laid down by the PROJECT MANAGER The Contractor shall allow in his tender for such samples and tests except those in connection with nominated sub-contractors' work.</p> <p>Samples of paint, carpets, curtains &amp; covers, tiles &amp; timber shall be required for approval by the PM together with the employer.</p> <p>No alternate rate shall be offered on account that the employer has chosen a superior finish unless the bidder had attached the sample he priced.</p>	
2.0.16	<p><b>PUBLIC AND PRIVATE ROADS.</b></p> <p>Maintain as required throughout the execution of the works and make good any damage to public or private roads arising from or consequent upon the execution of the works to the satisfaction of the local and other competent authority and the PROJECT MANAGER.</p>	
2.0.17	<p><b>EXISTING PROPERTY.</b></p> <p>The Contractor shall take every precaution to avoid damage to all existing property including roads, cables, drains and other services and he will be held responsible for and shall make good all such damage arising from the execution of this contract at his own expense to the satisfaction of the PROJECT MANAGER.</p>	
2.0.18	<p><b>ACCESS TO SITE AND TEMPORARY ROADS.</b></p> <p>Means of access to the Site shall be agreed with the PROJECT MANAGER prior to commencement of the work and Contractor must allow for building any necessary temporary access roads for the transport of the materials, plant and workmen as may be required for the complete execution of the works including the provision of temporary culverts, crossings, bridges, or any other means of gaining access to the Site. Upon completion of the works, the Contractor shall remove such temporary access roads; temporary culverts, bridges, etc., and make good and reinstate all works and surfaces disturbed to the satisfaction of the PROJECT MANAGER.</p>	
	<b>Carried to collection</b>	

**BILL OF QUANTITIES FOR PROPOSED CONSTRUCTION OF KIPINI FISH LANDING SITE IN TANA RIVER COUNTY**

ITEM	DESCRIPTION	AMOUNT (KSHS)
<b>2.0.19</b>	<b>AREA TO BE OCCUPIED BY THE CONTRACTOR</b>  The area of the site which may be occupied by the Contractor for use of storage and for the purpose of erecting workshops, etc., shall be defined on site by the PROJECT MANAGER.	
<b>2.0.20</b>	<b>SECURITY OF WORKS ETC.</b> The Contractor shall be entirely responsible for the security of all the works stores, materials, plant, personnel, etc., both his own and sub-contractors' and must provide all necessary watching, lighting and other precautions as necessary to ensure security against theft, loss or damage and the protection of the public.	
<b>2.0.21</b>	<b>PROGRESS CHART.</b> The Contractor shall provide within two weeks of Possession of Site and in agreement with the PROJECT MANAGER a Progress Chart for the whole of the works including the works of Nominated Sub-Contractors ; one copy to be handed to the PROJECT MANAGER and a further copy to be retained on Site. Progress to be recorded and chart to be amended as necessary as the work proceeds.	
<b>2.0.22</b>	<b>INSURANCE</b>  The Contractor shall insure as required in Conditions No 30 of the Conditions of Contract. No payment on account of the work executed will be made to the Contractor until he has satisfied the PROJECT MANAGER either by production of an Insurance Policy or and Insurance Certificate that the provision of the foregoing Insurance Clauses have been complied with in all respects. Thereafter the PROJECT MANAGER shall from time to time ascertain that premiums are duly paid up by the Contractor who shall if called upon to do so, produce the receipted premium renewals for the PROJECT MANAGER's inspection.	
<b>2.0.23</b>	<b>CONTRACTOR'S SUPERINTENDENCE/SITE AGENT</b>  The Contractor shall constantly keep on the works a literate English speaking Agent or Representative, competent and experienced in the kind of work involved who shall give his whole experience in the kind of work involved and shall give his whole time to the superintendence of the works. Such Agent or Representative shall receive on behalf of the Contractor all directions and instructions from the Project Manager and such directions shall be deemed to have been given to the Contractor in accordance with the Conditions of Contract.	
	<b>Carried to collection</b>	

**BILL OF QUANTITIES FOR PROPOSED CONSTRUCTION OF KIPINI FISH LANDING SITE IN TANA RIVER COUNTY**

ITEM	DESCRIPTION	AMOUNT (KSHS)
2.0.24	<p><b>PROVISIONAL WORK</b></p> <p>All work described as "Provisional" in these Bills of Quantities is subject to remeasurement in order to ascertain the actual quantity executed for which payment will be made. All "Provisional" and other work liable to adjustment under this Contract shall left uncovered for a reasonable time to allow all measurements needed for such adjustment to be taken by the PROJECT MANAGER Immediately the work is ready for measuring, the Contractor shall give notice to the PROJECT MANAGER. If the Contractor makes default in these respects he shall if the PROJECT MANAGER so directs uncover the work to enable all measurements to be taken and afterwards reinstate at his own expense.</p>	
2.0.25	<p><b>PROVISIONAL SUMS.</b></p> <p>The term "Provisional Sum" wherever used in these Bills of Quantities shall have the meaning stated in Section A item A7(i) of the Standard Method of Measurement. Such sums are net and no addition shall be made to them for profit.</p>	
2.0.26	<p><b>ADJUSTMENT OF PROVISIONAL SUMS.</b></p> <p>In the final account all Provisional Sums shall be deducted and the value of the work properly executed in respect of them upon the PROJECT MANAGER's order added to the Contract Sum. Such work shall be valued , but should any part of the work be executed by a Nominated Sub-Contractor, the value of such work or articles for the work to be supplied by a Nominated Supplier, the value of such work or articles shall be treated as a P.C. Sum and profit and attendance comparable to that contained in the priced Bills of Quantities for similar items added.</p>	
2.0.27	<p><b>PRIME COST (OR P.C.) SUMS.</b></p> <p>The term "Prime Cost Sum" or "P.C. Sum" wherever used in these Bills of Quantities shall have the meaning stated in Section A item A7 (ii) of the Standard Method of Measurement . Persons or firms nominated by the PROJECT MANAGER to execute work or to provide and fix materials or goods are described herein as Nominated Sub Contractors. Persons or firms so nominated to supply goods or materials are described herein as Nominated Suppliers.</p>	
	<b>Carried to collection</b>	

**BILL OF QUANTITIES FOR PROPOSED CONSTRUCTION OF KIPINI FISH LANDING SITE IN TANA RIVER COUNTY**

ITEM	DESCRIPTION	AMOUNT (KSHS)
<b>2.0.28</b>	<p><b>ADJUSTMENT OF P.C. SUMS.</b></p> <p>In the final account all P.C. Sums shall be deducted and the amount properly expended upon the PROJECT MANAGER'S order in respect of each of them added to the Contract sum. The Contractor shall produce to the PROJECT MANAGER such quotations, invoices or bills, properly receipted, as may be necessary to show the actual details of the sums paid by the Contractor. Items of profit upon P.C. Sums shall be adjusted in the final account pro-rata to the amount paid. Items of "attendance" (as previously described) following P.C. Sums shall be adjusted pro-rata to the physical extent of the work executed (not pro-rata to the amount paid) and this shall apply even though the Contractor's priced Bill shows a percentage in the rate column in respect of them. Should the Contractor be permitted to tender and his tender be accepted of any work for which a P.C. Sum is included in these Bill of Quantities profit and attendance will be allowed at the same rate as it would be if the work were executed by a Nominated Sub-Contractor.</p>	
<b>2.0.29</b>	<p><b>NOMINATED SUB-CONTRACTORS</b></p> <p>When any work is ordered by the PROJECT MANAGER to be executed by nominated sub-contractors, the Contractor shall enter into sub-contracts and shall thereafter be responsible for such sub-contractors in every respect. Unless otherwise described the Contractor is to provide for such Sub-Contractors any or all of the facilities described in these Preliminaries. The Contractor should price for these with the nominated Sub contract Contractor's work concerned in the P.C. Sums under the description "add for Attendance".</p>	
<b>2.0.30</b>	<p><b>DIRECT CONTRACTS</b></p> <p>Notwithstanding the foregoing conditions, the Client reserves the right to place a "Direct Contract" for any goods or services required in the works which are covered by a P.C. Sum in the Bills of Quantities and to pay for the same direct. In any such instances, profit relative to the P.C. Sum the priced Bills of Quantities will be adjusted as described for P.C. Sums and allowed.</p>	
<b>2.0.31</b>	<p><b>ATTENDANCE UPON OTHER TRADESMEN, ETC.</b></p> <p>The Contractor shall allow for the attendance of trade upon trade and shall afford any tradesmen or other persons employed for the execution of any work not included in this Contract every facility for carrying out their work and also for use of his ordinary scaffolding. The Contractor, however, shall not be required to erect any special scaffolding for them. The Contractor shall perform such cutting away for and making good after the work of such tradesmen or persons as may be ordered by the PROJECT MANAGER and the work will be measured and paid for to the extent executed at rates provided in these Bills.</p>	
	<b>Carried to collection</b>	

**BILL OF QUANTITIES FOR PROPOSED CONSTRUCTION OF KIPINI FISH LANDING SITE IN TANA RIVER COUNTY**

ITEM	DESCRIPTION	AMOUNT (KSHS)
2.0.32	<p><b>OFFICE ETC. FOR THE PROJECT MANAGER</b></p> <p>The Contractor shall provide, erect and maintain where directed on site a properly ventilated lockable office for the consultants, having a minimum floor area of 40 Square Metres complete with furniture (Tables, chairs e.t.c). Provision shall be made for artificial lighting and cleaning facilities for the duration of the works. Upon completion the Contractor shall dismantle and clear away the office. He shall also provide a strong metal trunk complete with strong hasp and staple fastening and two keys. He shall provide, erect and maintain a lock-up type water or bucket closet for the sole use of the PROJECT MANAGER including making temporary connections to the drain where applicable to the satisfaction of Government and Medical Officer of Health and shall provide services of cleaner and pay all conservancy charges and keep both office and closet in a clean and sanitary condition from commencement to the completion of the works and dismantle and make good disturbed surfaces. The office and closet shall be completed before the Contractor is permitted to commence the works. The Contractor shall make available on the Site as and when required by the "PROJECT MANAGER" a modern and accurate level together with levelling staff, ranging rods and 50 metre metallic or linen tape.</p>	
2.0.33	<p><b>WATER AND ELECTRICITY SUPPLY FOR THE WORKS</b></p> <p>The Contractor shall provide at his own risk and cost all necessary water, electric lighting and power required for use in the works. The Contractor must make his own arrangements for connection to the nearest suitable water main and for metering the water used. He must also provide temporary tanks and meters as required at his own cost and clear away when no longer required and make good on completion to the entire satisfaction of the PROJECT MANAGER . The Contractor shall pay all charges in connection herewith. No guarantee is given or implied that sufficient water will be available from mains and the Contractor must make his own arrangements for augmenting this supply at his own cost. Nominated Sub-contractors are to be made liable for the cost of any water or electric current used and for any installation provided especially for their own use.</p>	
2.0.34	<p><b>SANITATION OF THE WORKS</b></p> <p>The Sanitation of the works shall be arranged and maintained by the Contractor to the satisfaction of the Government and/or Local Authorities, Labour Department and the PROJECT MANAGER.</p>	
2.0.35	<p><b>SUPERVISION AND WORKING HOURS</b></p> <p>The works shall be executed under the direction and to the entire satisfaction in all respects of the PROJECT MANAGER who shall at all times during normal working hours have access to the works and to the yards and workshops of the Contractor and sub-Contractors or other places where work is being prepared for the contract.</p>	
	<b>Carried to collection</b>	

**BILL OF QUANTITIES FOR PROPOSED CONSTRUCTION OF KIPINI FISH LANDING SITE IN TANA RIVER COUNTY**

ITEM	DESCRIPTION	AMOUNT (KSHS)
<b>2.0.36</b>	<b>PROTECTION OF THE WORKS.</b>  Provide protection of the whole of the works contained in the Bills of Quantities, existing property, finishes, workmen employed on the site, employer's agents and the public; including casing , casing up, covering or such other means as may be necessary to avoid damage to the satisfaction of the PROJECT MANAGER and remove such protection when no longer required and make good any damage which may nevertheless have been done at completion free of cost to the Client. Any damage or loss incurred due to the insufficiency of such protection must be made good by the Contractor	
<b>2.0.37</b>	<b>WORKS TO BE DELIVERED UP CLEAN</b>  Clean and flush all gutters, rainwater and waste pipes, manholes and drains, wash (except where such treatment might cause damage) and clean all floors, sanitary fittings, glass inside and outside and any other parts of the works and remove all marks, blemishes, stains and defects from joinery, fittings and decorated surfaces generally, polish door furniture and bright parts of metalwork and leave the whole of the buildings watertight, clean, perfect and fit for occupation to the approval of the PROJECT MANAGER.	
<b>2.0.38</b>	<b>GENERAL SPECIFICATION.</b>  For the full description of materials and workmanship, method of execution of the work and notes for pricing, the Contractor is referred to the Ministry of Roads and Public Works and Housing General Specification dated 1976 or any subsequent revision thereof which is issued as a separate document, and which shall be allowed in all respects unless it conflicts with the General Preliminaries, Trade Preambles or other items in these Bills of Quantities.	
<b>2.0.39</b>	<b>TRAINING LEVY</b>  The Contractor's attention is drawn to the legal notice which requires payment by the Contractor of a Training Levy at the rate of 1/4 % of the Contract sum on all contracts of more than KShs. 50,000.00 in value.	
<b>2.0.40</b>	<b>MATERIALS ON SITE</b>  All materials for incorporation in the works must be stored on or adjacent to the site before payment is effected unless specifically exempted by the PROJECT MANAGER. This includes the materials of the Main Contractor, Nominated Sub-Contractors and Nominated Suppliers.	
<b>2.0.41</b>	<b>HOARDING</b>  The Contractor shall enclose the site or part of the works under construction with a hoarding 2400 mm high consisting of iron sheets on 100 x 50 mm timber posts firmly secured at 1800 mm centres with two 75 x 50 mm timber rails. The Contractor is in addition required to take all precautions necessary for the safe custody of the works, materials, plant, public and Employer's property on the site.	
<b>2.0.42</b>	<b>ALTERATIONS TO BILLS, PRICING, ETC.</b>  Any unauthorised alteration or qualification made to the text of the Bills of Quantities may cause the Tender to be disqualified and will in any case be ignored. The Contractor shall be deemed to have made allowance in his prices generally to cover any items against which no price has been inserted in the priced Bills of Quantities. All items of measured work shall be priced in detail and the Tenders containing Lump Sums to cover trades or groups of work must be broken down to show the price of each item before they will be accepted.	
	<b>Carried to collection</b>	

**BILL OF QUANTITIES FOR PROPOSED CONSTRUCTION OF KIPINI FISH LANDING SITE IN TANA RIVER COUNTY**

ITEM	DESCRIPTION	AMOUNT (KSHS)
<b>2.0.43</b>	<b>MATERIALS ARISING FROM EXCAVATIONS</b>  Materials of any kind obtained from the excavations shall be the property of the client. Unless the PROJECT MANAGER directs otherwise such materials shall be dealt with as provided in the Contract. Such materials shall only be used in the works, in substitution of materials which the Contractor would otherwise have had to supply with the written permission of the PROJECT MANAGER Should such permission be given, the Contractor shall make due allowance for the value of the materials so used at a price to be agreed.	
<b>2.0.44</b>	<b>PREVENTION OF ACCIDENT, DAMAGE OR LOSS</b>  The Contractor is notified that these works are to be carried out on a restricted site where the client is going on with other normal activities. The Contractor is thus instructed to take reasonable care in the execution of the works as to prevent accidents, damage or loss and disruption of activities being carried out by the Client. The Contractor shall allow in his rates any expense he deemed necessary by taking such care within the site.	
<b>2.0.45</b>	<b>GOVERNMENT ACTS REGARDING WORK, PEOPLE ETC.</b>  Allow for complying with all Government Acts, Orders and Regulations in connection with the employment of Labour and other matters related to the execution of the works. In particular the Contractor's attention is drawn to the provisions of the Factory Act 1950 and his tender must include for all costs arising or resulting from compliance with any Act, Order or Regulation relating to Insurances, pensions and holidays for workpeople or so the safety, health and welfare of the workpeople. The Contractor must make himself fully acquainted with current Acts and Regulations, including Police Regulations regarding the movement, housing, security and control of labour, labour camps, passes for transport, etc. It is most important that the Contractor, before tendering, shall obtain from the relevant Authority the fullest information regarding all such regulations and/or restrictions which may affect the organisation of the works, supply and control of labour, etc., and allow accordingly in his tender. No claim in respect of want of knowledge in this connection will be entertained.	
<b>2.0.46</b>	<b>BLASTING OPERATIONS</b>  Blasting will only be allowed with the express permission of the PROJECT MANAGER in writing. All blasting operations shall be carried out at the Contractor's sole risk and cost in accordance with any Government regulations in force for the time being, and any special regulations laid down by the PROJECT MANAGER governing the use and storage of explosives.	
<b>2.0.47</b>	<b>SIGNBOARD</b>  Allow for providing, erecting, maintaining throughout the course of the Contract and afterwards clearing away a signboard as designed, specified and approved by the Project Manager.	
	<b>Carried to collection</b>	



**BILL OF QUANTITIES FOR PROPOSED CONSTRUCTION OF KIPINI FISH LANDING SITE IN TANA RIVER COUNTY**

ITEM	DESCRIPTION	AMOUNT (KSHS)
<b>2.0.48</b>	<b>NUISANCE</b> The Contractor must take such steps and exercise such care and diligence so as to minimize nuisance from dust, noise or any other cause, to the occupiers of adjacent properties	
<b>2.0.49</b>	<b>PROTECTION OF TREES</b> The Contractor shall in the course of construction take all necessary precautions to preserve any existing trees. The contractor will not cut down any tree(s) without express authority or written instruction by the Project Manager and relevant authorities. He must at all times liaise with the Project Manager in this regard. The cost of obtaining any necessary permits will be borne by the Contractor.	
<b>2.0.50</b>	<b>EXTENDED PRELIMINARIES</b> In case the Contractor suffers costs due to extended preliminaries as a result of excusable delays. Then the Employer shall compensate the Contractor the ACTUAL COST of such extended preliminaries plus 10% administrative costs. Such costs will be proven with payment receipts, payroll etc. No further claims shall be allowed with respect to the same.	
<b>2.0.51</b>	<b>TIMELY PAYMENT FOR LABOURERS</b> The Contractor shall ensure that his workers are paid their wages promptly and on time. If such payments are effected weekly the Contractor shall ensure that workers are paid on the appointed day to avoid any disruption of work occasioned by the failure of the Contractor to pay workers on time and shall be required to furnish proof to that effect,	
<b>2.0.52</b>	<b><u>Record (As Built) Drawings</u></b> Prepare and submit three sets of record (as built) plan and isometric layout drawings to easily readable scale, A1 or A0 paper size format as follows: i) general arrangement drawings of all <b>Architectural, Structural and Civil Works</b> Works ii) any other details as per specifications Drawings are to be submitted in soft copy (CAD Files) and hard copy to the client, the architect and the engineer. The soft copies to be stored in 1TB SSD Drive. Allow for preparation and submitting of drawings to Engineers approvals.	
	<b>Carried to collection</b>	

## BILL OF QUANTITIES FOR PROPOSED CONSTRUCTION OF KIPINI FISH LANDING SITE IN TANA RIVER COUNTY

ITEM	DESCRIPTION	AMOUNT (KSHS)
	<u>COLLECTION</u>	
A	Brought Forward From Page GP/1	
B	Brought Forward From Page GP/2	
C	Brought Forward From Page GP/3	
D	Brought Forward From Page GP/4	
E	Brought Forward From Page GP/5	
F	Brought Forward From Page GP/6	
G	Brought Forward From Page GP/7	
H	Brought Forward From Page GP/8	
J	Brought Forward From Page GP/9	
K	Brought Forward From Page GP/10	
L	Brought Forward From Page GP/11	
M	Brought Forward From Page GP/12	
TOTAL FOR GENERAL PRELIMINARIES CARRIED TO GRAND SUMMARY		

**BILL OF QUANTITIES FOR PROPOSED CONSTRUCTION OF KIPINI FISH LANDING SITE IN TANA RIVER COUNTY**

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
	<p>(All Rates are V.A.T Inclusive)</p> <p><b><u>BILL NO. 3</u></b></p> <p><b><u>MEETING HALL BUILDING WORKS</u></b></p> <p><b><u>ELEMENT NO 3.1</u></b></p> <p><b><u>SUBSTRUCTURE WORKS (All Provisional)</u></b></p> <p><b><u>EXCAVATION AND EARTHWORKS</u></b></p>				
3.1.1	Clear site of all bushes, tufts and any small or large trees, including grubbing out roots and burn on site where directed	SM	347		
3.1.2	Excavate oversite average 250mm deep and cart away	SM	347		
3.1.3	Excavate trench for strip foundation: not exceeding 1.5m deep	CM	204		
3.1.4	Excavate for column pits: not exceeding 1.5m deep	CM	44		
3.1.5	Extra over excavation from rock in any position	CM	137		
	<b><u>Disposal of excavated material</u></b>				
3.1.6	Return fill in and ram in excavations	CM	92		
3.1.7	Load and cart away surplus material	CM	156		
	<b><u>Disposal of Water</u></b>				
3.1.8	Allow for keeping the whole of the excavation free from mud, water and fallen materials	Item	1		
	<b><u>Planking and strutting</u></b>				
3.1.9	Allow for planking and strutting sides of excavation	Item	1		
	<b><u>Filling</u></b>				
3.1.10	300mm thick (minimum) approved hardcore handpacked in layers not exceeding 150mm	CM	139		
3.1.11	50mm thick murrum dust or any other equal and approved material in blinding surface of hardcore	SM	347		
	<b><u>Insecticide Treatment</u></b>				
3.1.12	Treat hardcore surface with approved antitermite applied in accordance with the manufacturer's instructions and subject to a TEN YEAR guarantee	SM	347		
	<b>TOTAL EXCAVATION AND EARTHWORKS, CARRIED FORWARD TO ELEMENT COLLECTION</b>				

**BILL OF QUANTITIES FOR PROPOSED CONSTRUCTION OF KIPINI FISH LANDING SITE IN TANA RIVER COUNTY**

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
	<b><u>SUBSTRUCTURES CONTINUED</u></b>				
	<b><u>CONCRETE WORKS</u></b>				
3.1.13	50 mm thick concrete blinding to surfaces of strip footing & column bases (class 15/20)	SM	165		
	<b><u>Vibrated reinforced concrete class 25/20 to:-</u></b>				
3.1.14	Strip footing	CM	28		
3.1.15	Columns Bases	CM	8		
3.1.16	Columns	CM	3		
3.1.17	150mm thick floor slab	SM	347		
3.1.18	150 mm Thick sloping ramp slab	SM	48		
	<b><u>High Tensile Reinforcement Bars to B. S. 4449 including cutting, bending and all necessary spacer blocks : (Provisional) :-</u></b>				
3.1.19	Assorted bars	KG	6240		
3.1.20	BRC mesh type A142	SM	347		
	<b><u>Marineply formwork as Described. Allow for setting to special steel propping, strutting, fillets, nails, etc to:</u></b>				
3.1.21	Edges of strip footing	SM	91		
3.1.22	Ditto but to column bases	SM	24		
3.1.23	Ditto but to sides of columns	SM	36		
3.1.24	Ditto but to edges of floor slab 75-150mm high.	LM	77		
3.1.28	Edges of ramps 75mm - 150mm high.	LM	51		
	<b><u>FOUNDATION WALLING</u></b>				
3.1.26	200mm solid coral block foundation wall in cement:sand (1:3) reinforced with hoop iron at every to alternative course	SM	304		
	<b><u>WATERPROOFING</u></b>				
3.1.27	500 gauge polythene DPM	SM	347		
	<b><u>PLINTH FINISHES</u></b>				
3.1.28	15mm cement and sand (1:4) render trowelled smooth and comprising 12mm thick backing and 3mm finishing coat.	SM	39		
	<b><u>Painting and Decoration</u></b>				
3.1.29	Prepare and apply 3 coats of first quality emulsion paint to rendered surfaces	SM	39		
	<b>TOTAL SUBSTRUCTURE WALLING AND CONCRETE WORKS, CARRIED FORWARD TO ELEMENT COLLECTION</b>				
	<b><u>ELEMENT NO. 1 (SUBSTRUCTURE WORKS) COLLECTION</u></b>				
A	Total Excavation and Earthworks brought forward from page MH/1				
B	Total Substructure Walling and Concrete Works brought forward from page MH/2				
	<b>TOTAL ELEMENT NO. 3.1 (SUBSTRUCTURE WORKS), CARRIED TO SUMMARY</b>				

**BILL OF QUANTITIES FOR PROPOSED CONSTRUCTION OF KIPINI FISH LANDING SITE IN TANA RIVER COUNTY**

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
	<b><u>SUPERSTRUCTURES</u></b>				
	<b><u>ELEMENT NO 3.2</u></b>				
	<b><u>SUPERSTRUCTURE REINFORCED CONCRETE WORKS</u></b>				
	<b><u>Vibrated Reinforced Concrete Class - 25/20 to:-</u></b>				
3.2.1	Beams	CM	18		
3.2.2	Upstand beam	CM	7		
3.2.3	Columns	CM	8		
3.2.4	175mm thick Suspended slab	SM	228		
	<b><u>High Tensile Reinforcement Bars to B. S. 4449 including cutting, bending and all necessary spacer blocks : (Provisional) :-</u></b>				
3.2.5	Assorted bars	KG	10935		
	<b><u>Marineply formwork as Described. Allow for setting to special steel propping, strutting, fillets, nails, etc to:</u></b>				
3.2.6	Sides and soffits of beams	SM	208		
3.2.7	Sides of upstand	SM	62		
3.2.8	Sides of columns	SM	112		
3.2.9	Soffits of suspended slab	SM	228		
3.2.10	Edges of Ditto 150-225mm high	LM	68		
	<b>TOTAL FOR ELEMENT NO. 3.2 (SUPERSTRUCTURE REINFORCED CONCRETE WORKS), CARRIED FORWARD TO SUMMARY</b>				
	<b><u>ELEMENT NO. 3.3</u></b>				
	<b><u>WALLING</u></b>				
3.3.1	200mm machine cut coral stone wall in cement:sand (1:3) reinforced with hoop iron at every to alternative course externally	SM	133		
3.3.2	Ditto but 200 mm thick parapet walling ditto	SM	102		
3.3.3	200mm machine cut coral stone wall in cement:sand (1:3) reinforced with hoop iron at every to alternative course internally.	SM	109		
3.3.4	100mm ditto	SM	55		
	<b><u>WATERPROOFING</u></b>				
3.3.5	Hessian based bituminous felt damp proof course 200mm wide	LM	113		
	<b><u>Precast concrete coping</u></b>				
3.3.6	300 x 75 mm thick insitu concrete coping reinforced in 4No. 10mm diameter bars and 8mm diameter rings; weathered and throated saddled-back on both sides for handling finished fair and jointed to 200 thick dwarf and parapet walls in cement sand mortar 1:3 all to approval	LM	68		
3.3.7	Ditto 550 x 350mm pier cap ditto to columns	NO	20		
	<b><u>Precast Concrete Louvre Block Walling</u></b>				
3.3.8	200 mm thick approved precast concrete louvre block walling bedded and jointed in cement sand (1:3) mortar, reinforced with 25mm x 3mm thick hoop iron strip in every alternate course	SM	84		
	<b>TOTAL FOR ELEMENT NO. 3.3 (WALLING), CARRIED FORWARD TO SUMMARY</b>				

**BILL OF QUANTITIES FOR PROPOSED CONSTRUCTION OF KIPINI FISH LANDING SITE IN TANA RIVER COUNTY**

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
	<b><u>ELEMENT NO. 3.4</u></b>				
	<b><u>ROOFING</u></b>				
	<b><u>FLAT ROOF FINISHES</u></b>				
3.4.1	50 mm cement sand 1:3 water proof screed to flat roof slab laid to fall and crossfalls	SM	228		
3.4.2	Apply one coat bituminous primer to surface of screed.	SM	228		
3.4.3	Supply, torch and apply bituminous membrane as per 'high quality' or equal and approved to primed screed surfaces	SM	228		
3.4.4	Ditto sides of wall 200mm high	LM	68		
3.4.5	50 x 50mm internal angle fillet	LM	68		
3.4.6	200 x 200 x 25mm thick high quality clay tiles or equal approved on roof slab bedded and jointed in cement mortar 1:3 and 25mm joint pointed with red cement slurry	SM	228		
3.4.7	Ditto sides of wall 200mm high	LM	68		
	<b><u>Rainwater goods</u></b>				
3.4.8	Extra over for running outlet	NO	10		
3.4.9	100mm x 75 x 0.6mm PVC down pipes fixed to wall with holding clips at 1200mm centres	LM	40		
3.4.10	Extra over for swan neck 1000mm long	NO	8		
3.4.11	Extra over for shoe 1000mm long	NO	8		
	<b><u>Supply and fix the following approved uPVC Cylindrical Water Storage Tanks, (Diameter x Ht).</u></b>				
3.4.12	10,000Litres 2400mm x 2800mm. The tank has screwed connections for inlet, outlet, no overflow, 25mm medium pressure ball valve. A 500mm thick x 3000mm dia R.C tank base should be constructed on which the tank will be mounted.	NO	1		
	<b>TOTAL FOR ELEMENT NO. 3.4 (ROOFING) CARRIED TO SUMMARY</b>				

**BILL OF QUANTITIES FOR PROPOSED CONSTRUCTION OF KIPINI FISH LANDING SITE IN TANA RIVER COUNTY**

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
	<b><u>ELEMENT NO. 3.5</u></b> <b><u>WINDOWS</u></b>				
	<u>Supply, assemble and fix the following purpose made powder coated aluminium framed sliding windows to B.S 3987, 1984 from approved manufacturer(s) in 75 x 50 x 2 mm thick aluminium transomes and mullions at 600 mm C/C; railing and necessary intermediate reinforcement elements complete with and including all necessary bolts, nuts, rubber nosing and; necessary fixing gaskets including all weather strips, rubber glazing strips,couplings, sliding rails bars, window boards; panes fixed with 6mm thick one way glass fixed with beadings.</u>				
3.5.1	Overall size 2000 x 1500mm high.	NO.	6		
3.5.2	Overall size 2000 x 800mm high.	NO.	4		
3.5.3	Overall size 1200 x 800mm high.	NO.	6		
	<u>Fabricate, supply and fix mild steel window grill; constructed with 25 x 25 x 3mm RHS vertical framing; infilled with 12 mm diameter solid bars at 150 mm center in both directions to form diamond shape; fixed with lugs built into concrete or stone walls: all primed with red oxide .(Refer to architect's detail)</u>				
3.5.4	To window openings	SM.	0		
	<b>TOTAL FOR ELEMENT NO. 3.5 (WINDOWS), CARRIED FORWARD TO SUMMARY</b>				
	<b><u>ELEMENT NO. 3.6</u></b> <b><u>DOORS</u></b>				
	<u>Wrot Mvule, or equal and approved Hardwood</u>				
3.6.1	50mm Thick(finished) framed Single leaf single swing door size 900 x 2400mm high comprising of 300mm fanlight, 150 x 45mm grooved top rails and stiles, 200 x 45mm grooved bottom and middle rails, 20mm thick panel infills all finished for painting (m.s)	NO	5		
3.6.2	Ditto but double action door size 1000 x 2400 mm high.	NO	4		
3.6.3	Double leaves door size 1500 x 2400mm high ditto	NO	4		
3.6.4	Ditto but louvred door size 800 x 2100mm high ditto	NO	3		
	<b><u>FRAMES</u></b>				
3.6.5	150 x 50mm once rebated frame with labour: plugged	LM	107		
3.6.6	45 x 38mm architrave	LM	107		
3.6.7	25mm diameter quadrant	LM	107		
	<u>Suply and fix the following ironmongery all to 'industrial galvanised' or equal and approved specification</u>				
3.6.8	100mm heavy duty brass butt hinges	PRS	22.5		
3.6.9	Ditto but double action hinges.	PRS	6		
3.6.10	Three lever rebated door lock complete with furniture	NO	4		
3.6.11	Two lever rebated door lock complete with furniture	NO	5		
3.6.12	Indicator bolt	NO	3		
3.6.13	Rubber door stop	NO	24		
3.6.14	Kick plate 900 x 450 x 2mm thick	NO	8		
3.6.15	Door closer hold open power 2/3 (with cover)	NO	16		
	<b><u>Signage</u></b>				
3.6.16	Supply and fix Stainless steel satin Rectangular signage to offices and washrooms size 150 x 75mm	NO	16		
	<b><u>Glazing</u></b>				
3.6.17	5mm clear sheet glass with putty and beadings to detail.	SM	5		
	<b>TOTAL FOR ELEMENT NO. 3.6 (DOORS), CARRIED FORWARD TO SUMMARY</b>				

**BILL OF QUANTITIES FOR PROPOSED CONSTRUCTION OF KIPINI FISH LANDING SITE IN TANA RIVER COUNTY**

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
	<b><u>ELEMENT NO. 3.7</u></b>				
	<b><u>FINISHES</u></b>				
	<b><u>EXTERNAL FINISHINGS</u></b>				
	<b><u>Walls</u></b>				
	<b><u>15mm thick cement and sand (1:3) render to:-</u></b>				
3.7.1	15mm thick cement and sand Rendering to walls and ringbeam, finished with a wood float,	SM	337		
3.7.2	Prepare and apply 3 coats of first quality exterior silicone paint to plastered surfaces.	SM	337		
	<b><u>INTERNAL FINISHES</u></b>				
	<b><u>Wall and Concrete Finishes</u></b>				
3.7.3	12mm cement and sand (1:4) plaster to walls and concrete surfaces trowelled smooth.	SM	368		
3.7.4	Prepare and apply 3 coats of Gloss oil paint plastered surfaces.	SM	368		
	<b><u>Wall Tiles</u></b>				
3.7.5	150 x 150 x 6mm Thick White glazed ceramic wall tiles bedding and jointing in cement and sand (1:3) mortar and flush pointed with white cement:	SM	93		
	<b><u>Floor Finishes</u></b>				
	<b><u>Cement and sand (1:4) screeding smooth trowelled</u></b>				
3.7.6	32mm Thick floor screed to receive tiles	SM	347		
	<b><u>Ceramic floor tiles</u></b>				
3.7.7	Supply and fix 10 mm thick non-slip ceramic floor tiles on prepared backing including grouting and edge protectors where required.	SM	178		
3.7.8	100 mm high skirting	LM	250		
	<b><u>Terrazzo paving</u></b>				
3.7.9	20 mm Thick homogenous mix terrazzo laid on screed backing; cement sand marble chippings (1:4:8) grinded and polished including dividing strips.	SM	169		
3.7.10	Ditto but to 100 mm high skirting	LM	168		
3.7.11	25 mm wide Slip-resistant Carborandum inserts on ramp bonded with an approved adhesive	LM	156		
3.7.12	32 x 3mm thick plastic dividing strips	LM	518		
3.7.13	Prepare and apply three coats corrosion resistant first quality approved marine metal paint or other equal and approved to metal surfaces of burglar proofing.	SM	0		
	<b>TOTAL CARRIED FORWARD</b>				



**BILL OF QUANTITIES FOR PROPOSED CONSTRUCTION OF KIPINI FISH LANDING SITE IN TANA RIVER COUNTY**

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
	<b><u>BROUGHT FORWARD</u></b>				
	<b><u>Doors</u></b>				
3.7.14	Prepare and apply three coats gloss paint (high-quality or equal approved) to general wood surfaces	SM	80		
3.7.15	Ditto girth 100-200mm	LM	107		
3.7.16	Ditto girth not exceeding 100mm	LM	214		
	<b><u>CEILING</u></b>				
3.7.17	12mm cement and sand (1:4) plaster to concrete surfaces trowelled smooth.	SM	347		
3.7.18	Prepare and apply 3 coats of first quality emulsion paint or equal and approved to plastered surfaces.	SM	347		
	<b>TOTAL FOR ELEMENT NO. 7 (FINISHES) CARRIED TO SUMMARY</b>				
	<b><u>SUMMARY</u></b>				
1	Total for Element No. 3.1 (Substructure Works), brought forward from page MH/2				
2	Total for Element No. 3.2 (Superstructure Reinforced Concrete Works), brought forward from page MH/3				
3	Total for Element No. 3.3 (Walling), brought forward from page MH/3				
4	Total for Element No. 3.4 (Roofing) brought forward from page MH/4				
5	Total for Element No. 3.5 (Windows) brought forward from page MH/5				
6	Total for Element No. 3.6 (Doors) brought forward from page MH/5				
7	Total for Element No. 3.7 (Finishes) brought forward from above				
	<b>TOTAL FOR BUILDING WORKS, CARRIED TO GRAND SUMMARY</b>				

**BILL OF QUANTITIES FOR PROPOSED CONSTRUCTION OF KIPINI FISH LANDING SITE IN TANA RIVER COUNTY**

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
	<p>(All Rates are V.A.T Inclusive)</p> <p><b><u>BILL NO. 4</u></b></p> <p><b><u>BOAT YARD BUILDING WORKS</u></b></p> <p><b><u>ELEMENT NO 4.1</u></b></p> <p><b><u>SUBSTRUCTURE WORKS (All Provisional)</u></b></p> <p><b><u>EXCAVATION AND EARTHWORKS</u></b></p>				
4.1.1	Clear site of all bushes, tufts and any small or large trees, including grubbing out roots and burn on site where directed	SM	173		
4.1.2	Excavate oversite average 250mm deep and cart away	SM	173		
4.1.3	Excavate trench for strip foundation: not exceeding 1.5m deep	CM	70		
4.1.4	Excavate for column pits: not exceeding 1.5m deep	CM	31		
4.1.5	Extra over excavation from rock in any position	CM	56		
	<b><u>Disposal of excavated material</u></b>				
4.1.6	Return fill in and ram in excavations	CM	45		
4.1.7	Load and cart away surplus material	CM	56		
	<b><u>Disposal of Water</u></b>				
4.1.8	Allow for keeping the whole of the excavation free from mud, water and fallen materials	Item	1		
	<b><u>Planking and strutting</u></b>				
4.1.9	Allow for planking and strutting sides of excavation	Item	1		
	<b><u>Filling</u></b>				
4.1.10	300mm thick (minimum) approved hardcore handpacked in layers not exceeding 150mm	CM	70		
4.1.11	50mm thick murram dust or any other equal and approved material in blinding surface of hardcore	SM	173		
	<b><u>Insecticide Treatment</u></b>				
4.1.12	Treat hardcore surface with approved antitermite applied in accordance with the manufacturer's instructions and subject to a TEN YEAR guarantee	SM	173		
	<b>TOTAL EXCAVATION AND EARTHWORKS, CARRIED FORWARD TO ELEMENT COLLECTION</b>				

**BILL OF QUANTITIES FOR PROPOSED CONSTRUCTION OF KIPINI FISH LANDING SITE IN TANA RIVER COUNTY**

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
	<b><u>SUBSTRUCTURES CONTINUED</u></b>				
	<b><u>CONCRETE WORKS</u></b>				
4.1.13	50 mm thick concrete blinding to surfaces of strip footing & column bases (class 15/20)	SM	69		
	<b><u>Vibrated reinforced concrete class 25/20 to:-</u></b>				
4.1.14	Strip footing	CM	10		
4.1.15	Columns Bases	CM	8		
4.1.16	Columns	CM	2		
4.1.17	150mm thick floor slab	SM	173		
	<b><u>High Tensile Reinforcement Bars to B. S. 4449 including cutting, bending and all necessary spacer blocks : (Provisional) :-</u></b>				
4.1.18	Assorted bars	KG	3000		
4.1.19	BRC mesh type A142	SM	173		
	<b><u>Marineply formwork as Described. Allow for setting to special steel propping, strutting, fillets, nails, etc to:</u></b>				
4.1.20	Edges of strip footing	SM	32		
4.1.21	Ditto but to column bases	SM	20		
4.1.22	Ditto but to sides of columns	SM	26		
4.1.23	Ditto but to edges of floor slab 75-150mm high.	LM	52		
	<b><u>FOUNDATION WALLING</u></b>				
4.1.24	200mm solid coral block foundation wall in cement:sand (1:3) reinforced with hoop iron at every to alternative course	SM	117		
	<b><u>WATERPROOFING</u></b>				
4.1.25	500 gauge polythene DPM	SM	173		
	<b><u>PLINTH FINISHES</u></b>				
4.1.26	15mm cement and sand (1:4) render trowelled smooth and comprising 12mm thick backing and 3mm finishing coat.	SM	26		
	<b><u>Painting and Decoration</u></b>				
4.1.27	Prepare and apply 3 coats of first quality emulsion paint to rendered surfaces	SM	26		
	<b>TOTAL SUBSTRUCTURE WALLING AND CONCRETE WORKS, CARRIED FORWARD TO ELEMENT COLLECTION</b>				
	<b><u>ELEMENT NO. 1 (SUBSTRUCTURE WORKS) COLLECTION</u></b>				
A	Total Excavation and Earthworks brought forward from page BY/1				
B	Total Substructure Walling and Concrete Works brought forward from page BY/2				
	<b>TOTAL ELEMENT NO. 4.1 (SUBSTRUCTURE WORKS), CARRIED TO SUMMARY</b>				

**BILL OF QUANTITIES FOR PROPOSED CONSTRUCTION OF KIPINI FISH LANDING SITE IN TANA RIVER COUNTY**

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
	<b><u>SUPERSTRUCTURES</u></b> <b><u>ELEMENT NO 4.2</u></b> <b><u>SUPERSTRUCTURE REINFORCED CONCRETE WORKS</u></b> <b><u>Vibrated Reinforced Concrete Class - 25/20 to:-</u></b>				
4.2.1	Beams	CM	14		
4.2.2	Upstand beam	CM	5		
4.2.3	Columns	CM	5		
4.2.4	175mm thick Suspended slab	SM	150		
	<b><u>High Tensile Reinforcement Bars to B. S. 4449 including cutting, bending and all necessary spacer blocks : (Provisional) :-</u></b>				
4.2.5	Assorted bars	KG	7538		
	<b><u>Marineply formwork as Described. Allow for setting to special steel propping, strutting, fillets, nails, etc to:</u></b>				
4.2.6	Sides and soffits of beams	SM	160		
4.2.7	Sides of upstand	SM	47		
4.2.8	Sides of columns	SM	68		
4.2.9	Soffits of suspended slab	SM	150		
4.2.10	Edges of Ditto 150-225mm high	LM	52		
	<b>TOTAL FOR ELEMENT NO. 4.2 (SUPERSTRUCTURE REINFORCED CONCRETE WORKS), CARRIED FORWARD TO SUMMARY</b>				
	<b><u>ELEMENT NO. 4.3</u></b> <b><u>WALLING</u></b>				
4.4.1	200mm machine cut coral stone wall in cement:sand (1:3) reinforced with hoop iron at every to alternative course externally	SM	142		
4.4.2	Ditto but 200 mm thick parapet walling with perforations to details.	SM	78		
4.4.3	200mm machine cut coral stone wall in cement:sand (1:3) reinforced with hoop iron at every to alternative course internally.	SM	22		
	<b><u>WATERPROOFING</u></b>				
4.4.4	Hessian based bituminous felt damp proof course 200mm wide	LM	60		
	<b><u>Precast concrete coping</u></b>				
4.4.5	300 x 75 mm thick insitu concrete coping reinforced in 4No. 10mm diameter bars and 8mm diameter rings; weathered and throated saddled-back on both sides for handling finished fair and jointed to 200 thick dwarf and parapet walls in cement sand mortar 1:3 all to approval	LM	52		
4.4.6	Ditto 550 x 350mm pier cap ditto to columns	NO	10		
	<b>TOTAL FOR ELEMENT NO. 4.3 (WALLING), CARRIED FORWARD TO SUMMARY</b>				

**BILL OF QUANTITIES FOR PROPOSED CONSTRUCTION OF KIPINI FISH LANDING SITE IN TANA RIVER COUNTY**

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
	<b><u>ELEMENT NO. 4.4</u></b>				
	<b><u>ROOFING</u></b>				
	<b><u>FLAT ROOF FINISHES</u></b>				
4.4.1	50 mm cement sand 1:3 water proof screed to flat roof slab laid to fall and crossfalls	SM	150		
4.4.2	Apply one coat bituminous primer to surface of screed.	SM	150		
4.4.3	Supply, torch and apply bituminous membrane as per 'high quality' or equal and approved to primed screed surfaces	SM	150		
4.4.4	Ditto sides of wall 200mm high	LM	52		
4.4.5	50 x 50mm internal angle fillet	LM	52		
4.4.6	200 x 200 x 25mm thick high quality clay tiles or equal approved on roof slab bedded and jointed in cement mortar 1:3 and 25mm joint pointed with red cement slurry	SM	150		
4.4.7	Ditto sides of wall 200mm high	LM	52		
	<b><u>Rainwater goods</u></b>				
4.4.8	Extra over for running outlet	NO	10		
4.4.9	100mm x 75 x 0.6mm PVC down pipes fixed to wall with holding clips at 1200mm centres	LM	40		
4.4.10	Extra over for swan neck 1000mm long	NO	8		
4.4.11	Extra over for shoe 1000mm long	NO	8		
	<b>TOTAL FOR ELEMENT NO. 4.4 (ROOFING) CARRIED TO SUMMARY</b>				

**BILL OF QUANTITIES FOR PROPOSED CONSTRUCTION OF KIPINI FISH LANDING SITE IN TANA RIVER COUNTY**

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
	<b><u>ELEMENT NO. 4.5</u></b> <b><u>WINDOWS</u></b>				
	<u>Supply, assemble and fix the following purpose made powder coated aluminium framed sliding windows to B.S 3987, 1984 from approved manufacturer(s) complete with 75 x 50 x 2 mm thick frames, mullions, transoms, railing and necessary intermediate reinforcement elements including all weather strips, rubber glazing strips,couplings, sliding rails bars, window cills and window boards; panes fixed with 6mm thick one way tinted glass fixed with beadings.</u>				
4.5.1	Overall size 3800 x 1500mm high.	NO.	1		
	<u>Aluminium vent windows fabricated in 75mm x 1.8 mm thick aluminium blades fixed to 75 x 50 x 2 mm frames including all necessary accessories to details</u>				
4.5.2	Overall size 3800 x 750mm high.	NO.	6		
4.5.3	Overall size 2400 x 750mm high.	NO.	2		
	<u>Fabricate, supply and fix mild steel window grill; constructed with 25 x 25 x 3mm RHS vertical framing; infilled with 12 mm diameter solid bars at 150 mm center in both directions to form diamond shape; fixed with lugs built into concrete or stone walls: all primed with red oxide .(Refer to architect's detail)</u>				
4.5.4	To window openings	SM.	0		
	<b>TOTAL FOR ELEMENT NO. 4.5 (WINDOWS), CARRIED FORWARD TO SUMMARY</b>				
	<b><u>ELEMENT NO. 4.6</u></b> <b><u>DOORS</u></b>				
	<b>Roller Shutter Doors</b>				
	<u>Supply and fix manually operated slatted aluminium roller shutter with and including 100 x 100 x 6mm galvanised steel frame; Door infilled with 10mm thick aluminium shutter slats complete with all necessary sliding channels, hood for shutter, pull chain, galvanised ironmongery including locking devices with key access and other neccessay accesories. Roller shutter fixed to walls slab or columns including cutting or forming holes and making good; Upward sliding door; All welding ground smooth and shoped prime with two pack epoxy zinc phosphate primer before fixing;apply three coats of marine grade gloss paint finish</u>				
4.6.1	Door overall size 2400mm x 2700mm high.	NO	1		
4.6.2	Door overall size 3800mm x 2700mm high.	NO	6		
	<b>TOTAL FOR ELEMENT NO. 4.6 (DOORS), CARRIED FORWARD TO SUMMARY</b>				

**BILL OF QUANTITIES FOR PROPOSED CONSTRUCTION OF KIPINI FISH LANDING SITE IN TANA RIVER COUNTY**

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
	<b><u>ELEMENT NO. 4.7</u></b>				
	<b><u>FINISHES</u></b>				
	<b><u>EXTERNAL FINISHINGS</u></b>				
	<b><u>Walls</u></b>				
	<b><u>15mm thick cement and sand (1:3) render to:-</u></b>				
4.7.1	15mm thick cement and sand Rendering to walls and ringbeam, finished with a wood float,	SM	298		
4.7.2	Prepare and apply 3 coats of first quality exterior silicone paint to plastered surfaces.	SM	298		
	<b><u>INTERNAL FINISHES</u></b>				
	<b><u>Wall and Concrete Finishes</u></b>				
4.7.3	12mm cement and sand (1:4) plaster to walls and concrete surfaces trowelled smooth.	SM	186		
4.7.4	Prepare and apply 3 coats of Gloss oil paint plastered surfaces.	SM	186		
	<b><u>Floor Finishes</u></b>				
	<b><u>Cement and sand (1:4) screeding smooth trowelled</u></b>				
4.7.5	32mm Thick floor screed to receive tiles	SM	173		
	<b><u>Terrazzo paving</u></b>				
4.7.6	20 mm Thick homogenous mix terrazzo laid on screed backing; cement sand marble chippings (1:4:8) grinded and polished including dividing strips.	SM	173		
4.7.7	Ditto but to 100 mm high skirting	LM	93		
4.7.8	25 mm wide Slip-resistant Carborandum inserts on ramp bonded with an approved adhesive	LM	120		
4.7.9	32 x 3mm thick plastic dividing strips	LM	618		
4.7.10	Prepare and apply three coats corrosion resistant first quality approved marine metal paint or other equal and approved to metal surfaces of burglar proofing.	SM	0		
	<b><u>CEILING</u></b>				
4.7.11	12mm cement and sand (1:4) plaster to concrete surfaces trowelled smooth.	SM	173		
4.7.12	Prepare and apply 3 coats of first quality emulsion paint or equal and approved to plastered surfaces.	SM	173		
	<b>TOTAL FOR ELEMENT NO. 4.7 (FINISHES) CARRIED TO SUMMARY</b>				

**BILL OF QUANTITIES FOR PROPOSED CONSTRUCTION OF KIPINI FISH LANDING SITE IN TANA RIVER COUNTY**

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
	<b><u>SUMMARY</u></b>				
1	Total for Element No. 4.1 (Substructure Works), brought forward from page BY/2				
2	Total for Element No. 4.2 (Superstructure Reinforced Concrete Works), brought forward from page BY/3				
3	Total for Element No. 4.3 (Walling), brought forward from page BY/3				
4	Total for Element No. 4.4 (Roofing) brought forward from page BY/4				
5	Total for Element No. 4.5 (Windows) brought forward from page BY/5				
6	Total for Element No. 4.6 (Doors) brought forward from page BY/5				
7	Total for Element No. 4.7 (Finishes) brought forward from page BY/6				
	<b>TOTAL FOR BUILDING WORKS, CARRIED TO GRAND SUMMARY</b>				



**BILL OF QUANTITIES FOR PROPOSED CONSTRUCTION OF KIPINI FISH LANDING SITE IN TANA RIVER COUNTY**

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
	<b><u>BUILDING WORKS</u></b> <b><u>BILL NO. 5</u></b> <b><u>FISH BANDA BUILDING WORKS</u></b>  <b><u>ELEMENT NO. 5.1</u></b> <b><u>DEMOLITIONS AND ALTERATIONS</u></b>  <u>The items of demolitions and removal shall include shoring, making good disturbed areas to match existing and loading and carting away debris unless otherwise specified.</u>				
5.1.1	Carefully cut into ground floor slab to create drainage channels and column base, complete with removal of steel/mesh reinforcements and cart away debris as directed by the project manager.	SM	15		
5.1.2	Allow for careful demolition of walls to make room for construction of column base and cart away debris as directed by the project manager.	SM	6		
5.1.3	Allow for careful removal of worktops in reinforced concrete slab, plinth and walls overall 24,000 mm x 600 mm x 900 mm high and cart away debris as directed by the project manager.	ITEM	1		
5.1.4	Carefully remove existing Timber doors complete with frame including ironmongery and fixed to plastered and painted masonry wall and cart away as directed by the project manager.	NO	2		
5.1.5	Carefully demolish and remove existing timber windows size 1,200 x 800 mm; glazed with glass louvres complete with and including 30mm round bars burglar proofing grilles fixed all round to plastered and painted masonry walling and cart away debris as directed by the project manager.	NO	7		
5.1.6	Carefully demolish existing work top finish and tiled floor finish complete with skirting and prepare the surfaces to receive another finish and cart away debris as directed by the project manager.	SM	116		
5.1.7	Carefully Demolish the existing ceiling on timber brandering; including cornice and the timber brandering and cart away debris as directed by the project manager.	SM	102		
5.1.8	Allow for carefully hacking internal walls in preparation to receive tile finish.	SM	75		
5.1.9	Allow for disconnection of plumbing and electrical installations in the affected areas as necessary.	ITEM	1		
	<b>TOTAL ELEMENT NO. 5.1 (DEMOLITIONS AND ALTERATIONS), CARRIED FORWARD TO COLLECTION</b>				

**BILL OF QUANTITIES FOR PROPOSED CONSTRUCTION OF KIPINI FISH LANDING SITE IN TANA RIVER COUNTY**

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
	<p><b><u>ELEMENT NO 5.2</u></b>  <b><u>SUBSTRUCTURE WORKS (All Provisional)</u></b></p> <p><u>Please note that ALL substructure works are Measured Provisionally. The contractor must ensure that the actual measurements are taken by the Project Quantity Surveyor before any works are covered. Failure to do so will necessitate works to be open up for verification at your (contractors) cost.</u></p> <p><b>NOTE: Classes of Rock</b></p> <p><b><u>(1) Class 1 :</u></b></p> <p>Soft rock of the type known locally as "CORAL" which in the opinion of the Engineer cannot be considered as hard rock shall be known as Class 1 rock. Soft Rock shall be rock with compressive strength not exceeding 15N/mm<sup>2</sup>. Murram and Kunker is specifically excluded and will be reckoned as normal/common excavation. Extremely weathered and weak Tuff shall also be considered as normal excavation.</p> <p><b><u>(2) Class 2 :</u></b></p> <p>Class 2 Rock shall be with compressive strength exceeding 15N/mm<sup>2</sup>. This type of rock contains stones and boulders of unweathered or incompletely weathered Tuff, trachyte, black trap or lava with compressive strength exceeding 15N/mm<sup>2</sup> in a formation which is massive and geologically homogeneous. A boulder or outcrop with such compressive strength will be deemed to be Class 2 rock or Hard Rock</p> <p>The opinion of the Engineer in classifying rock shall be final and binding.</p> <p>Explosives must not be used without the prior approval of the Engineer. Blasting operations are carried out at the Contractor's sole risk, and all blasting must be carried out in accordance with government regulations and approval</p>				

**BILL OF QUANTITIES FOR PROPOSED CONSTRUCTION OF KIPINI FISH LANDING SITE IN TANA RIVER COUNTY**

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
	<b><u>EXCAVATION AND EARTHWORKS</u></b> <u>Excavation including maintaining and supporting sides and keeping free from water, mud and falling materials; No allowance is made in the excavations for working space; contractor to factor in working space in his rates:</u>				
5.2.1	Clear site of all bushes, tufts and any small or large trees, including grubbing out roots and burn on site where directed	SM	64		
5.2.2	Excavate oversite average 150mm deep and cart away	SM	64		
5.2.3	Excavate trench for strip foundation: not exceeding 1.5m deep	CM	107		
5.2.4	Excavate for column bases: not exceeding 1.5m deep	CM	5		
5.2.5	Extra over excavation from rock in any position	CM	112		
	<b><u>Disposal of excavated material</u></b>				
5.2.6	Return, fill and ram extra excavation materials around foundation	CM	62		
5.2.7	Load and cart away surplus material	CM	50		
	<b><u>Disposal of Water</u></b>				
5.2.8	Allow for keeping the whole of the excavation free from mud, water and fallen materials	Item	1		
	<b><u>Planking and strutting</u></b>				
5.2.9	Allow for planking and strutting sides of excavation	Item	1		
	<b><u>Filling</u></b>				
5.2.10	300mm thick (minimum) approved hardcore handpacked in layers not exceeding 150mm	CM	20		
5.2.11	50mm thick murram dust or any other equal and approved material in blinding surface of hardcore	SM	64		
	<b><u>Insecticide Treatment</u></b>				
5.2.12	Treat hardcore surface with approved antitermite applied in accordance with the manufacturer's instructions and subject to a TEN YEAR guarantee	SM	64		
	<b>TOTAL EXCAVATION AND EARTHWORKS, CARRIED FORWARD TO ELEMENT COLLECTION</b>				

**BILL OF QUANTITIES FOR PROPOSED CONSTRUCTION OF KIPINI FISH LANDING SITE IN TANA RIVER COUNTY**

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
	<b><u>SUBSTRUCTURES CONTINUED</u></b>				
	<b><u>CONCRETE WORKS</u></b>				
5.2.13	50mm thick concrete blinding to surfaces of strip footing & column bases (concrete class 15/20)	SM	74		
	<b><u>Vibrated reinforced concrete class 25/20 to:-</u></b>				
5.2.14	Strip footing	CM	15		
5.2.15	Columns Bases	CM	2		
5.2.16	Foundation Columns	CM	1		
5.2.17	150 mm thick ground floor slab	SM	64		
5.2.18	Extra over ditto to forming 400mm wide shallow drainage channels, average 450mm deep 'U' channel in hardcore and floor slab including hand packing to sides of channel, 150mm thick concrete to sides and bed of channel including 50mm blinding and all necessary formwork and reinforcement, all to detail and approval	LM	24		
5.2.19	150 mm Thick sloping ramp slab	SM	13		
	<b><u>High Tensile Ribbed Reinforcement Bars to B. S. 4449 including cutting, bending and all necessary spacer blocks : (Provisional) :-</u></b>				
5.2.20	Assorted bars	KG	2700		
5.2.21	BRC mesh type A142	SM	64		
5.2.22	Ditto to ramps.	SM	13		
	<b><u>Marineply formwork as Described. Allow for setting to special steel proping, strutting, fillets, nails, etc to:</u></b>				
5.2.23	Sides of strip footing	SM	61		
5.2.24	Ditto but to column bases	SM	4		
5.2.25	Ditto but to sides of foundation columns	SM	3		
5.2.26	Ditto but to edges of floor slab 150mm - 225mm thick	LM	40		
5.2.27	Ditto but to ramp edges.	LM	18		
	<b><u>FOUNDATION WALLING</u></b>				
5.2.28	200mm solid coral block foundation wall in cement:sand (1:3) reinforced with hoop iron at every to alternative course	SM	138		
	<b><u>WATERPROOFING</u></b>				
5.2.29	1000 gauge polythene DPM	SM	64		
	<b><u>PLINTH FINISHES</u></b>				
5.2.30	15mm cement and sand (1:4) render trowelled smooth and comprising 12mm thick backing and 3mm finishing coat.	SM	20		
	<b><u>Painting and Decoration</u></b>				
5.2.31	Prepare and apply 3 coats of approved first quality bituminous paint or equal and approved to rendered surfaces	SM	20		
	<b>TOTAL SUBSTRUCTURE WALLING AND CONCRETE WORKS, CARRIED FORWARD TO ELEMENT COLLECTION</b>				

## BILL OF QUANTITIES FOR PROPOSED CONSTRUCTION OF KIPINI FISH LANDING SITE IN TANA RIVER COUNTY

[illegible]

**BILL OF QUANTITIES FOR PROPOSED CONSTRUCTION OF KIPINI FISH LANDING SITE IN TANA RIVER COUNTY**

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
	<b><u>SUPERSTRUCTURES</u></b> <b><u>ELEMENT NO 5.3</u></b>  <b><u>SUPERSTRUCTURE REINFORCED CONCRETE WORKS</u></b>  <b><u>Vibrated Reinforced Concrete Class - 25/20 to:-</u></b>				
5.3.1	Beams	CM	7		
5.3.2	Concrete gutters	CM	5		
5.3.3	Columns	CM	1		
5.3.4	175 mm Thick Suspended floor slab	SM	64		
	<b><u>High Tensile Reinforcement Bars to B. S. 4449 including cutting, bending and all necessary spacer blocks : (Provisional) :-</u></b>				
5.3.5	Asorted bars	KG	3870		
	<b><u>Marineply formwork as Described. Allow for setting to special steel propping, strutting, fillets, nails, etc to:</u></b>				
5.3.6	Sides of Beams	SM	82		
5.3.7	Sides and soffits of gutters	SM	42		
5.3.8	Sides of columns	SM	15		
5.3.9	To soffits of suspended slabs	SM	64		
5.3.10	To Edges of first floor slabs 150-225mm high	LM	40		
	<b>TOTAL FOR ELEMENT NO. 5.3 (SUPERSTRUCTURE REINFORCED CONCRETE WORKS), CARRIED FORWARD TO SUMMARY</b>				
	<b><u>ELEMENT NO. 5.4</u></b> <b><u>WALLING</u></b> 200mm machine cut coral stone wall in cement:sand (1:3) reinforced with hoop iron at every to alternative course externally	SM	75		
5.4.1					
5.4.2	Ditto but 200 mm thick parapet walling with perforations to details.	SM	60		
5.4.3	200mm machine cut coral stone wall in cement:sand (1:3) reinforced with hoop iron at every to alternative course internally.	SM	21		
5.4.4	150mm thick ditto.	SM	79		
	<b><u>Arches</u></b> Extra over 200 mm for forming curved arches 1000 - 3000 mm diameter including all necessary materials.	NO	2		
5.4.5					
	<b><u>WATERPROOFING</u></b> Hessian based bituminous felt damp proof course 200mm wide	LM	125		
5.4.6					
	<b><u>Precast concrete coping</u></b> 300 x 50 mm thick insitu concrete coping reinforced in 4No. 10mm diameter bars and 8mm diameter rings; weathered and throated saddled-back on both sides for handling finished fair and jointed to 200 thick dwarf and parapet walls in cement sand mortar 1:3 all to approval	LM	40		
5.4.7					
5.4.8	Ditto 550 x 350mm pier cap ditto to columns	NO	2		
	<b>TOTAL FOR ELEMENT NO. 5.4 (WALLING), CARRIED FORWARD TO SUMMARY</b>				

**BILL OF QUANTITIES FOR PROPOSED CONSTRUCTION OF KIPINI FISH LANDING SITE IN TANA RIVER COUNTY**

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
	<b><u>ELEMENT NO. 5.5</u></b> <b><u>ROOFING</u></b>				
	<b><u>FLAT ROOF FINISHES</u></b>				
5.5.1	50 mm cement sand 1:3 water proof screed to flat roof slab laid to fall and crossfalls	SM	64		
5.5.2	Apply one coat bituminous primer to surface of screed.	SM	64		
5.5.3	Supply, torch and apply bituminous membrane as per 'high quality' or equal and approved to primed screed surfaces	SM	64		
5.5.4	Ditto sides of wall 200mm high	LM	40		
5.5.5	50 x 50mm internal angle fillet	LM	40		
5.5.6	200 x 200 x 25mm thick high quality clay tiles or equal approved on roof slab bedded and jointed in cement mortar 1:3 and 25mm joint pointed with red cement slurry	SM	64		
5.5.7	Ditto sides of wall 200mm high	LM	40		
	<b><u>Rainwater goods</u></b>				
5.5.8	Extra over for running outlet	NO	4		
5.5.9	100mm x 75 x 0.6mm PVC down pipes fixed to wall with holding clips at 1200mm centres	LM	14		
5.5.10	Extra over for swan neck 1000mm long	NO	4		
5.5.11	Extra over for shoe 1000mm long	NO	4		
	<b><u>Supply and fix the following approved uPVC Cylindrical Water Storage Tanks, (Diameter x Ht).</u></b>				
5.5.12	10,000Litres 2400mm x 2800mm. The tank has screwed connections for inlet, outlet, no overflow, 25mm medium pressure ball valve. A 500mm thick x 3000mm dia R.C tank base should be constructed on which the tank will be mounted.	NO	2		
	<b>TOTAL FOR ELEMENT NO. 5.5 (ROOFING) CARRIED TO SUMMARY</b>				

**BILL OF QUANTITIES FOR PROPOSED CONSTRUCTION OF KIPINI FISH LANDING SITE IN TANA RIVER COUNTY**

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
	<b><u>ELEMENT NO. 5.6</u></b> <b><u>WINDOWS</u></b>				
	<u>Supply, assemble and fix the following purpose made powder coated aluminium framed sliding windows to B.S 3987, 1984 from approved manufacturer(s) in 75 x 50 x 2 mm thick aluminium transomes and mullions at 600 mm C/C; railing and necessary intermediate reinforcement elements complete with and including all necessary bolts, nuts, rubber nosing and; necessary fixing gaskets including all weather strips, rubber glazing strips,couplings, sliding rails bars, window boards; panes fixed with 6mm thick one way glass fixed with beadings.</u>				
5.6.1	Overall size 2000 x 1500mm high.	NO.	6		
5.6.2	Overall size 2000 x 800mm high.	NO.	4		
5.6.3	Overall size 2000 x 800mm high.	NO.	6		
	<b>TOTAL FOR ELEMENT NO. 5.6 (WINDOWS), CARRIED FORWARD TO SUMMARY</b>				
	<b><u>ELEMENT NO. 5.7</u></b> <b><u>DOORS</u></b>				
	<u>Wrot Mvule, or equal and approved Hardwood</u>				
5.7.1	50mm Thick(finished) framed Single leaf single swing door size 900 x 2400mm high comprising of 300mm fanlight, 150 x 45mm grooved top rails and stiles, 200 x 45mm grooved bottom and middle rails, 20mm thick panel infills all finished for painting (m.s)	NO	4		
5.7.2	Ditto but double action door size 1000 x 2400 mm high.	NO	6		
5.7.3	Double leaves door size 1500 x 2400mm high ditto	NO	2		
5.7.4	Ditto but louvred door size 800 x 2100mm high ditto	NO	2		
	<b><u>FRAMES</u></b>				
5.7.5	150 x 50mm once rebated frame with labour: plugged	LM	93		
5.7.6	45 x 38mm architrave	LM	93		
5.7.7	25mm diameter quadrant	LM	93		
	<u>Suply and fix the following ironmongery all to 'industrial galvanised' or equal and approved specification</u>				
5.7.8	100mm heavy duty brass butt hinges	PRS	15		
5.7.9	Ditto but double action hinges.	PRS	9		
5.7.10	Three lever rebated door lock complete with furniture	NO	2		
5.7.11	Two lever rebated door lock complete with furniture	NO	4		
5.7.12	Indicator bolt	NO	2		
5.7.13	Rubber door stop	NO	22		
5.7.14	Kick plate 900 x 450 x 2mm thick	NO	12		
5.7.15	Door closer hold open power 2/3 (with cover)	NO	32		
	<b><u>Signage</u></b>				
5.7.16	Supply and fix Stainless steel satin Rectangular signage to offices and washrooms size 150 x 75mm	NO	14		
	<b><u>Glazing</u></b>				
5.7.17	5mm clear sheet glass with putty and beadings to detail.	SM	4		
	<b>TOTAL FOR ELEMENT NO. 5.7 (DOORS), CARRIED FORWARD TO SUMMARY</b>				



**BILL OF QUANTITIES FOR PROPOSED CONSTRUCTION OF KIPINI FISH LANDING SITE IN TANA RIVER COUNTY**

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
	<b><u>ELEMENT NO. 5.8</u></b>				
	<b><u>FINISHES</u></b>				
	<b><u>Wall and Concrete Finishes</u></b>				
5.8.1	12mm cement and sand (1:4) plaster to walls and concrete surfaces trowelled smooth.	SM	195		
5.8.2	Prepare and apply 3 coats of first quality exterior silicone paint to plastered surfaces.	SM	195		
	<b><u>INTERNAL FINISHES</u></b>				
	<b><u>Wall and Concrete Finishes</u></b>				
5.8.3	12mm cement and sand (1:4) plaster to walls and concrete surfaces trowelled smooth.	SM	258		
5.8.4	Prepare and apply 3 coats of Gloss oil paint plastered surfaces.	SM	258		
	<b><u>Wall Tiles</u></b>				
5.8.5	150 x 150 x 6mm Thick White glazed ceramic wall tiles bedding and jointing in cement and sand (1:3) mortar and flush pointed with white cement:	SM	212		
	<b><u>Floor Finishes</u></b>				
	<b><u>Cement and sand (1:4) screeding smooth trowelled</u></b>				
5.8.6	32mm Thick floor screed	SM	203		
	<b><u>Paving slabs</u></b>				
5.8.7	Supply and fix 50 mm thick precast concrete paving slabs size 600 x 600 mm bedded and pointed in cement and sand mortar.	SM	24		
	<b><u>Ceramic floor tiles</u></b>				
5.8.8	Supply and fix 10 mm thick non-slip ceramic floor tiles on prepared backing including grouting and edge protectors where required.	SM	64		
5.8.9	100 mm high skirting	LM	74		
	<b><u>Terrazzo paving</u></b>				
5.8.10	20 mm Thick homogenous mix terrazzo laid on screed backing; cement sand marble chippings (1:4:8) grinded and polished including dividing strips.	SM	115		
5.8.11	Ditto but to 100 mm high skirting	LM	57		
5.8.12	25 mm wide Slip-resistant Carborandum inserts on ramp bonded with an approved adhesive	LM	202		
5.8.13	32 x 3mm thick plastic dividing strips	LM	718		
	<b><u>Ceiling</u></b>				
5.8.14	12mm cement and sand (1:4) plaster to concrete surfaces trowelled smooth.	SM	64		
5.8.15	Prepare and apply 3 coats of first quality emulsion paint or equal and approved to plastered surfaces.	SM	64		
	<b>TOTAL CARRIED FORWARD</b>				

**BILL OF QUANTITIES FOR PROPOSED CONSTRUCTION OF KIPINI FISH LANDING SITE IN TANA RIVER COUNTY**

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
	<b><u>FINISHES CONTINUED...</u></b>				
	<b>BROUGHT FORWARD</b>				
	<b><u>Ceiling</u></b>				
5.8.16	75 x 50mm Brandering plugged	LM	41		
5.8.17	50 x 50mm celcured cypress timber brandering	LM	341		
5.8.18	12mm T &G P.V.C ceiling nailed to timber brandering (m/s)	SM	176		
5.8.19	100 x 25mm U.P.V.C cornice	LM	41		
	<b><u>Finishes to Cable channels</u></b>				
5.8.20	Waterproofed screed finish to floor as before described but to sloping sides and bed of channel	SM	33		
	<b><u>Channel Grating</u></b>				
5.8.21	Supply and fix the 400mm wide prepainted mild steel grating cover comprising 400 mm long 16 mm diameter ribbed bars spaced at 50 mm c/c, welded to 50 x 50 x 3 mm angle including framing cramped and grouted into concrete; to channels as per architect's details	LM	24		
	<b>TOTAL FOR ELEMENT NO. 5.8 (FINISHES) CARRIED TO SUMMARY</b>				
	<b><u>ELEMENT NO. 5.9</u></b>				
	<b><u>BALUSTRANDING AND RAILING</u></b>				
	<b><u>Metal Work (All in Grade 316 Stainless Steel sections in 1,000 mm high railing complete with handrail saddles and brackets, balusters base covers, endcaps, spacer brackets and adapters, and all fixing accessories as necessary and to architect's details and approval)</u></b>				
	<b><u>Ramp Railing</u></b>				
5.9.1	50 mm diameter x 3 mm thick CHS balusters spaced at 1,000 mm centres; one end grouted onto concrete other end welded to handrail (m/s).	LM	21		
5.9.2	50mm diameter x 3 mm thick CHS top rail welded to balusters (m/s)	LM	18		
5.9.3	25 mm Diameter x 1.5 mm thick CHS 5 No. intermediate rails.	LM	90		
	<b><u>Sundries</u></b>				
5.9.4	Make hole in concrete slab size 50 x 50 x 50mm deep	NO	19		
	<b>TOTAL FOR ELEMENT NO. 5.9 (BALUSTRANDING AND RAILING) CARRIED TO SUMMARY</b>				

**BILL OF QUANTITIES FOR PROPOSED CONSTRUCTION OF KIPINI FISH LANDING SITE IN TANA RIVER COUNTY**

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
	<b><u>ELEMENT NO. 5.10</u></b>				
	<b><u>FITTINGS AND FIXTURES</u></b>				
	<b><u>Vanity tops</u></b>				
	<b><u>In situ concrete class 25/20 including approved waterproofing admixture.</u></b>				
5.10.1	100 mm Thick plinths	SM	29		
5.10.2	75 mm Thick slab with and including BRC mesh ref A 98 to worktops.	SM	29		
5.10.3	Extra over for boxing to form opening for sinks to the top of washroom counter slabs	NO	8		
	<b><u>In sawn soft wood formwork</u></b>				
5.10.4	Formwork to soffits of suspended slab.	SM	29		
5.10.5	Ditto to edges 75 - 150 mm girth.	LM	24		
	<b><u>FINISHES</u></b>				
5.10.6	20mm thick light Cement and Sand weight (1:4) screeding smooth trowelled	SM	58		
	<b><u>Terrazzo paving</u></b>				
5.10.7	20 mm Thick homogenous mix terrazzo laid on screed backing; cement sand marble chippings (1:4:8) grinded and polished including dividing strips.	SM	58		
5.10.8	Ditto but to 100 mm high fascia and skirting	LM	24		
	<b><u>Prepare and apply three coats of silk vinyl Emulsion paint to:-</u></b>				
5.10.9	Plastered soffits.	SM	29		
	<b>TOTAL FOR ELEMENT NO. 5.10 (FITTINGS AND FIXTURES) CARRIED TO SUMMARY BELOW</b>				
	<b><u>ELEMENT NO. 5.11</u></b>				
	<b><u>REHABILITATION WORKS</u></b>				
	<b><u>Rehabilitation works to the existing structure entailing the following works:-</u></b>				
5.11.1	Renovations to roofing comprising Prepainted GCI sheets on timber purlins; timber trusses consisting of rafters, ties, struts and ceiling joints; including all rainwater goods; fascia boards and eaves roof over hangs to approval.	SM	428		
5.11.2	Existing ceiling repairs entailing removal and replacement of damaged portions and paintworks to all ceilings.	SM	295		
5.11.3	Preparation by scrubbing, skimming and application of new paint to walls internally and externally.	SM	992		
5.11.4	Adjustments and repairs to doors.	ITEM	1		
5.11.5	Replacing missing and broken louvres and cleaning, unjamming and repairing damaged parts of louvres windows	ITEM	1		
5.11.6	Restoration of existing terrazzo floor through rough and smooth grinding, polishing etc. as necessary.	SM	266		
5.11.7	Removal of old tiling and replacing with new ceramic tiles including screed back and all accessories to approval.	SM	89		
5.11.8	Disconnection of plumbing and electrical installations in the affected areas as necessary.	ITEM	1		
	<b>TOTAL FOR ELEMENT NO. 5.11 (REHABILITATION WORKS) CARRIED TO SUMMARY BELOW</b>				

**BILL OF QUANTITIES FOR PROPOSED CONSTRUCTION OF KIPINI FISH LANDING SITE IN TANA RIVER COUNTY**

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
	<b><u>FISH BANDA BUILDING WORKS SUMMARY</u></b>				
5.1	Total for Element No. 5.1 (Demolitions and Alterations), brought forward from page BW/1				
5.1	Total for Element No. 5.2 (Substructure Works), brought forward from page FB/5				
5.2	Total for Element No. 5.3 (Superstructure Reinforced Concrete Works), brought forward from page FB/6				
5.4	Total for Element No. 5.4 (Walling), brought forward from page FB/6				
5.5	Total for Element No. 5.5 (Roofing) brought forward from page FB/7				
5.6	Total for Element No. 5.6 (Windows) brought forward from page FB/8				
5.7	Total for Element No. 5.7 (Doors) brought forward from page FB/8				
5.8	Total for Element No. 5.8 (Finishes) brought forward from page FB/10				
5.9	Total for Element No. 5.9 (Balustrading) brought forward from page FB/10				
5.10	Total for Element No. 5.10 (Fittings and fixtures) brought forward from page FB/11				
5.11	Total for Element No. 5.11 (Rehabilitation works) brought forward from page FB/11				
	<b>TOTAL FOR FISH BANDA BUILDING WORKS, CARRIED TO GRAND SUMMARY</b>				

**BILL OF QUANTITIES FOR PROPOSED CONSTRUCTION OF KIPINI FISH LANDING SITE IN TANA RIVER COUNTY**

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
	<p>(All Rates are V.A.T Inclusive)</p> <p><b><u>BILL NO. 6</u></b></p> <p><b><u>STALLS BUILDING WORKS</u></b></p> <p><b><u>ELEMENT NO 6.1</u></b></p> <p><b><u>SUBSTRUCTURE WORKS (All Provisional)</u></b></p> <p><b><u>EXCAVATION AND EARTHWORKS</u></b></p>				
6.1.1	Clear site of all bushes, tufts and any small or large trees, including grubbing out roots and burn on site where directed	SM	266		
6.1.2	Excavate oversite average 250mm deep and cart away	SM	266		
6.1.3	Excavate trench for strip foundation: not exceeding 1.5m deep	CM	175		
6.1.4	Excavate for column pits: not exceeding 1.5m deep	CM	61		
6.1.5	Extra over excavation from rock in any position	CM	130		
	<b><u>Disposal of excavated material</u></b>				
6.1.6	Return fill in and ram in excavations	CM	106		
6.1.7	Load and cart away surplus material	CM	130		
	<b><u>Disposal of Water</u></b>				
6.1.8	Allow for keeping the whole of the excavation free from mud, water and fallen materials	Item	1		
	<b><u>Planking and strutting</u></b>				
6.1.9	Allow for planking and strutting sides of excavation	Item	1		
	<b><u>Filling</u></b>				
6.1.10	300mm thick (minimum) approved hardcore handpacked in layers not exceeding 150mm	CM	107		
6.1.11	50mm thick murram dust or any other equal and approved material in blinding surface of hardcore	SM	266		
	<b><u>Insecticide Treatment</u></b>				
6.1.12	Treat hardcore surface with approved antitermite applied in accordance with the manufacturer's instructions and subject to a TEN YEAR guarantee	SM	266		
	<b>TOTAL EXCAVATION AND EARTHWORKS, CARRIED FORWARD TO ELEMENT COLLECTION</b>				

**BILL OF QUANTITIES FOR PROPOSED CONSTRUCTION OF KIPINI FISH LANDING SITE IN TANA RIVER COUNTY**

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
	<b><u>SUBSTRUCTURES CONTINUED</u></b>				
	<b><u>CONCRETE WORKS</u></b>				
6.1.13	50 mm thick concrete blinding to surfaces of strip footing & column bases (class 15/20)	SM	142		
	<b><u>Vibrated reinforced concrete class 25/20 to:-</u></b>				
6.1.14	Strip footing	CM	24		
6.1.15	Columns Bases	CM	15		
6.1.16	Columns	CM	2		
6.1.17	150mm thick floor slab	SM	266		
6.1.18	150 mm Thick sloping ramp slab	SM	48		
	<b><u>High Tensile Reinforcement Bars to B. S. 4449 including cutting, bending and all necessary spacer blocks : (Provisional) :-</u></b>				
6.1.19	Assorted bars	KG	6150		
6.1.20	BRC mesh type A142	SM	266		
	<b><u>Marineply formwork as Described. Allow for setting to special steel propping, strutting, fillets, nails, etc to:</u></b>				
6.1.21	Edges of strip footing	SM	78		
6.1.22	Ditto but to column bases	SM	38		
6.1.23	Ditto but to sides of columns	SM	22		
6.1.24	Ditto but to edges of floor slab 75-150mm high.	LM	70		
6.1.28	Edges of ramps 75mm - 150mm high.	LM	51		
	<b><u>FOUNDATION WALLING</u></b>				
6.1.26	200mm solid coral block foundation wall in cement:sand (1:3) reinforced with hoop iron at every to alternative course	SM	271		
	<b><u>WATERPROOFING</u></b>				
6.1.27	500 gauge polythene DPM	SM	266		
	<b><u>PLINTH FINISHES</u></b>				
6.1.28	15mm cement and sand (1:4) render trowelled smooth and comprising 12mm thick backing and 3mm finishing coat.	SM	35		
	<b><u>Painting and Decoration</u></b>				
6.1.29	Prepare and apply 3 coats of first quality emulsion paint to rendered surfaces	SM	35		
	<b>TOTAL SUBSTRUCTURE WALLING AND CONCRETE WORKS, CARRIED FORWARD TO ELEMENT COLLECTION</b>				
	<b><u>ELEMENT NO. 1 (SUBSTRUCTURE WORKS) COLLECTION</u></b>				
A	Total Excavation and Earthworks brought forward from page ST/1				
B	Total Substructure Walling and Concrete Works brought forward from page ST/2				
	<b>TOTAL ELEMENT NO. 6.1 (SUBSTRUCTURE WORKS), CARRIED TO SUMMARY</b>				

**BILL OF QUANTITIES FOR PROPOSED CONSTRUCTION OF KIPINI FISH LANDING SITE IN TANA RIVER COUNTY**

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
	<b><u>SUPERSTRUCTURES</u></b>				
	<b><u>ELEMENT NO 6.2</u></b>				
	<b><u>SUPERSTRUCTURE REINFORCED CONCRETE WORKS</u></b>				
	<b><u>Vibrated Reinforced Concrete Class - 25/20 to:-</u></b>				
6.2.1	Beams	CM	16		
6.2.2	Upstand beam	CM	7		
6.2.3	Columns	CM	3		
6.2.4	175mm thick Suspended slab	SM	228		
	<b><u>High Tensile Reinforcement Bars to B. S. 4449 including cutting, bending and all necessary spacer blocks : (Provisional) :-</u></b>				
6.2.5	Assorted bars	KG	9885		
	<b><u>Marineply formwork as Described. Allow for setting to special steel propping, strutting, fillets, nails, etc to:</u></b>				
6.2.6	Sides and soffits of beams	SM	186		
6.2.7	Sides of upstand	SM	63		
6.2.8	Sides of columns	SM	101		
6.2.9	Soffits of suspended slab	SM	228		
6.2.10	Edges of Ditto 150-225mm high	LM	70		
	<b>TOTAL FOR ELEMENT NO. 6.2 (SUPERSTRUCTURE REINFORCED CONCRETE WORKS), CARRIED FORWARD TO SUMMARY</b>				
	<b><u>ELEMENT NO. 6.3</u></b>				
	<b><u>WALLING</u></b>				
6.3.1	200mm machine cut coral stone wall in cement:sand (1:3) reinforced with hoop iron at every to alternative course externally	SM	211		
6.3.2	Ditto but 200 mm thick parapet walling with perforations to details.	SM	105		
6.3.3	200mm machine cut coral stone wall in cement:sand (1:3) reinforced with hoop iron at every to alternative course internally.	SM	138		
	<b><u>Arches</u></b>				
6.3.4	Extra over 200 mm for forming curved arches 1000 - 3000 mm diameter including all necessary materials.	NO	2		
	<b><u>WATERPROOFING</u></b>				
6.3.5	Hessian based bituminous felt damp proof course 200mm wide	LM	96		
	<b><u>Precast concrete coping</u></b>				
6.3.6	300 x 75 mm thick insitu concrete coping reinforced in 4No. 10mm diameter bars and 8mm diameter rings; weathered and throated saddled-back on both sides for handling finished fair and jointed to 200 thick dwarf and parapet walls in cement sand mortar 1:3 all to approval	LM	70		
6.3.7	Ditto 550 x 350mm pier cap ditto to columns	NO	18		
	<b><u>Precast Concrete Louvre Block Walling</u></b>				
6.3.8	200 mm thick approved precast concrete louvre block walling bedded and jointed in cement sand (1:3) mortar, reinforced with 25mm x 3mm thick hoop iron strip in every alternate course	SM	11		
	<b>TOTAL FOR ELEMENT NO. 6.3 (WALLING), CARRIED FORWARD TO SUMMARY</b>				

**BILL OF QUANTITIES FOR PROPOSED CONSTRUCTION OF KIPINI FISH LANDING SITE IN TANA RIVER COUNTY**

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
	<b><u>ELEMENT NO. 6.4</u></b>				
	<b><u>ROOFING</u></b>				
	<b><u>FLAT ROOF FINISHES</u></b>				
6.4.1	50 mm cement sand 1:3 water proof screed to flat roof slab laid to fall and crossfalls	SM	228		
6.4.2	Apply one coat bituminous primer to surface of screed.	SM	228		
6.4.3	Supply, torch and apply bituminous membrane as per 'high quality' or equal and approved to primed screed surfaces	SM	228		
6.4.4	Ditto sides of wall 200mm high	LM	70		
6.4.5	50 x 50mm internal angle fillet	LM	70		
6.4.6	200 x 200 x 25mm thick high quality clay tiles or equal approved on roof slab bedded and jointed in cement mortar 1:3 and 25mm joint pointed with red cement slurry	SM	228		
6.4.7	Ditto sides of wall 200mm high	LM	70		
	<b><u>Rainwater goods</u></b>				
6.4.8	Extra over for running outlet	NO	10		
6.4.9	100mm x 75 x 0.6mm PVC down pipes fixed to wall with holding clips at 1200mm centres	LM	40		
6.4.10	Extra over for swan neck 1000mm long	NO	8		
6.4.11	Extra over for shoe 1000mm long	NO	8		
	<b><u>Supply and fix the following approved uPVC Cylindrical Water Storage Tanks, (Diameter x Ht).</u></b>				
6.4.12	10,000Litres 2400mm x 2800mm. The tank has screwed connections for inlet, outlet, no overflow, 25mm medium pressure ball valve. A 500mm thick x 3000mm dia R.C tank base should be constructed on which the tank will be mounted.	NO	1		
	<b>TOTAL FOR ELEMENT NO. 6.4 (ROOFING) CARRIED TO SUMMARY</b>				



**BILL OF QUANTITIES FOR PROPOSED CONSTRUCTION OF KIPINI FISH LANDING SITE IN TANA RIVER COUNTY**

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
	<b>ELEMENT NO. 6.5</b> <b>WINDOWS</b>				
	<u>Supply, assemble and fix the following purpose made powder coated aluminium framed sliding windows to B.S 3987, 1984 from approved manufacturer(s) in 75 x 50 x 2 mm thick aluminium transomes and mullions at 600 mm C/C; railing and necessary intermediate reinforcement elements complete with and including all necessary bolts, nuts, rubber nosing and; necessary fixing gaskets including all weather strips, rubber glazing strips,couplings, sliding rails bars, window boards; panes fixed with 6mm thick one way glass fixed with beadings.</u>				
6.5.1	Overall size 1000 x 600mm high.	NO.	15		
	<u>Fabricate, supply and fix mild steel window grill; constructed with 25 x 25 x 3mm RHS vertical framing; infilled with 12 mm diameter solid bars at 150 mm center in both directions to form diamond shape; fixed with lugs built into concrete or stone walls: all primed with red oxide .(Refer to architect's detail)</u>				
6.5.4	To window openings	SM.	0		
	<b>TOTAL FOR ELEMENT NO. 6.5 (WINDOWS), CARRIED FORWARD TO SUMMARY</b>				
	<b>ELEMENT NO. 6.6</b> <b>DOORS</b> <b>Aluminium Doors</b>				
	<u>Supply, assemble and fix the following purpose made powder coated aluminium framed door to B.S 3987, 1984 in 100 x 50 x 2 mm thick frames; complete panes fixed with 8mm thick One way tinted glass fixed with beadings with a complete set of industrial galvanised ironmongery comprising of 3 lever mortice locks complete with lever furniture, 100mm heavy duty aluminium butt hinges, brass door stops, guardsman pull handle XL003820 and rubber buffers as directed by the project Architect.All exposed aluminium section are to be powder coated. (Ref Architects Detailing)</u>				
6.6.1	Double leaf single swing door size 1200mm x 2400mm high with 300mm high fanlight	NO	5		
	<u>Wrot Mvule, or equal and approved Hardwood</u>				
6.6.2	50mm Thick(finished) framed Single leaf single swing door size 900 x 2400mm high comprising of 300mm fanlight, 150 x 45mm grooved top rails and stiles, 200 x 45mm grooved bottom and middle rails, 20mm thick panel infills all finished for painting (m.s)	NO	5		
6.6.3	Ditto but door size 900 x 2100mm high ditto	NO	5		
	<b>FRAMES</b>				
6.6.4	150 x 50mm once rebated frame with labour: plugged	LM	59		
6.6.5	45 x 38mm architrave	LM	59		
6.6.6	25mm diameter quadrant	LM	59		
	<b>TOTAL CARRIED FORWARD</b>				

**BILL OF QUANTITIES FOR PROPOSED CONSTRUCTION OF KIPINI FISH LANDING SITE IN TANA RIVER COUNTY**

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
	<b><u>DOORS CONTINUED...</u></b>				
	<b>BROUGHT FORWARD</b>				
	<b><u>Supply and fix the following ironmongery all to 'industrial galvanised' or equal and approved specification</u></b>				
6.6.7	100mm heavy duty brass butt hinges	PRS	22.5		
6.6.8	Three lever rebated door lock complete with furniture	NO	5		
6.6.9	Indicator bolt	NO	5		
6.6.10	Rubber door stop	NO	10		
6.6.11	Kick plate 900 x 450 x 2mm thick	NO	10		
6.6.12	Door closer hold open power 2/3 (with cover)	NO	10		
	<b><u>Signage</u></b>				
6.6.13	Supply and fix Stainless steel satin Rectangular signage to offices and washrooms size 150 x 75mm	NO	15		
	<b><u>Glazing</u></b>				
6.6.14	5mm clear sheet glass with putty and beadings to detail.	SM	2		
	<b>TOTAL FOR ELEMENT NO. 6.6 (DOORS), CARRIED FORWARD TO SUMMARY</b>				

**BILL OF QUANTITIES FOR PROPOSED CONSTRUCTION OF KIPINI FISH LANDING SITE IN TANA RIVER COUNTY**

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
	<b><u>ELEMENT NO. 6.7</u></b>				
	<b><u>FINISHES</u></b>				
	<b><u>EXTERNAL FINISHINGS</u></b>				
	<b><u>Walls</u></b>				
	<b><u>15mm thick cement and sand (1:3) render to:-</u></b>				
6.7.1	15mm thick cement and sand Rendering to walls and ringbeam, finished with a wood float,	SM	421		
	<b><u>Prepare and apply three coats of wall sheen (emulsion) paint on:-</u></b>				
6.7.2	Prepare and apply 3 coats of first quality exterior silicone paint to plastered surfaces.	SM	421		
	<b><u>INTERNAL FINISHES</u></b>				
	<b><u>Wall and Concrete Finishes</u></b>				
6.7.3	12mm cement and sand (1:4) plaster to walls and concrete surfaces trowelled smooth.	SM	389		
6.7.4	Prepare and apply 3 coats of Gloss oil paint plastered surfaces.	SM	389		
	<b><u>Wall Tiles</u></b>				
6.7.5	150 x 150 x 6mm Thick White glazed ceramic wall tiles bedding and jointing in cement and sand (1:3) mortar and flush pointed with white cement:	SM	98		
	<b><u>Floor Finishes</u></b>				
	<b><u>Cement and sand (1:4) screeding smooth trowelled</u></b>				
6.7.6	32mm Thick floor screed to receive tiles	SM	266		
	<b><u>Ceramic floor tiles</u></b>				
6.7.7	Supply and fix 10 mm thick non-slip ceramic floor tiles on prepared backing including grouting and edge protectors where required.	SM	178		
6.7.8	100 mm high skirting	LM	250		
	<b><u>Terrazzo paving</u></b>				
6.7.9	20 mm Thick homogenous mix terrazzo laid on screed backing; cement sand marble chippings (1:4:8) grinded and polished including dividing strips.	SM	88		
6.7.10	Ditto but to 100 mm high skirting	LM	168		
6.7.11	25 mm wide Slip-resistant Carborandum inserts on ramp bonded with an approved adhesive	LM	165		
6.7.12	32 x 3mm thick plastic dividing strips	LM	518		
6.7.13	Prepare and apply three coats corrosion resistant first quality approved marine metal paint or other equal and approved to metal surfaces of burglar proofing.	SM	0		
	<b>TOTAL CARRIED FORWARD</b>				

**BILL OF QUANTITIES FOR PROPOSED CONSTRUCTION OF KIPINI FISH LANDING SITE IN TANA RIVER COUNTY**

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
	<b><u>BROUGHT FORWARD</u></b>				
	<b><u>Doors</u></b>				
6.7.14	Prepare and apply three coats gloss paint (high-quality or equal approved) to general wood surfaces	SM	41		
6.7.15	Ditto girth 100-200mm	LM	59		
6.7.16	Ditto girth not exceeding 100mm	LM	118		
	<b><u>CEILING</u></b>				
6.7.17	12mm cement and sand (1:4) plaster to concrete surfaces trowelled smooth.	SM	266		
6.7.18	Prepare and apply 3 coats of first quality emulsion paint or equal and approved to plastered surfaces.	SM	266		
	<b>TOTAL FOR ELEMENT NO. 6.7 (FINISHES) CARRIED TO SUMMARY</b>				
	<b><u>SUMMARY</u></b>				
1	Total for Element No. 6.1 (Substructure Works), brought forward from page ST/2				
2	Total for Element No. 6.2 (Superstructure Reinforced Concrete Works), brought forward from page ST/3				
3	Total for Element No. 6.3 (Walling), brought forward from page ST/3				
4	Total for Element No. 6.4 (Roofing) brought forward from page ST/4				
5	Total for Element No. 6.5 (Windows) brought forward from page ST/5				
6	Total for Element No. 6.6 (Doors) brought forward from page ST/5				
7	Total for Element No. 6.7 (Finishes) brought forward from above				
	<b>TOTAL FOR BUILDING WORKS, CARRIED TO GRAND SUMMARY</b>				

**BILL OF QUANTITIES FOR PROPOSED CONSTRUCTION OF KIPINI FISH LANDING SITE IN TANA RIVER COUNTY**

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
	<p>(All Rates are V.A.T Inclusive)</p> <p><b><u>BILL NO. 7</u></b></p> <p><b><u>ABLUTION BLOCK BUILDING WORKS</u></b></p> <p><b><u>ELEMENT NO 7.1</u></b></p> <p><b><u>SUBSTRUCTURE WORKS (All Provisional)</u></b></p> <p><b><u>EXCAVATION AND EARTHWORKS</u></b></p>				
7.1.1	Clear site of all bushes, tufts and any small or large trees, including grubbing out roots and burn on site where directed	SM	161		
7.1.2	Excavate oversite average 250mm deep and cart away	SM	161		
7.1.3	Excavate trench for strip foundation: not exceeding 1.5m deep	CM	117		
7.1.4	Excavate for column pits: not exceeding 1.5m deep	CM	31		
7.1.5	Extra over excavation from rock in any position	CM	82		
	<b><u>Disposal of excavated material</u></b>				
7.1.6	Return fill in and ram in excavations	CM	66		
7.1.7	Load and cart away surplus material	CM	82		
	<b><u>Disposal of Water</u></b>				
7.1.8	Allow for keeping the whole of the excavation free from mud, water and fallen materials	Item	1		
	<b><u>Planking and strutting</u></b>				
7.1.9	Allow for planking and strutting sides of excavation	Item	1		
	<b><u>Filling</u></b>				
7.1.10	300mm thick (minimum) approved hardcore handpacked in layers not exceeding 150mm	CM	65		
7.1.11	50mm thick murram dust or any other equal and approved material in blinding surface of hardcore	SM	161		
	<b><u>Insecticide Treatment</u></b>				
7.1.12	Treat hardcore surface with approved antitermite applied in accordance with the manufacturer's instructions and subject to a TEN YEAR guarantee	SM	161		
	<b>TOTAL EXCAVATION AND EARTHWORKS, CARRIED FORWARD TO ELEMENT COLLECTION</b>				

**BILL OF QUANTITIES FOR PROPOSED CONSTRUCTION OF KIPINI FISH LANDING SITE IN TANA RIVER COUNTY**

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
	<b><u>SUBSTRUCTURES CONTINUED</u></b>				
	<b><u>CONCRETE WORKS</u></b>				
7.1.13	50 mm thick concrete blinding to surfaces of strip footing & column bases (class 15/20)	SM	98		
	<b><u>Vibrated reinforced concrete class 25/20 to:-</u></b>				
7.1.14	Strip footing	CM	16		
7.1.15	Columns Bases	CM	8		
7.1.16	Columns	CM	1		
7.1.17	150mm thick floor slab	SM	161		
7.1.18	150 mm Thick sloping ramp slab	SM	48		
	<b><u>High Tensile Reinforcement Bars to B. S. 4449 including cutting, bending and all necessary spacer blocks : (Provisional) :-</u></b>				
7.1.19	Assorted bars	KG	3750		
7.1.20	BRC mesh type A142	SM	161		
	<b><u>Marineply formwork as Described. Allow for setting to special steel propping, strutting, fillets, nails, etc to:</u></b>				
7.1.21	Edges of strip footing	SM	52		
7.1.22	Ditto but to column bases	SM	19		
7.1.23	Ditto but to sides of columns	SM	11		
7.1.24	Ditto but to edges of floor slab 75-150mm high.	LM	51		
7.1.28	Edges of ramps 75mm - 150mm high.	LM	51		
	<b><u>FOUNDATION WALLING</u></b>				
7.1.26	200mm solid coral block foundation wall in cement:sand (1:3) reinforced with hoop iron at every to alternative course	SM	177		
	<b><u>WATERPROOFING</u></b>				
7.1.27	500 gauge polythene DPM	SM	161		
	<b><u>PLINTH FINISHES</u></b>				
7.1.28	15mm cement and sand (1:4) render trowelled smooth and comprising 12mm thick backing and 3mm finishing coat.	SM	26		
	<b><u>Painting and Decoration</u></b>				
7.1.29	Prepare and apply 3 coats of first quality emulsion paint to rendered surfaces	SM	26		
	<b>TOTAL SUBSTRUCTURE WALLING AND CONCRETE WORKS, CARRIED FORWARD TO ELEMENT COLLECTION</b>				
	<b><u>ELEMENT NO. 1 (SUBSTRUCTURE WORKS) COLLECTION</u></b>				
A	Total Excavation and Earthworks brought forward from page AB/1				
B	Total Substructure Walling and Concrete Works brought forward from page AB/2				
	<b>TOTAL ELEMENT NO. 7.1 (SUBSTRUCTURE WORKS), CARRIED TO SUMMARY</b>				

**BILL OF QUANTITIES FOR PROPOSED CONSTRUCTION OF KIPINI FISH LANDING SITE IN TANA RIVER COUNTY**

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
	<b><u>SUPERSTRUCTURES</u></b>				
	<b><u>ELEMENT NO 7.2</u></b>				
	<b><u>SUPERSTRUCTURE REINFORCED CONCRETE WORKS</u></b>				
	<b><u>Vibrated Reinforced Concrete Class - 25/20 to:-</u></b>				
7.2.1	Beams	CM	8		
7.2.2	Upstand beam	CM	5		
7.2.3	Columns	CM	3		
7.2.4	175mm thick Suspended slab	SM	228		
	<b><u>High Tensile Reinforcement Bars to B. S. 4449 including cutting, bending and all necessary spacer blocks : (Provisional) :-</u></b>				
7.2.5	Assorted bars	KG	8385		
	<b><u>Marineply formwork as Described. Allow for setting to special steel propping, strutting, fillets, nails, etc to:</u></b>				
7.2.6	Sides and soffits of beams	SM	89		
7.2.7	Sides of upstand	SM	46		
7.2.8	Sides of columns	SM	51		
7.2.9	Soffits of suspended slab	SM	228		
7.2.10	Edges of Ditto 150-225mm high	LM	51		
	<b>TOTAL FOR ELEMENT NO. 7.2 (SUPERSTRUCTURE REINFORCED CONCRETE WORKS), CARRIED FORWARD TO SUMMARY</b>				
	<b><u>ELEMENT NO. 7.3</u></b>				
	<b><u>WALLING</u></b>				
7.3.1	200mm machine cut coral stone wall in cement:sand (1:3) reinforced with hoop iron at every to alternative course externally	SM	108		
7.3.2	Ditto but 200 mm thick parapet walling ditto	SM	77		
7.3.3	200mm machine cut coral stone wall in cement:sand (1:3) reinforced with hoop iron at every to alternative course internally.	SM	140		
7.3.4	100mm ditto	SM	2		
	<b><u>WATERPROOFING</u></b>				
7.3.5	Hessian based bituminous felt damp proof course 200mm wide	LM	79		
	<b><u>Precast concrete coping</u></b>				
7.3.6	300 x 75 mm thick insitu concrete coping reinforced in 4No. 10mm diameter bars and 8mm diameter rings; weathered and throated saddled-back on both sides for handling finished fair and jointed to 200 thick dwarf and parapet walls in cement sand mortar 1:3 all to approval	LM	51		
7.3.7	Ditto 550 x 350mm pier cap ditto to columns	NO	9		
	<b><u>Precast Concrete Louvre Block Walling</u></b>				
7.3.8	200 mm thick approved precast concrete louvre block walling bedded and jointed in cement sand (1:3) mortar, reinforced with 25mm x 3mm thick hoop iron strip in every alternate course	SM	22		
	<b>TOTAL FOR ELEMENT NO. 7.3 (WALLING), CARRIED FORWARD TO SUMMARY</b>				

## BILL OF QUANTITIES FOR PROPOSED CONSTRUCTION OF KIPINI FISH LANDING SITE IN TANA RIVER COUNTY

[illegible]



**BILL OF QUANTITIES FOR PROPOSED CONSTRUCTION OF KIPINI FISH LANDING SITE IN TANA RIVER COUNTY**

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
	<b><u>ELEMENT NO. 7.5</u></b> <b><u>WINDOWS</u></b>				
	<u>Supply, assemble and fix the following purpose made powder coated aluminium framed sliding windows to B.S 3987, 1984 from approved manufacturer(s) in 75 x 50 x 2 mm thick aluminium transoms and mullions at 600 mm C/C; railing and necessary intermediate reinforcement elements complete with and including all necessary bolts, nuts, rubber nosing and; necessary fixing gaskets including all weather strips, rubber glazing strips, couplings, sliding rails bars, window boards; panes fixed with 6mm thick one way glass fixed with beadings.</u>				
7.5.1	Overall size 6000 x 600mm high.	NO.	2		
7.5.2	Overall size 2400 x 600mm high.	NO.	4		
	<u>Fabricate, supply and fix mild steel window grill; constructed with 25 x 25 x 3mm RHS vertical framing; infilled with 12 mm diameter solid bars at 150 mm center in both directions to form diamond shape; fixed with lugs built into concrete or stone walls; all primed with red oxide .(Refer to architect's detail)</u>				
7.5.3	To window openings	SM.	0		
	<b>TOTAL FOR ELEMENT NO. 7.5 (WINDOWS), CARRIED FORWARD TO SUMMARY</b>				
	<b><u>ELEMENT NO. 7.6</u></b> <b><u>DOORS</u></b> <b><u>Wrot Mvule, or equal and approved Hardwood</u></b>				
7.6.1	50mm Thick(finished) framed Single leaf single swing door size 900 x 2400mm high comprising of 300mm fanlight, 150 x 45mm grooved top rails and stiles, 200 x 45mm grooved bottom and middle rails, 20mm thick panel infills all finished for painting (m.s)	NO	2		
7.6.2	Ditto but double action door size 1000 x 2400 mm high.	NO	4		
7.6.3	Ditto but louvred door size 800 x 2400mm high ditto	NO	3		
	<b><u>FRAMES</u></b>				
7.6.4	150 x 50mm once rebated frame with labour: plugged	LM	56		
7.6.5	45 x 38mm architrave	LM	56		
7.6.6	25mm diameter quadrant	LM	56		
	<u>Supply and fix the following ironmongery all to 'industrial galvanised' or equal and approved specification</u>				
7.6.7	100mm heavy duty brass butt hinges	PRS	12		
7.6.8	Ditto but double action hinges.	PRS	6		
7.6.9	Three lever rebated door lock complete with furniture	NO	4		
7.6.10	Two lever rebated door lock complete with furniture	NO	2		
7.6.11	Indicator bolt	NO	3		
7.6.12	Rubber door stop	NO	13		
7.6.13	Kick plate 900 x 450 x 2mm thick	NO	8		
7.6.14	Door closer hold open power 2/3 (with cover)	NO	9		
	<b><u>Signage</u></b>				
7.6.15	Supply and fix Stainless steel satin Rectangular signage to offices and washrooms size 150 x 75mm	NO	9		
	<b><u>Glazing</u></b>				
7.6.16	5mm clear sheet glass with putty and beadings to detail.	SM	3		
	<b>TOTAL FOR ELEMENT NO. 7.6 (DOORS), CARRIED FORWARD TO SUMMARY</b>				

**BILL OF QUANTITIES FOR PROPOSED CONSTRUCTION OF KIPINI FISH LANDING SITE IN TANA RIVER COUNTY**

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
	<b><u>ELEMENT NO. 7.7</u></b>				
	<b><u>FINISHES</u></b>				
	<b><u>EXTERNAL FINISHINGS</u></b>				
	<b><u>Walls</u></b>				
	<b><u>15mm thick cement and sand (1:3) render to:-</u></b>				
7.7.1	15mm thick cement and sand Rendering to walls and ringbeam, finished with a wood float,	SM	262		
	<b><u>Prepare and apply three coats of wall sheen (emulsion) paint on:-</u></b>				
7.7.2	Prepare and apply 3 coats of first quality exterior silicone paint to plastered surfaces.	SM	262		
	<b><u>INTERNAL FINISHES</u></b>				
	<b><u>Wall and Concrete Finishes</u></b>				
7.7.3	12mm cement and sand (1:4) plaster to walls and concrete surfaces trowelled smooth.	SM	313		
7.7.4	Prepare and apply 3 coats of Gloss oil paint plastered surfaces.	SM	313		
	<b><u>Wall Tiles</u></b>				
7.7.5	150 x 150 x 6mm Thick White glazed ceramic wall tiles bedding and jointing in cement and sand (1:3) mortar and flush pointed with white cement:	SM	79		
	<b><u>Floor Finishes</u></b>				
	<b><u>Cement and sand (1:4) screeding smooth trowelled</u></b>				
7.7.6	32mm Thick floor screed to receive tiles	SM	161		
	<b><u>Ceramic floor tiles</u></b>				
7.7.7	Supply and fix 10 mm thick non-slip ceramic floor tiles on prepared backing including grouting and edge protectors where required.	SM	81		
7.7.8	100 mm high skirting	LM	74		
	<b><u>Terrazzo paving</u></b>				
7.7.9	20 mm Thick homogenous mix terrazzo laid on screed backing; cement sand marble chippings (1:4:8) grinded and polished including dividing strips.	SM	80		
7.7.10	Ditto but to 100 mm high skirting	LM	102		
7.7.11	25 mm wide Slip-resistant Carborandum inserts on ramp bonded with an approved adhesive	LM	102		
7.7.12	32 x 3mm thick plastic dividing strips	LM	518		
7.7.13	Prepare and apply three coats corrosion resistant first quality approved marine metal paint or other equal and approved to metal surfaces of burglar proofing.	SM	0		
	<b>TOTAL CARRIED FORWARD</b>				

**BILL OF QUANTITIES FOR PROPOSED CONSTRUCTION OF KIPINI FISH LANDING SITE IN TANA RIVER COUNTY**

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
	<b><u>BROUGHT FORWARD</u></b>				
	<b><u>Doors</u></b>				
7.7.19	Prepare and apply three coats gloss paint (high-quality or equal approved) to general wood surfaces	SM	40		
7.7.20	Ditto girth 100-200mm	LM	56		
7.7.21	Ditto girth not exceeding 100mm	LM	112		
	<b><u>CEILING</u></b>				
7.7.21	12mm cement and sand (1:4) plaster to concrete surfaces trowelled smooth.	SM	161		
7.7.22	Prepare and apply 3 coats of first quality emulsion paint or equal and approved to plastered surfaces.	SM	161		
	<b>TOTAL FOR ELEMENT NO. 7.7 (FINISHES) CARRIED TO SUMMARY</b>				
	<b><u>ELEMENT NO. 7.8</u></b>				
	<b><u>FITTINGS AND FIXTURES</u></b>				
	<b><u>Vanity tops</u></b>				
	<b><u>In situ concrete class 25/20 including approved waterproofing admixture.</u></b>				
7.8.1	100 mm Thick plinths	SM	5		
7.8.2	75 mm Thick slab with and including BRC mesh ref A 98 to worktops.	SM	3		
7.8.3	Extra over for boxing to form opening for sinks to the top of washroom counter slabs	NO	8		
	<b><u>In sawn soft wood formwork</u></b>				
7.8.4	Formwork to soffits of suspended slab.	SM	3		
7.8.5	Ditto to edges 75 - 150 mm girth.	LM	4		
	<b><u>FINISHES</u></b>				
7.8.6	20mm thick light Cement and Sand weight (1:4) screeding smooth trowelled	SM	8		
	<b><u>Terrazzo paving</u></b>				
7.8.7	20 mm Thick homogenous mix terrazzo laid on screed backing; cement sand marble chippings (1:4:8) grinded and polished including dividing strips.	SM	8		
7.8.8	Ditto but to 100 mm high fascia and skirting	LM	4		
	<b><u>Prepare and apply three coats of silk vinyl Emulsion paint to:-</u></b>				
7.8.9	Plastered soffits.	SM	3		
	<b>TOTAL FOR ELEMENT NO. 3.9 (FITTINGS AND FIXTURES) CARRIED TO SUMMARY BELOW</b>				

**BILL OF QUANTITIES FOR PROPOSED CONSTRUCTION OF KIPINI FISH LANDING SITE IN TANA RIVER COUNTY**

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
	<b><u>SUMMARY</u></b>				
1	Total for Element No. 7.1 (Substructure Works), brought forward from page AB/2				
2	Total for Element No. 7.2 (Superstructure Reinforced Concrete Works), brought forward from page AB/3				
3	Total for Element No. 7.3 (Walling), brought forward from page AB/3				
4	Total for Element No. 7.4 (Roofing) brought forward from page AB/4				
5	Total for Element No. 7.5 (Windows) brought forward from page AB/5				
6	Total for Element No. 7.6 (Doors) brought forward from page AB/5				
7	Total for Element No. 7.7 (Finishes) brought forward from page AB/7				
8	Total for Element No. 7.8 (Fittings and fixtures) brought forward from page AB/7				
	<b>TOTAL FOR BUILDING WORKS, CARRIED TO GRAND SUMMARY</b>				

**BILL OF QUANTITIES FOR PROPOSED CONSTRUCTION OF KIPINI FISH LANDING SITE IN TANA RIVER COUNTY**

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
	<p><i>(All Rates are V.A.T Inclusive)</i></p> <p><b><u>BILL NO. 8; PUMP ROOM BUILDING WORKS</u></b></p> <p><b><u>ELEMENT NO 8.1</u></b></p> <p><b><u>SUBSTRUCTURE WORKS (All Provisional)</u></b></p> <p>Please note that <u>ALL substructure works are Measured Provisionally. The contractor must ensure that the actual measurements are taken by the Project Quantity Surveyor before any works are covered. Failure to do so will necessitate works to be open up for verification at your (contractors) cost.</u></p> <p><b>NOTE: Classes of Rock</b></p> <p><b><u>(1) Class 1 :</u></b></p> <p>Soft rock of the type known locally as "CORAL" which in the opinion of the Engineer cannot be considered as hard rock shall be known as Class 1 rock. Soft Rock shall be rock with compressive strength not exceeding 15N/mm<sup>2</sup>. Murram and Kunker is specifically excluded and will be reckoned as normal/common excavation. Extremely weathered and weak Tuff shall also be considered as normal excavation.</p> <p><b><u>(2) Class 2 :</u></b></p> <p>Class 2 Rock shall be with compressive strength exceeding 15N/mm<sup>2</sup>. This type of rock contains stones and boulders of unweathered or incompletely weathered Tuff, trachyte, black trap or lava with compressive strength exceeding 15N/mm<sup>2</sup> in a formation which is massive and geologically homogeneous. A boulder or outcrop with such compressive strength will be deemed to be Class 2 rock or Hard Rock</p> <p>The opinion of the Engineer in classifying rock shall be final and binding.</p> <p>Explosives must not be used without the prior approval of the Engineer. Blasting operations are carried out at the Contractor's sole risk, and all blasting must be carried out in accordance with government regulations and approval</p>				

**BILL OF QUANTITIES FOR PROPOSED CONSTRUCTION OF KIPINI FISH LANDING SITE IN TANA RIVER COUNTY**

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
	<b><u>EXCAVATION AND EARTHWORKS</u></b> <i>Excavation including maintaining and supporting sides and keeping free from water, mud and falling materials; No allowance is made in the excavations for working space; contractor to factor in working space in his rates:</i>				
8.1.1	Clear site of all bushes, tufts and any small or large trees, including grubbing out roots and burn on site where directed	SM	25		
8.1.2	Excavate oversite average 150mm deep and cart away	SM	25		
8.1.3	Excavate trench for strip foundation: not exceeding 1.5m deep	CM	28		
8.1.4	Excavate for column bases: not exceeding 1.5m deep	CM	9		
8.1.5	Extra over excavation from rock in any position	CM	37		
	<b><u>Disposal of excavated material</u></b>				
8.1.6	Return, fill and ram extra excavation materials around foundation	CM	19		
8.1.7	Load and cart away surplus material	CM	18		
	<b><u>Disposal of Water</u></b>				
8.1.8	Allow for keeping the whole of the excavation free from mud, water and fallen materials	Item	1		
	<b><u>Planking and strutting</u></b>				
8.1.9	Allow for planking and strutting sides of excavation	Item	1		
	<b><u>Filling</u></b>				
8.1.10	300mm thick (minimum) approved hardcore handpacked in layers not exceeding 150mm	CM	8		
8.1.11	50mm thick murram dust or any other equal and approved material in blinding surface of hardcore	SM	25		
	<b><u>Insecticide Treatment</u></b>				
8.1.12	Treat hardcore surface with approved antitermite applied in accordance with the manufacturer's instructions and subject to a TEN YEAR guarantee	SM	25		
	<b>TOTAL EXCAVATION AND EARTHWORKS, CARRIED FORWARD TO ELEMENT COLLECTION</b>				

**BILL OF QUANTITIES FOR PROPOSED CONSTRUCTION OF KIPINI FISH LANDING SITE IN TANA RIVER COUNTY**

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
	<b><u>SUBSTRUCTURES CONTINUED</u></b>				
	<b><u>CONCRETE WORKS</u></b>				
8.1.13	50mm thick concrete blinding to surfaces of strip footing & column bases (concrete class 15/20)	SM	24		
	<b><u>Vibrated reinforced concrete class 25/20 to:-</u></b>				
8.1.14	Strip footing	CM	4		
8.1.15	Columns Bases	CM	3		
8.1.16	Foundation Columns	CM	1		
8.1.17	150 mm thick ground floor slab	SM	25		
8.1.18	Extra over ditto to forming or leaving 400mm wide shallow Cable channels, average 450mm deep 'U' channel in hardcore and floor slab including hand packing to sides of channel, 150mm thick concrete to sides and bed of channel including 50mm blinding and all necessary formwork and reinforcement, all to detail and approval	LM	7		
	<b><u>High Tensile Ribbed Reinforcement Bars to B. S. 4449 including cutting, bending and all necessary spacer blocks : (Provisional) :-</u></b>				
8.1.19	Assorted bars	KG	1,200		
8.1.20	BRC mesh type A142	SM	25		
	<b><u>Marineply formwork as Described. Allow for setting to special steel proping, strutting, fillets, nails, etc to:</u></b>				
8.1.21	Sides of strip footing	SM	18		
8.1.22	Ditto but to column bases	SM	8		
8.1.23	Ditto but to sides of foundation columns	SM	5		
8.1.24	Ditto but to edges of floor slab 150mm - 225mm thick	LM	21		
	<b><u>FOUNDATION WALLING</u></b>				
8.1.25	200mm solid coral block foundation wall in cement:sand (1:3) reinforced with hoop iron at every to alternative course	SM	43		
	<b><u>WATERPROOFING</u></b>				
8.1.26	1000 gauge polythene DPM	SM	25		
	<b><u>PLINTH FINISHES</u></b>				
8.1.27	15mm cement and sand (1:4) render trowelled smooth and comprising 12mm thick backing and 3mm finishing coat.	SM	11		
	<b><u>Painting and Decoration</u></b>				
8.1.28	Prepare and apply 3 coats of approved first quality bituminous paint or equal and approved to rendered surfaces	SM	11		
	<b>TOTAL SUBSTRUCTURE WALLING AND CONCRETE WORKS, CARRIED FORWARD TO ELEMENT COLLECTION</b>				

## BILL OF QUANTITIES FOR PROPOSED CONSTRUCTION OF KIPINI FISH LANDING SITE IN TANA RIVER COUNTY

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
	ELEMENT NO. 6.1 (SUBSTRUCTURE WORKS) COLLECTION				
A	Total Excavation and Earthworks brought forward from page PRBW/2				
B	Total Substructure Walling and Concrete Works brought forward from page PRBW/3				
	TOTAL ELEMENT NO. 8.1 (SUBSTRUCTURE WORKS), CARRIED TO SUMMARY				



**BILL OF QUANTITIES FOR PROPOSED CONSTRUCTION OF KIPINI FISH LANDING SITE IN TANA RIVER COUNTY**

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
	<b><u>SUPERSTRUCTURES</u></b> <b><u>ELEMENT NO 8.2</u></b>  <b><u>SUPERSTRUCTURE REINFORCED CONCRETE WORKS</u></b>  <b><u>Vibrated Reinforced Concrete Class - 25/20 to:-</u></b>				
8.2.1	Beams	CM	2		
8.2.2	Concrete gutters	CM	3		
8.2.3	Columns	CM	1		
8.2.4	150 mm Thick Suspended floor slab	SM	25		
	<b><u>High Tensile Reinforcement Bars to B. S. 4449 including cutting, bending and all necessary spacer blocks : (Provisional) :-</u></b>				
8.2.5	Asorted bars	KG	1,650		
	<b><u>Marineply formwork as Described. Allow for setting to special steel propping, strutting, fillets, nails, etc to:</u></b>				
8.2.6	Sides of Beams	SM	23		
8.2.7	Sides and soffits of gutters	SM	21		
8.2.8	Sides of columns	SM	15		
8.2.9	To soffits of suspended slabs	SM	25		
8.2.10	To Edges of first floor slabs 150-225mm high	LM	21		
	<b>TOTAL FOR ELEMENT NO. 8.2 (SUPERSTRUCTURE REINFORCED CONCRETE WORKS), CARRIED FORWARD TO SUMMARY</b>				
	<b><u>ELEMENT NO. 8.3</u></b> <b><u>WALLING</u></b> 200mm machine cut coral stone wall in cement:sand (1:3) reinforced with hoop iron at every to alternative course (internally and externally)	SM	33		
8.3.2	Ditto but 200 mm thick parapet walling.	SM	32		
	<b><u>WATERPROOFING</u></b>				
8.3.3	Hessian based bituminous felt damp proof course 200mm wide	LM	46		
	<b><u>Precast concrete coping</u></b> 300 x 50 mm thick insitu concrete coping reinforced in 4No. 10mm diameter bars and 8mm diameter rings; weathered and throated saddled-back on both sides for handling finished fair and jointed to 200 thick dwarf and parapet walls in cement sand mortar 1:3 all to approval	LM	21		
8.3.5	Ditto 550 x 350mm pier cap ditto to columns	NO	4		
	<b><u>Precast Louvred Concrete Blocks Walling</u></b>				
8.3.6	200mm thick Precast louvered concrete blocks joint together with cement:sand mortor (1:3) and make good	SM	9		
	<b>TOTAL FOR ELEMENT NO. 8.3 (WALLING), CARRIED FORWARD TO SUMMARY</b>				

**BILL OF QUANTITIES FOR PROPOSED CONSTRUCTION OF KIPINI FISH LANDING SITE IN TANA RIVER COUNTY**

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
	<b><u>ELEMENT NO. 8.4</u></b> <b><u>ROOFING</u></b>				
	<b><u>FLAT ROOF FINISHES</u></b>				
8.4.1	50 mm cement sand 1:3 water proof screed to flat roof slab laid to fall and crossfalls	SM	25		
8.4.2	Apply one coat bituminous primer to surface of screed.	SM	25		
8.4.3	Supply, torch and apply bituminous membrane as per 'high quality' or equal and approved to primed screed surfaces	SM	25		
8.4.4	Ditto sides of wall 200mm high	LM	21		
8.4.5	50 x 50mm internal angle fillet	LM	21		
8.4.6	200 x 200 x 25mm thick high quality clay tiles or equal approved on roof slab bedded and jointed in cement mortar 1:3 and 25mm joint pointed with red cement slurry	SM	25		
8.4.7	Ditto sides of wall 200mm high	LM	21		
	<b><u>Rainwater goods</u></b>				
8.4.8	Extra over for running outlet	NO	4		
8.4.9	100mm x 75 x 0.6mm PVC down pipes fixed to wall with holding clips at 1200mm centres	LM	13		
8.4.10	Extra over for swan neck 1000mm long	NO	4		
8.4.11	Extra over for shoe 1000mm long	NO	4		
	<b><u>Supply and fix the following approved uPVC Cylindrical Water Storage Tanks, (Diameter x Ht).</u></b>				
8.4.12	10,000Litres 2400mm x 2800mm. The tank has screwed connections for inlet, outlet, no overflow, 25mm medium pressure ball valve. A 500mm thick x 3000mm dia R.C tank base should be constructed on which the tank will be mounted.	NO	1		
	<b>TOTAL FOR ELEMENT NO. 8.4 (ROOFING) CARRIED TO SUMMARY</b>				

**BILL OF QUANTITIES FOR PROPOSED CONSTRUCTION OF KIPINI FISH LANDING SITE IN TANA RIVER COUNTY**

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
	<b><u>ELEMENT NO. 8.5</u></b> <b><u>DOORS</u></b> <b><u>Sliding gates</u></b>  <b><u>Supply, assemble and fix the following Mild/Galvanized Steel sliding gate with louvre vents and all necessary furniture primed with red oxide and finished with three coats of approved first quality matt metal paint as per Architect's details. The gate should be assembled and fixed to opening including cutting and pinning lugs to concrete or blockwork surround and bedding frame in cement and sand mortar (1:4). (Ref Architects Detailing)</u></b>				
8.5.1	Overall size 1500mm x 3000mm high	NO	1		
	<b>TOTAL FOR ELEMENT NO. 8.5 (DOORS), CARRIED FORWARD TO SUMMARY</b>				
	<b><u>ELEMENT NO. 8.6</u></b> <b><u>FINISHES</u></b> <b><u>Wall and Concrete Finishes</u></b> 8.6.1 12mm cement and sand (1:4) plaster to walls and concrete surfaces trowelled smooth. 8.6.2 Prepare and apply 3 coats of first quality exterior silicone paint to plastered surfaces.  <b><u>Floor Finishes</u></b> <b><u>Cement and sand (1:4) screeding smooth trowelled</u></b> 8.6.3 32mm Thick floor screed <b><u>Paving slabs</u></b> 8.6.4 Supply and fix 50 mm thick precast concrete paving slabs size 600 x 600 mm bedded and pointed in cement and sand mortar.  <b><u>Ceiling</u></b> 8.6.5 12mm cement and sand (1:4) plaster to concrete surfaces trowelled smooth. 8.6.6 Prepare and apply 3 coats of first quality emulsion paint or equal and approved to plastered surfaces.				
	<b>TOTAL FOR ELEMENT NO. 8.6 (FINISHES) CARRIED TO SUMMARY BELOW</b>				

**BILL OF QUANTITIES FOR PROPOSED CONSTRUCTION OF KIPINI FISH LANDING SITE IN TANA RIVER COUNTY**

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
	<b><u>PUMP ROOM BUILDING WORKS SUMMARY</u></b>				
<b>8.1</b>	Total for Element No. 8.1 (Substructure Works), brought forward from page PRBW/4				
<b>8.2</b>	Total for Element No. 8.2 (Superstructure Reinforced Concrete Works), brought forward from page PRBW/5				
<b>8.3</b>	Total for Element No. 8.3 (Walling), brought forward from page PRBW/5				
<b>8.4</b>	Total for Element No. 8.4 (Roofing) brought forward from page PRBW/6				
<b>8.5</b>	Total for Element No. 8.5 (Doors) brought forward from page PRBW/7				
<b>8.6</b>	Total for Element No. 8.6 (Finishes) brought forward from above				
	<b>TOTAL FOR PUMP ROOM BUILDING WORKS, CARRIED TO GRAND SUMMARY</b>				

**BILL OF QUANTITIES FOR PROPOSED CONSTRUCTION OF KIPINI FISH LANDING SITE IN TANA RIVER COUNTY**

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
	<p><i>(All Rates are V.A.T Inclusive)</i></p> <p><b>BILL NO. 9; POWER HOUSE BUILDING WORKS</b></p> <p><b>ELEMENT NO 9.1</b></p> <p><b>SUBSTRUCTURE WORKS (All Provisional)</b></p> <p><u>Please note that ALL substructure works are Measured Provisionally. The contractor must ensure that the actual measurements are taken by the Project Quantity Surveyor before any works are covered. Failure to do so will necessitate works to be open up for verification at your (contractors) cost.</u></p> <p><b>NOTE: Classes of Rock</b></p> <p><b><u>(1) Class 1 :</u></b></p> <p>Soft rock of the type known locally as "CORAL" which in the opinion of the Engineer cannot be considered as hard rock shall be known as Class 1 rock. Soft Rock shall be rock with compressive strength not exceeding 15N/mm<sup>2</sup>. Murram and Kunker is specifically excluded and will be reckoned as normal/common excavation. Extremely weathered and weak Tuff shall also be considered as normal excavation.</p> <p><b><u>(2) Class 2 :</u></b></p> <p>Class 2 Rock shall be with compressive strength exceeding 15N/mm<sup>2</sup>. This type of rock contains stones and boulders of unweathered or incompletely weathered Tuff, trachyte, black trap or lava with compressive strength exceeding 15N/mm<sup>2</sup> in a formation which is massive and geologically homogeneous. A boulder or outcrop with such compressive strength will be deemed to be Class 2 rock or Hard Rock</p> <p>The opinion of the Engineer in classifying rock shall be final and binding.</p> <p>Explosives must not be used without the prior approval of the Engineer. Blasting operations are carried out at the Contractor's sole risk, and all blasting must be carried out in accordance with government regulations and approval</p>				

**BILL OF QUANTITIES FOR PROPOSED CONSTRUCTION OF KIPINI FISH LANDING SITE IN TANA RIVER COUNTY**

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
	<b><u>EXCAVATION AND EARTHWORKS</u></b> <i>Excavation including maintaining and supporting sides and keeping free from water, mud and falling materials; No allowance is made in the excavations for working space; contractor to factor in working space in his rates:</i>				
9.1.1	Clear site of all bushes, tufts and any small or large trees, including grubbing out roots and burn on site where directed	SM	126		
9.1.2	Excavate oversite average 150mm deep and cart away	SM	126		
9.1.3	Excavate trench for strip foundation: not exceeding 1.5m deep	CM	108		
9.1.4	Excavate for column bases: not exceeding 1.5m deep	CM	73		
9.1.5	Extra over excavation from rock in any position	CM	181		
	<b><u>Disposal of excavated material</u></b>				
9.1.6	Return, fill and ram extra excavation materials around foundation	CM	115		
9.1.7	Load and cart away surplus material	CM	66		
	<b><u>Disposal of Water</u></b>				
9.1.8	Allow for keeping the whole of the excavation free from mud, water and fallen materials	Item	1		
	<b><u>Planking and strutting</u></b>				
9.1.9	Allow for planking and strutting sides of excavation	Item	1		
	<b><u>Filling</u></b>				
9.1.10	300mm thick (minimum) approved hardcore handpacked in layers not exceeding 150mm	CM	38		
9.1.11	50mm thick murram dust or any other equal and approved material in blinding surface of hardcore	SM	126		
	<b><u>Insecticide Treatment</u></b>				
9.1.12	Treat hardcore surface with approved antitermite applied in accordance with the manufacturer's instructions and subject to a TEN YEAR guarantee	SM	126		
	<b><u>CONCRETE WORKS</u></b>				
9.1.13	50mm thick concrete blinding to surfaces of strip footing & column bases (concrete class 15)	SM	142		
	<b>TOTAL CARRIED FORWARD</b>				

**BILL OF QUANTITIES FOR PROPOSED CONSTRUCTION OF KIPINI FISH LANDING SITE IN TANA RIVER COUNTY**

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
	<b><u>SUBSTRUCTURES CONTINUED</u></b>				
	<b><u>BROUGHT FORWARD</u></b>				
	<b><u>SUBSTRUCTURES CONTINUED</u></b>				
	<b><u>Vibrated reinforced concrete class 25/20 to:-</u></b>				
9.1.14	Strip footing	CM	12		
9.1.15	Columns Bases	CM	22		
9.1.16	Foundation Columns	CM	2		
9.1.17	150 mm Thick ground floor slab	SM	126		
	Extra over ditto to forming or leaving 400mm wide shallow Cable channels, average 450mm deep 'U' channel in hardcore and floor slab including hand packing to sides of channel, 150mm thick concrete to sides and bed of channel including 50mm blinding and all necessary formwork and reinforcement, all to detail and approval	LM	69		
	<b><u>High Tensile Ribbed Reinforcement Bars to B. S. 4449 including cutting, bending and all necessary spacer blocks : (Provisional) :-</u></b>				
9.1.19	Assorted bars	KG	5400		
9.1.20	BRC mesh type A142	SM	126		
	<b><u>Marineply formwork as Described. Allow for setting to special steel proping, strutting, fillets, nails, etc to:</u></b>				
9.1.21	Edges of strip footing	SM	47		
9.1.22	Ditto but to column bases	SM	27		
9.1.23	Ditto but to sides of foundation columns	SM	12		
9.1.24	Ditto but to edges of floor slab 150mm - 225mm thick	LM	54		
	<b><u>FOUNDATION WALLING</u></b>				
9.1.25	200mm solid coral block foundation wall in cement:sand (1:3) reinforced with hoop iron at every to alternative course	SM	113		
	<b><u>WATERPROOFING</u></b>				
9.1.26	1000 gauge polythene DPM	SM	126		
	<b><u>PLINTH FINISHES</u></b>				
9.1.27	15mm cement and sand (1:4) render trowelled smooth and comprising 12mm thick backing and 3mm finishing coat.	SM	27		
	<b><u>Painting and Decoration</u></b>				
9.1.28	Prepare and apply 3 coats of approved first quality bituminous paint or equal and approved to rendered surfaces	SM	27		
	<b>TOTAL ELEMENT NO. 9.1 (SUBSTRUCTURE WORKS), CARRIED TO SUMMARY</b>				

**BILL OF QUANTITIES FOR PROPOSED CONSTRUCTION OF KIPINI FISH LANDING SITE IN TANA RIVER COUNTY**

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
	<b><u>SUPERSTRUCTURES</u></b>				
	<b><u>ELEMENT NO 9.2</u></b>				
	<b><u>SUPERSTRUCTURE REINFORCED CONCRETE WORKS</u></b>				
	<b><u>Vibrated Reinforced Concrete Class - 25/20 to:-</u></b>				
9.2.1	Beams	CM	6		
9.2.2	Columns	CM	2		
9.2.3	Concrete gutters	CM	6		
9.2.4	150 mm Thick Suspended floor slab	SM	126		
	<b><u>High Tensile Reinforcement Bars to B. S. 4449 including cutting, bending and all necessary spacer blocks : (Provisional) :-</u></b>				
9.2.5	Asorted bars	KG	5096		
	<b><u>Marineply formwork as Described. Allow for setting to special steel propping, strutting, fillets, nails, etc to:</u></b>				
9.2.6	Sides of Beams	SM	90		
9.2.7	Sides and soffits of gutters	SM	111		
9.2.8	Sides of columns	SM	40		
9.2.9	To soffits of suspended slabs	SM	126		
9.2.10	To Edges of first floor slabs 150-225mm high	LM	54		
	<b>TOTAL FOR ELEMENT NO. 9.2 (SUPERSTRUCTURE REINFORCED CONCRETE WORKS), CARRIED FORWARD TO SUMMARY</b>				
	<b><u>ELEMENT NO. 9.3</u></b>				
	<b><u>WALLING</u></b>				
9.3.1	200mm machine cut coral stone wall in cement:sand (1:3) reinforced with hoop iron at every to alternative course externally	SM	72		
9.3.2	200mm machine cut coral stone wall in cement:sand (1:3) reinforced with hoop iron at every to alternative course internally.	SM	38		
9.3.3	Ditto but 200 mm thick parapet walling with perforations to details.	SM	81		
	<b><u>Precast Concrete Louvre Block Walling</u></b>				
9.3.4	200 mm thick approved precast concrete louvre block walling bedded and jointed in cement sand (1:3) mortar, reinforced with 25mm x 3mm thick hoop iron strip in every alternate course	SM	29		
	<b><u>WATERPROOFING</u></b>				
9.3.5	Hessian based bituminous felt damp proof course 200mm wide	LM	49		
	<b><u>Precast concrete coping</u></b>				
9.3.6	300 x 75 mm thick insitu concrete coping reinforced in 4No. 10mm diameter bars and 8mm diameter rings; weathered and throated saddled-back on both sides for handling finished fair and jointed to 200 thick dwarf and parapet walls in cement sand mortar 1:3 all to approval	LM	54		
9.3.7	Ditto 550 x 350mm pier cap ditto to columns	NO	10		
	<b>TOTAL FOR ELEMENT NO. 9.3 (WALLING), CARRIED FORWARD TO SUMMARY</b>				



**BILL OF QUANTITIES FOR PROPOSED CONSTRUCTION OF KIPINI FISH LANDING SITE IN TANA RIVER COUNTY**

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
	<b><u>ELEMENT NO. 9.4</u></b> <b><u>ROOFING</u></b>				
	<b><u>FLAT ROOF FINISHES</u></b>				
9.4.1	50 mm cement sand 1:3 water proof screed to flat roof slab laid to fall and crossfalls	SM	126		
9.4.2	Apply one coat bituminous primer to surface of screed.	SM	126		
9.4.3	Supply, torch and apply bituminous membrane as per 'high quality' or equal and approved to primed screed surfaces	SM	126		
9.4.4	Ditto sides of wall 200mm high	LM	54		
9.4.5	50 x 50mm internal angle fillet	LM	54		
9.4.6	200 x 200 x 25mm thick high quality concrete tiles or equal approved on roof slab bedded and jointed in cement mortar 1:3 and 25mm joint pointed with red cement slurry	SM	126		
9.4.7	Ditto sides of wall 200mm high	LM	54		
	<b><u>Rainwater goods</u></b>				
9.4.8	Extra over for running outlet	NO	6		
9.4.9	100mm x 75 x 0.6mm PVC down pipes fixed to wall with holding clips at 1200mm centres	LM	20		
9.4.10	Extra over for swan neck 1000mm long	NO	6		
9.4.11	Extra over for shoe 1000mm long	NO	6		
	<b><u>Supply and fix the following approved uPVC Cylindrical Water Storage Tanks. (Diameter x Ht).</u></b>				
9.4.12	10,000Litres 2400mm x 2800mm. The tank has screwed connections for inlet, outlet, no overflow, 25mm medium pressure ball valve. A 500mm thick x 3000mm dia R.C tank base should be constructed on which the tank will be mounted.	NO	1		
	<b>TOTAL FOR ELEMENT NO. 9.4 (ROOFING) CARRIED TO SUMMARY</b>				
	<b><u>ELEMENT NO. 9.5</u></b> <b><u>DOORS</u></b> <b><u>Sliding gates</u></b>				
	<b><u>Supply, assemble and fix the following Mild/Galvanized Steel sliding gate with louvre vents and all necessary furniture primed with red oxide and finished with three coats of approved first quality matt metal paint as per Architect's details. The gate should be assembled and fixed to opening including cutting and pinning lugs to concrete or blockwork surround and bedding frame in cement and sand mortar (1:4). (Ref Architects Detailing)</u></b>				
9.5.1	Overall size 2000mm x 2400mm high	NO	3		
	<b>TOTAL FOR ELEMENT NO.9.5 (DOORS), CARRIED FORWARD TO SUMMARY</b>				

**BILL OF QUANTITIES FOR PROPOSED CONSTRUCTION OF KIPINI FISH LANDING SITE IN TANA RIVER COUNTY**

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
	<b>ELEMENT NO. 9.6</b>				
	<b><u>FINISHES</u></b>				
	<b><u>External Wall Finishes</u></b>				
9.6.1	15mm cement and sand (1:4) plaster to walls and concrete surfaces trowelled smooth.	SM	234		
9.6.2	Prepare and apply 3 coats of first quality exterior silicone paint to plastered surfaces.	SM	234		
	<b><u>Internal Wall Finishes</u></b>				
9.6.3	12mm cement and sand (1:4) plaster to walls and concrete surfaces trowelled smooth.	SM	310		
9.6.4	Prepare and apply 3 coats of first quality emulsion paint or equal and approved to plastered surfaces.	SM	310		
	<b><u>Floor Finishes</u></b>				
	<b><u>Cement and sand (1:4) screeding smooth trowelled</u></b>				
9.6.5	32mm Thick floor screed to floor finishes	SM	161		
	<b><u>Paving slabs</u></b>				
9.6.6	Supply and fix 50 mm thick precast concrete paving slabs size 600 x 600 mm bedded and pointed in cement and sand mortar.	SM	28		
	<b><u>Ceiling</u></b>				
9.6.7	12mm cement and sand (1:4) plaster to concrete surfaces trowelled smooth.	SM	161		
9.6.8	Prepare and apply 3 coats of first quality emulsion paint or equal and approved to plastered surfaces.	SM	161		
	<b><u>Finishes to Cable channels</u></b>				
9.6.9	Waterproofed screed finish to floor as before described but to sloping sides and bed of channel	SM	94		
	<b><u>Cable Chancel Covers</u></b>				
9.6.10	Supply and fix the 400mm wide prepainted mild steel grating cover comprising 400 mm long 16 mm diameter ribbed bars spaced at 50 mm c/c, welded to 50 x 50 x 3 mm angle including framing cramped and grouted into concrete; to channels as per architect's details	SM	69		
	<b>TOTAL FOR ELEMENT NO. 9.6 (FINISHES) CARRIED TO SUMMARY BELOW</b>				
	<b><u>POWER HOUSE BUILDING WORKS SUMMARY</u></b>				
9.1	Total for Element No. 9.1 (Substructure Works), brought forward from page PHBW/3				
9.2	Total for Element No. 9.2 (Superstructure Reinforced Concrete Works), brought forward from page PHBW/4				
9.3	Total for Element No. 9.3 (Walling), brought forward from page PHBW/4				
9.4	Total for Element No. 9.4 (Roofing) brought forward from page PHBW/5				
9.5	Total for Element No. 9.6 (Doors) brought forward from page PHBW/5				
9.6	Total for Element No. 9.7 (Finishes) brought forward from above				
	<b>TOTAL FOR POWER HOUSE BUILDING WORKS, CARRIED TO GRAND SUMMARY</b>				

**BILL OF QUANTITIES FOR PROPOSED CONSTRUCTION OF KIPINI FISH LANDING SITE IN TANA RIVER COUNTY**

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
	<p><b><u>BILL NO 10; GATE HOUSE BUILDING WORKS</u></b></p> <p><b><u>ELEMNET NO. 10.1</u></b></p> <p><b><u>SUBSTRUCTURE WORKS (All Provisional)</u></b></p> <p><b><u>Please note that ALL substructure works are Measured Provisionally. The contractor must ensure that the actual measurements are taken by the Project Quantity Surveyor before any works are covered. Failure to do so will necessitate works to be open up for verification at your (contractors) cost.</u></b></p> <p><b>NOTE: Classes of Rock</b></p> <p><b><u>(1) Class 1 :</u></b></p> <p>Soft rock of the type known locally as "CORAL" which in the opinion of the Engineer cannot be considered as hard rock shall be known as Class 1 rock. Soft Rock shall be rock with compressive strength not exceeding 15N/mm<sup>2</sup>. Murram and Kunker is specifically excluded and will be reckoned as normal/common excavation. Extremely weathered and weak Tuff shall also be considered as normal excavation.</p> <p><b><u>(2) Class 2 :</u></b></p> <p>Class 2 Rock shall be with compressive strength exceeding 15N/mm<sup>2</sup>. This type of rock contains stones and boulders of unweathered or incompletely weathered Tuff, trachyte, black trap or lava with compressive strength exceeding 15N/mm<sup>2</sup> in a formation which is massive and geologically homogeneous. A boulder or outcrop with such compressive strength will be deemed to be Class 2 rock or Hard Rock</p> <p>The opinion of the Engineer in classifying rock shall be final and binding.</p> <p>Explosives must not be used without the prior approval of the Engineer. Blasting operations are carried out at the Contractor's sole risk, and all blasting must be carried out in accordance with government regulations and approval</p>				

**BILL OF QUANTITIES FOR PROPOSED CONSTRUCTION OF KIPINI FISH LANDING SITE IN TANA RIVER COUNTY**

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
	<b><u>EXCAVATION AND EARTHWORKS</u></b>				
	<i>Excavation including maintaining and supporting sides and keeping free from water, mud and falling materials; No allowance is made in the excavations for working space; contractor to factor in working space in his rates;</i>				
10.1.1	Clear site of all bushes, tufts and any small or large trees, including grubbing out roots and burn on site where directed	SM	14		
10.1.2	Excavate oversite average 150mm deep and cart away	SM	14		
10.1.3	Excavate trench for strip foundation: not exceeding 1.5m deep	CM	14		
10.1.4	Extra over excavation from rock in any position	CM	14		
	<b><u>Disposal of excavated material</u></b>				
10.1.5	Return, fill and ram extra excavation materials around foundation	CM	5		
10.1.6	Load and cart away surplus material	CM	9		
	<b><u>Disposal of Water</u></b>				
10.1.7	Allow for keeping the whole of the excavation free from mud, water and fallen materials	Item	1		
	<b><u>Planking and strutting</u></b>				
10.1.8	Allow for planking and strutting sides of excavation	Item	1		
	<b><u>Filling</u></b>				
10.1.9	250 mm thick approved red soil filling consolidated in 150mm thick layers to make up levels	CM	4		
10.1.10	300mm thick (minimum) approved hardcore handpacked in layers not exceeding 150mm	CM	5		
10.1.11	50mm thick murrum dust or any other equal and approved material in blinding surface of hardcore	SM	14		
	<b><u>Insecticide Treatment</u></b>				
10.1.12	Treat hardcore surface with approved antitermite applied in accordance with the manufacturer's instructions and subject to a TEN YEAR guarantee	SM	14		
	<b><u>CONCRETE WORKS</u></b>				
10.1.13	50mm thick concrete blinding to surfaces of strip footings class 15/20	SM	9		
	<b>TOTAL EXCAVATION AND EARTHWORKS, CARRIED FORWARD TO ELEMENT COLLECTION</b>				

**BILL OF QUANTITIES FOR PROPOSED CONSTRUCTION OF KIPINI FISH LANDING SITE IN TANA RIVER COUNTY**

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
	<b><u>SUBSTRUCTURES CONTINUED</u></b>				
	<b><u>Vibrated reinforced concrete class 25/20 to:-</u></b>				
10.1.14	Strip footing	CM	3		
10.1.15	150mm thick floor slab	SM	14		
10.1.16	Steps	CM	1		
	<b><u>High Tensile Ribbed Reinforcement Bars to B. S. 4449 including cutting, bending and all necessary spacer blocks : (Provisional) :-</u></b>				
10.1.17	Assorted bars	KG	400		
10.1.18	BRC mesh type A142	SM	14		
	<b><u>Marineply formwork as Described. Allow for setting to special steel propping, strutting, fillets, nails, etc to:</u></b>				
10.1.19	Edges of strip footing	SM	8		
10.1.20	Ditto but to edges of floor slab 75mm - 150mm thick	LM	15		
	<b><u>FOUNDATION WALLING</u></b>				
10.1.21	200mm solid coral block foundation wall in cement:sand (1:3) reinforced with hoop iron at every to alternative course	SM	27		
	<b><u>WATERPROOFING</u></b>				
10.1.22	1000 gauge polythene DPM	SM	14		
	<b><u>PLINTH FINISHES</u></b>				
10.1.23	15mm cement and sand (1:4) render trowelled smooth and comprising 12mm thick backing and 3mm finishing coat.	SM	8		
	<b><u>Painting and Decoration</u></b>				
10.1.24	Prepare and apply 3 coats of first quality bituminous paint or equal and approved to rendered surfaces	SM	8		
	<b>TOTAL SUBSTRUCTURE WALLING AND CONCRETE WORKS, CARRIED FORWARD TO ELEMENT COLLECTION BELOW</b>				
	<b><u>ELEMENT NO. 10.1 (SUBSTRUCTURE WORKS) COLLECTION</u></b>				
A	Total Excavation and Earthworks brought forward from page GH/2				
B	Total Substructure Walling and Concrete Works brought forward from above				
	<b>TOTAL ELEMENT NO. 10.1 (SUBSTRUCTURE WORKS), CARRIED TO SUMMARY</b>				

**BILL OF QUANTITIES FOR PROPOSED CONSTRUCTION OF KIPINI FISH LANDING SITE IN TANA RIVER COUNTY**

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
	<b><u>SUPERSTRUCTURES</u></b>				
	<b><u>ELEMENT NO. 10.2</u></b>				
	<b><u>SUPERSTRUCTURE REINFORCED CONCRETE WORKS</u></b>				
	<b><u>Vibrated Reinforced Concrete Class - 25/20 to:-</u></b>				
10.2.1	Suspended beams	CM	2		
10.2.2	Concrete gutters	CM	4		
	<b><u>High Tensile Reinforcement Bars to B. S. 4449 including cutting, bending and all necessary spacer blocks : (Provisional) :-</u></b>				
10.2.3	Asorted bars	KG	600		
	<b><u>Marineply formwork as Described. Allow for setting to special steel propping, strutting, fillets, nails, etc to:</u></b>				
10.2.4	Sides of Suspended Beams	SM	21		
10.2.5	Sides and Soffits of gutters	SM	49		
	<b>TOTAL FOR ELEMENT NO. 10.2 (SUPERSTRUCTURE REINFORCED CONCRETE WORKS), CARRIED FORWARD TO SUMMARY</b>				
	<b><u>ELEMENT NO. 10.3</u></b>				
	<b><u>WALLING</u></b>				
10.3.1	200mm machine cut coral stone wall in cement:sand (1:3) reinforced with hoop iron at every to alternative course externally.	SM	33		
10.3.2	Ditto but 200 mm thick parapet walling ditto	SM	9		
10.3.3	150mm machine cut coral stone wall in cement:sand (1:3) reinforced with hoop iron at every to alternative course internally.	SM	14		
	<b><u>WATERPROOFING</u></b>				
10.3.4	Hessian based bituminous felt damp proof course 200mm wide	LM	15		
	<b><u>Precast concrete coping</u></b>				
10.3.5	300 x 75 mm thick insitu concrete coping reinforced in 4No. 10mm diameter bars and 8mm diameter rings; weathered and throated saddled-back on both sides for handling finished fair and jointed to 200 thick dwarf and parapet walls in cement sand mortar 1:3 all to approval	LM	15		
	<b>TOTAL FOR ELEMENT NO. 10.3 (WALLING), CARRIED FORWARD TO SUMMARY</b>				

**BILL OF QUANTITIES FOR PROPOSED CONSTRUCTION OF KIPINI FISH LANDING SITE IN TANA RIVER COUNTY**

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
	<b><u>ELEMENT NO. 10.4</u></b>				
	<b><u>ROOFING</u></b>				
	<b><u>STEEL TRUSSES</u></b>				
	<u>The following in trusses, girders and independent members made of cold-rolled light gauge Steel Sections including grinding all welds smooth and painting with red oxide primer before delivery to site, then welded and bolted with gusset plates, head, nuts, washers and all other necessary fittings in accordance with the fabricators shop drawings to the Engineer's approval</u>				
10.4.1	75 x 50 x 3mm Thick (5.42Kg/m) R.H.S external members welded to gusset plate	LM	36		
10.4.2	50 x 50 x 3mm Thick (4.43Kg/m) S.H.S struts and ties	LM	7		
10.4.3	177.8 x 50.8 x 2mm Thick (5.90Kg/m) Zed purlins welded to rafters	LM	11		
	<b><u>Sundries</u></b>				
10.4.4	200 x 100 x 8 mm mild steel base plates with 4 no. holes countersunk of diameter 18 mm for 16 mm diameter x 200 mm long bolts	NO.	6		
10.4.5	16 mm diameter x 200 mm long bolts with head , nut and washers : fixed to concrete or masonry walls	NO.	24		
	<b><u>ROOF COVERING</u></b>				
10.4.6	28 Gauge prepainted Corrugated aluminium roofing sheets fixed with and including bolts, nails, cups and washer on purlins and rafter sides as (high quality) or approved equivalent	SM	11		
10.4.7	Ditto but matching ridge caps and Valley Gutters	LM	4		
	<b><u>GUTTER FINISHES</u></b>				
10.4.8	50 mm cement sand 1:3 water proof screed to flat roof slab laid to fall and crossfalls	SM	25		
10.4.9	Apply one coat bituminous primer to surface of screed.	SM	25		
10.4.10	Supply, torch and apply bituminous membrane as per 'high quality' or equal and approved to primed screed surfaces	SM	25		
10.4.11	Ditto sides of wall 200mm high	LM	15		
10.4.12	50 x 50mm internal angle fillet	LM	15		
	<b><u>Rainwater goods</u></b>				
10.4.13	Extra over for running outlet	NO	2		
10.4.14	100mm x 75 x 0.6mm PVC down pipes fixed to wall with holding clips at 1200mm centres	LM	6		
10.4.15	Extra over for swan neck 1000mm long	NO	2		
10.4.16	Extra over for shoe 1000mm long	NO	2		
	<b>TOTAL FOR ELEMENT NO. 10.4 (ROOFING) CARRIED TO SUMMARY</b>				

**BILL OF QUANTITIES FOR PROPOSED CONSTRUCTION OF KIPINI FISH LANDING SITE IN TANA RIVER COUNTY**

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
	<b><u>ELEMENT NO. 10.5</u></b> <b><u>WINDOWS</u></b>				
	<u>Supply, assemble and fix the following purpose made powder coated aluminium framed sliding windows to B.S 3987, 1984 from approved manufacturer(s) in 75 x 50 x 2 mm thick aluminium transomes and mullions at 600 mm C/C; railing and necessary intermediate reinforcement elements complete with and including all necessary bolts, nuts, rubber nosing and; necessary fixing gaskets including all weather strips, rubber glazing strips,couplings, sliding rails bars, window boards; panes fixed with 6mm thick one way glass fixed with beadings.</u>				
10.5.1	Overall size 750 x 900mm high.	NO.	2		
10.5.2	Overall size 750 x 1200mm high.	NO.	3		
	<b>TOTAL FOR ELEMENT NO. 10.5 (WINDOWS), CARRIED FORWARD TO SUMMARY</b>				
	<b><u>ELEMENT NO. 10.6</u></b> <b><u>DOORS</u></b>				
	<u>Supply, assemble and fix the following purpose made powder coated aluminium framed door to B.S 3987, 1984 in 100 x 50 x 2 mm thick frames; complete panes fixed with 8mm thick One way tinted glass fixed with beadings with a complete set of industrial galvanised ironmongery comprising of 3 lever mortice locks complete with lever furniture, 100mm heavy duty aluminium butt hinges, brass door stops, guardsman pull handle XL003820 and rubber buffers as directed by the project Architect.All exposed aluminium section are to be powder coated. (Ref Architects Detailing)</u>				
10.6.1	Single leaf single swing door size 900mm x 2600mm high with 500mm high fanlight	NO	1		
10.6.2	Ditto but size 800mm x 2600mm high with 500mm high fanlight	NO	1		
10.6.3	<u>Suply and fix the following ironmongery all to approved specification</u> Door closer (Heavy duty)	NO	2		
10.6.4	Stainless steel satin Rectangular door signage size 150 x 75	NO	2		
	<b>TOTAL FOR ELEMENT NO. 10.6 (DOORS), CARRIED FORWARD TO SUMMARY</b>				



**BILL OF QUANTITIES FOR PROPOSED CONSTRUCTION OF KIPINI FISH LANDING SITE IN TANA RIVER COUNTY**

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
	<b><u>ELEMENT NO. 10.7</u></b>				
	<b><u>FINISHES</u></b>				
	<b><u>EXTERNAL FINISHINGS</u></b>				
	<b><u>Walls</u></b>				
	<b><u>25mm thick cement and sand (1:3) render to:-</u></b>				
10.7.1	25mm thick cement and sand Rendering to walls and Concrete Surfaces, finished with a wood float.	SM	51		
10.7.2	Prepare and apply 3 coats of first quality exterior silicone paint to plastered surfaces.	SM	51		
	<b><u>INTERNAL FINISHES</u></b>				
	<b><u>Wall and Concrete Finishes</u></b>				
10.7.3	12mm cement and sand (1:4) plaster to walls and concrete surfaces trowelled smooth.	SM	40		
10.7.4	Prepare and apply 3 coats of first quality emulsion paint or equal and approved to plastered surfaces.	SM	40		
	<b><u>Wall Tiles</u></b>				
10.7.5	12mm cement and sand (1:4) backing to receive tiles.	SM	21		
10.7.6	150 x 150 x 6mm Thick White glazed ceramic wall tiles bedding and jointing in cement and sand (1:3) mortar and flush pointed with white cement:	SM	21		
	<b><u>Floor Finishes</u></b>				
	<b><u>Cement and sand (1:4) screeding smooth trowelled</u></b>				
10.7.7	32mm Thick floor screed to receive tiles	SM	14		
10.7.8	Ditto 100mm high skirting	LM	15		
	<b><u>Ceramic floor tiles</u></b>				
10.7.9	Supply and fix 10 mm thick non-slip ceramic floor tiles on prepared backing including grouting and edge protectors where required; overall size 330mm x 330mm.	SM	14		
10.7.10	Ditto 100mm high skirting	LM	15		
	<b>TOTAL FOR ELEMENT NO. 10.7 (FINISHES) CARRIED TO SUMMARY</b>				

**BILL OF QUANTITIES FOR PROPOSED CONSTRUCTION OF KIPINI FISH LANDING SITE IN TANA RIVER COUNTY**

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
	<b><u>ELEMENT NO. 10.8</u></b> <b><u>METAL WORK</u></b>				
	<b><u>MILD STEEL GATE</u></b> Supply and fix Prepainted Standard sliding Gate size 6000 x 2400mm high in two equal leaves made of 3mm thick x 25mm x 25mm SHS framing with 3mm thick x 25mm x 25mm SHS infills spaced at 100mm framed onto 50 x 32mm R.H.S all round and 50 x 25mm mid stiles, and spiked studs with lugs, hooks, and lockable bolts, including sliding rail furniture and casting into columns; all to architect's details	NO	1		
10.8.1					
10.8.2	Ditto but side pedestrian gate size 1800 x 2100mm high ditto.	NO	1		
	<b><u>Prepare and apply three coats of premium quality marine metal paint or equal and approved to: -</u></b>				
10.8.3	Surfaces of metal	SM	33		
	<b>TOTAL ELEMENT NO. 10.8 CARRIED TO (METAL WORK) COLLECTION BELOW</b>				
	<b><u>GATE HOUSE BUILDING WORKS SUMMARY</u></b>				
A	Total for Element No. 10.1 (Substructure Works), brought forward from page GH/3				
B	Total for Element No. 10.2 (Superstructure Reinforced Concrete Works), brought forward from page GH/4				
C	Total for Element No. 10.3 (Walling), brought forward from page GH/4				
D	Total for Element No. 10.4 (Roofing) brought forward from page GH/5				
E	Total for Element No. 10.5 (Windows) brought forward from page GH/6				
F	Total for Element No. 10.6 (Doors) brought forward from page GH/6				
G	Total for Element No. 10.7 (Finishes) brought forward from page GH/7				
H	Total for Element No. 10.8 (Metal Work) brought forward from page GH/8				
	<b>TOTAL FOR GATE HOUSE BUILDING WORKS, CARRIED TO GRAND SUMMARY</b>				

**BILL OF QUANTITIES FOR PROPOSED CONSTRUCTION OF KIPINI FISH LANDING SITE IN TANA RIVER**

COUNTY ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
	<i>(All prices are V.A.T Inclusive)</i>				
	<b><u>BILL NO. 11; CIVIL WORKS</u></b>				
	<b><u>ELEMENT NO. 11.1 (ROAD WORKS AND PARKING):</u></b>				
	<b><u>Excavation and Earthworks</u></b>				
11.1.1	Clear site of all bushes, tufts and any small or large trees, including grubbing out roots and burn on site where directed by the project manager	SM	1060		
11.1.2	Bulk excavation: not exceeding 1.5m deep and cart away or stock pile for re-use as directed by the project manager	CM	742		
	<b><u>Disposal of excavated material</u></b>				
11.1.3	Load and cart away surplus material from the site as directed by the project manager.	CM	742		
	<b><u>Road formation and subbase</u></b>				
11.1.4	Trim and compact formation to correct levels, cross-falls and longitudinal falls	SM	1060		
11.1.5	Provide and lay 300mm thick Imported and approved murram backfill materials to make up levels, well watered, rolled and compacted to 98% MDD at optimum moisture content in 150mm thick Layers to Engineer's approval	SM	1060		
11.1.6	Provide, lay and compact 300mm thick approved handpacked stone base blinded to Engineer's specifications or as directed by the Engineer.	CM	318		
	<b><u>Concrete Paving blocks</u></b>				
11.1.7	Provide, lay and compact 80mm thick heavy duty interlocking paving blocks min strength 49N/mm2	SM	1060		
	<b><u>KERBS</u></b>				
11.1.10	Provide, lay and joint along the edge of the driveways, walkways, round about and parking 125x250mm pre-cast concrete kerb including excavation, 100x225mm bed, 100x350mm haunch (conc class 15/20) any necessary formwork and disposal of surplus material all to detail (50) 5332 'A'.	LM	360		
11.1.11	Provide, lay and joint along the edge of driveways, walkways, round about and parking 125x100mm pcc channels, including excavation 350x100mm bed, 350x100mm haunch (conc class 15/20) and any necessary excavation, formwork and disposal of surplus material to detail (50) 5332 'B'.	LM	360		
	<b>TOTAL CARRIED FORWARD</b>				

**BILL OF QUANTITIES FOR PROPOSED CONSTRUCTION OF KIPINI FISH LANDING SITE IN TANA RIVER**

COUNTY ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
	<b>CIVIL WORKS CONTINUED...</b> <b>BROUGHT FORWARD FROM PAGE CIV/1</b> <b><u>CHANNELS</u></b>				
	<b><u>ROAD AND PARKING MARKING</u></b> <b><u>Prepare and apply three coats of approved road</u></b> <b><u>marking thermoplastic paint on asphalt to surfaces</u></b> <b><u>not exceeding 100mm girth</u></b>				
11.1.12	Yellow in colour	SM	42		
11.1.13	White in colour	SM	42		
	<b>TOTAL FOR ELEMENT NO. 11.1 (ROAD WORKS</b> <b>AND PARKING) CARRIED FORWARD TO</b> <b>SUMMARY</b>				
	<b><u>ELEMENT NO. 11.2 (PAVING AROUND</u></b> <b><u>BUILDINGS)</u></b> <b><u>Excavation and Earthworks</u></b>				
11.2.1	Clear site of all bushes, tufts and any small or large trees, including grubbing out roots and burn on site where directed by the project manager	SM	432		
11.2.2	Excavate oversite average 150mm deep and cart away or stock pile for re-use as directed by the project manager	SM	432		
11.2.3	<b><u>Disposal of excavated material</u></b> Load and cart away surplus material from the site as directed by the project manager.	CM	65		
11.2.4	Provide, lay and compact 100mm approved gravel filling to 100% MDD well watered and compacted to 95% MDD and level ready to receive paving slabs	SM	432		
11.2.5	Treat trimmed surfaces with approved herbicide applied in accordance with the manufacturer's instructions and subject to a TEN YEAR guarantee	SM	432		
11.2.6	Provide, lay and joint in cement/sand mortar mix (1:3) 600 x 600 x 60mm precast concrete paving slab on 50mm sand or stone dust blinding.	SM	432		
11.2.7	Prepare and apply concrete 100mm wide class 15/20 to edges of Paving slabs lining	LM	1801.2		
	<b>TOTAL FOR ELEMENT NO. 11.2 (EXTERNAL</b> <b>PAVING) CARRIED FORWARD TO SUMMARY</b>				

**BILL OF QUANTITIES FOR PROPOSED CONSTRUCTION OF KIPINI FISH LANDING SITE IN TANA RIVER**

COUNTY ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
	<b><u>ELEMENT NO. 11.3 (STORM WATER DRAINAGE)</u></b>				
	<b><u>STORM DRAINED (PIPED)</u></b>				
11.3.8	Excavate trench for 900mm diameter culvert, backfill after laying of pipes, compact and cart away surplus material average depth 1.5m.	CM	20		
11.3.9	Provide, lay and joint 900mm diameter OG pipe including 100 mm thick concrete bed and surround (class 15/20).	LM	80		
11.3.10	Excavate pit for headwalls, backfill after construction and cart away extra materials.	CM	32		
11.3.11	Provide all material for and construct masonry for 8 no. culverts headwalls.	No.	8		
	<b><u>INVERT BLOCK DRAIN</u></b>				
11.3.12	Excavate for 450x225mm external dimensions precast concrete IBD trim sides to slope and cart away excavated material depth not exceeding 1.5m.	CM	200		
11.3.13	Provide, install and joint 450x225mmx600mm external dimensions precast concrete IBD.	LM	121		
11.3.14	Provide and lay 225 x 600 x 50 mm side slabs	SM	145		
	<b><u>SHALLOW DRAIN AROUND THE BUILDINGS</u></b>				
11.3.15	Provide, lay and joint 800 x 500 x 175mm precast concrete Storm Water Channel including 50mm thick concrete bed, class 15, any necessary excavation, formwork and disposal of surplus material to details.	LM	360		
	<b>TOTAL FOR ELEMENT NO. 11.3 (STORM WATER DRAINAGE) CARRIED FORWARD TO SUMMARY</b>				

**BILL OF QUANTITIES FOR PROPOSED CONSTRUCTION OF KIPINI FISH LANDING SITE IN TANA RIVER**

COUNTY ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
	<b><u>ELEMENT NO. 11.4 (FOUL DRAINAGE)</u></b>				
	<b><u>FOUL DRAINAGE</u></b>				
	<b><u>SEWERLINE</u></b>				
11.4.1	Excavate trench for 160mmØ UPVC pipe (ISO class 41), backfill after laying of pipes and cart away surplus material as directed be the Engineer. Excavation measured from ground level to a depth n.e. 1.5m.	CM	260		
11.4.2	Ditto depth over 1.5m but n.e 1.75m	CM	31		
11.4.3	Ditto depth over 1.75m but n.e 2.0m	CM	31		
11.4.4	E.O. Excavations in rock	CM	25		
	<b><u>PIPE LAYING</u></b>				
11.4.5	Provide, lay and joint 160mm diameter UPVC pipes (ISO class 41) to BS 4660 on gravel bedding and surround as per details	LM	220		
11.4.6	Provide lay and compact granular bed and surround.	CM	72		
11.4.7	Backfill after laying of pipe	CM	300		
11.4.8	Cart away surplus excavated materials	CM	72		
	<b><u>MANHOLES</u></b>				
11.4.9	Excavate in pit for rectangular manhole type return fill and ram selected approved material after construction of manholes, depth to invert n.e 1.0M.	CM	25		
11.4.10	Ditto, but rectangular manhole type depth to invert n.e 1.5m.	CM	70		
11.4.11	Ditto, but rectangular manhole as per detail drawing depth to invert n.e 2.0m.	CM	15		
11.4.12	Extra over all excavation items for excavation in rock.	CM	5		
11.4.13	Cart away surplus excavations and spread on site 100m away.	CM	30		
	<b><u>Concrete Class 10</u></b>				
11.4.14	Provide all materials, mix and place 50mm thick concrete as blinding for manholes.	SM	79		
	<b><u>Vibrated Concrete Class 15/20</u></b>				
11.4.15	Ditto but 150mm thick base slab for manholes.	CM	12		
	<b><u>Vibrated reinforced concrete class 20/20</u></b>				
11.4.16	Provide all materials, mix and place 150mm thick concrete class 20 as cover for manholes.	CM	12		
11.4.17	Provide all materials; mix place concrete class 20 as benching for 150mm diameter pipe. Include for forming the main and branch channels as well as finishing benching to falls and building in pipes as per detailed drawings.	CM	4		
	<b>TOTAL CARRIED FORWARD</b>				

**BILL OF QUANTITIES FOR PROPOSED CONSTRUCTION OF KIPINI FISH LANDING SITE IN TANA RIVER**

COUNTY ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
	<b><u>BROUGHT FORWARD</u></b>				
	<b><u>Walling</u></b>				
11.4.18	Provide, lay and joint 150mm thick approved concrete block or dressed natural coral stone walling to manholes.	SM	115		
	<b><u>Step Iron</u></b>				
11.4.19	Provide and fix bitumen coated cast iron steps to B.S 1247 as per detailed drawings.	No.	30		
	<b><u>Rendering</u></b>				
11.4.20	Provide 12mm thick water proof cement and sand (mix 1:3) steel float finished rendering to walls.	SM	154		
11.4.21	Ditto but to cover slab	SM	79		
11.4.22	Provide 12mm thick cement and sand (mix 1:1) waterproof rendering trowelled smooth to surface of benching.	SM	79		
	<b><u>C.I Manhole Cover and Frame To B.S 497 &amp; B.S 556</u></b>				
11.4.25	Provide and fix 600 x 450mm medium duty C.I manhole cover and frame and grease to detail.	No.	10		
11.4.26	Allow for connecting manholes to the biodigester and testing of the whole foul drainage system in the presence of the Engineer/Project Manager and make good any defects, re-test as necessary and leave the whole system perfect and to the satisfaction of the Engineer/Project Manager.	ITEM	1		
	<b><u>Biodigester Builder's Work</u></b>				
	<b><u>Excavate in pit for biodigester tank starting from ground level</u></b>				
11.4.27	Depth not exceeding (ne)1.5m	CM	73		
11.4.28	Ditto,depth 1.5 - 3.0m	CM	73		
11.4.29	Ditto,depth 3 - 4.5m	CM	12		
11.4.30	Trim bottom of excavated surface	SM	49		
11.4.31	Extra over for excavation in rock class II	CM	158		
11.4.32	Return fill and ram approved excavated material around foundations	CM	99		
11.4.33	Load and cart away surplus excavated material	CM	34		
11.4.34	Allow for keeping the whole excavation free from all water including spring and running water	ITEM	1		
11.4.35	Allow for plunking and strutting the whole excavation	ITEM	1		
	<b>TOTAL CARRIED FORWARD</b>				

**BILL OF QUANTITIES FOR PROPOSED CONSTRUCTION OF KIPINI FISH LANDING SITE IN TANA RIVER**

COUNTY ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
	<b><u>BROUGHT FORWARD</u></b>				
	<b><u>The following in Concrete class 15/20</u></b>				
11.4.36	Mix and place 50mm concrete blinding	CM	2		
	<b><u>Vibrated reinforced concrete class 25/20 in</u></b>				
11.4.37	150mm thick bottom slab	SM	49		
11.4.38	200X300 mm thickening	CM	3		
11.4.39	300mm thick walls	CM	45		
11.4.40	150 mm thick scum baffle wall	CM	1		
11.4.41	200mm thick suspended cover slab	SM	49		
11.4.42	Beams	CM	6		
	<b><u>High yied square twisted reinforcement steel to 8.S 4449</u></b>				
11.4.43	Arsorted bars	KG	11,545		
	<b><u>BRC Mesh Reinforcement to B.S 1483</u></b>				
11.4.44	BRC mesh No, 65/66	SM	49		
	<b><u>Marineply formwork as Described. Allow for setting to special steel proping, strutting, fillets, nails, etc to:</u></b>				
11.4.45	Interior sides of vertical walls	SM	150		
11.4.46	External sides of vertical walls	SM	150		
11.4.47	Soffits of suspended slab	SM	49		
11.4.48	Sides of suspended slab, 150 mm-225 mm wide	LM	29		
11.4.49	Ditto to sides of entry and exit manholes	SM	2		
11.4.50	Boxing in formwork to form opening in cover slab for 600 x 450 mm manhole cover and frame, 150 -225 mm wide	NO	8		
	<b><u>WATER PROOF CEMENT RENDERING</u></b>				
11.4.51	12mm thick sulphate resistant cement sand to base slab	SM	49		
11.4.52	Ditto to sides of vertical walls	SM	299		
	<b>TOTAL CARRIED FORWARD</b>				



**BILL OF QUANTITIES FOR PROPOSED CONSTRUCTION OF KIPINI FISH LANDING SITE IN TANA RIVER**

COUNTY ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
	<b>BROUGHT FORWARD FROM PAGE MW/32</b>				
	<b><u>Sundries</u></b>				
11.4.53	Form or leave 100mm diameter hole in 200mm thick reinforced concrete wall and slab	NO	7		
11.4.54	Form or leave 600 x 600mm hole in 200mm thick reinforced concrete suspended slab	NO	8		
11.4.55	600 x 600mm heavy duty double sel manhole cover and frame including setting cover in concrete opening and forming rebate	NO	8		
11.4.56	20mm diameter galvanised mild steel step iron 450mm long twice bent and with both ends built 75mm deep into concrete wall	NO	8		
	<b><u>SOAKPITS</u></b>				
11.4.57	Excavate all unsuitable soils from soakage area and cart away as directed.	CM	10		
11.4.58	Provide red or similar approved soils and backfill pit and compact as required.	CM	10		
11.4.59	Excavate trench for 160mm Ø Upvc pipes (ISO class 41), backfill and ram after laying of pipes and cart away surplus material to tips as directed by the Engineer. Average depth 2.0m	LM	45		
11.4.60	Excavate pit for 5 No. Circular soak-pit internal Ø 1.2m, backfill after construction and cart away surplus material. Depth, n.e. 6.5m	CM	35		
11.4.61	E.O. for excavation in rock.	CM	20		
11.4.62	Provide all materials for and construct soak pits as per details, include for all reinforcement and any necessary formwork.	No.	5		
	<b>TOTAL FOR ELEMENT NO. 11.4 (FOUL DRAINAGE) CARRIED FORWARD TO SUMMARY BELOW</b>				
	<b><u>CIVIL WORKS SUMMARY</u></b>				
11.1	<b>TOTAL FOR ELEMENT NO 11.1. (ROAD WORKS AND PARKING) B/F FROM PAGE CW/2</b>				
11.2	<b>TOTAL FOR ELEMENT NO 11.2. (EXTERNAL PAVING)</b>				
11.3	<b>TOTAL FOR ELEMENT NO 11.3. (STORM WATER DRAINAGE)</b>				
11.4	<b>TOTAL FOR ELEMENT NO 11.4. (FOUL DRAINAGE)</b>				
	<b>TOTAL FOR CIVIL WORKS CARRIED FORWARD TO GRAND SUMMARY</b>				

**BILL OF QUANTITIES FOR PROPOSED CONSTRUCTION OF KIPINI FISH LANDING SITE IN TANA RIVER COUNTY**

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
	<i>(All rates are V.A.T Inclusive)</i> <b>BILL NO. 12; LANDSCAPING WORKS</b>				
	<b><u>ELEMNET NO. 12.1 (INTERNAL LANDSCAPING)</u></b>				
	<b><u>GROUND PREPARATION AND GRASSING</u></b>				
	<b><u>Clearing and Levelling</u></b>				
12.1.1	Clear the site of all existing unwanted materials and scarify oversite commencing from main Contractor,s reduced levels, average 150 mm deep to allow for water seepage and retention remove all hardened ground, weeds and any deleterious materials; including carting away all arising wastes, raking and fine levelling of the ground.	SM	1,500		
12.1.2	Approved imported red soil filling to receive planters irrespective of size and spread; spread at varying depths as directed by the landscape architect or Project Manager	SM	1,500		
12.1.3	<b><u>Supply and application of Manure.</u></b> Supply and apply prime quality fertilizers or compost manure at designated locations and as directed by the landscape architect or Project Manager	SM	1,500		
12.1.4	<b><u>Supply and Installation of Grass and Lawns</u></b> Supply, plant, water, weed and tend well undermentioned grass sprigs untill fully established / to reasonable maturity. Grass should also be rolled with a light weight roller to even out 'bumby' areas. This should be carried out one to two weeks after installation Penisetum clandestinum (KIKUYU GRASS) springs spaced at 100mm centres both ways	SM	1,500		
12.1.5	<b><u>Planting of ground Covers</u></b> Supply,plant,weed,water and tend well assorted species of groundcovers till full establishment as per the designs of the landscape architect or as directed by the Project Manager	SM	500		
12.1.6	<b><u>Planting of Shrubs</u></b> Supply, plant, weed, water and tend well assorted species of Shrubs; till full establishment/reasonable maturity as per the designs of the landscape achitect or as directed by the Project Manager	LM	68		
	<b>TOTAL CARRIED FORWARD</b>				

## BILL OF QUANTITIES FOR PROPOSED CONSTRUCTION OF KIPINI FISH LANDING SITE IN TANA RIVER COUNTY

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
	INTERNAL LANDSCAPING WORKS CONTINUED...				
	BROUGHT FORWARD FROM PAGE LW/1				
	<u>Supply, plant, weed, water and tend well under-mentioned trees/large shrubs till full establishment/reasonable maturity and support the same with strong bamboo stakes, adequate in thickness for each tree.</u>				
12.1.7	Assorted Species of Palm trees and other ornamental trees as per the designs of the landscape architect or as directed by the project manager	NO	25		
12.1.8	Assorted Species of other indegenous trees as per the designs of the landscape architect or as directed by the project manager.	NO	10		
	<u>MAINTENANCE</u>				
12.1.9	Allow for a follow up of all installations and constructions to insure establishment and concept preservation. Mowing, watering, training and trimming all included	Months	6		
	<u>LITTER BINS</u>				
	<u>Supply, deliver and install litter bins to specification</u>				
12.1.10	Standard round swivel litter bin, 68L Stainless Steel with detailed pattern perforation, inclusive of installations, fixing to concrete footing or any other approved by project architect	NO	15		
	TOTAL FOR INTERNAL LANDSCAPING WORKS CARRIED FORWARD TO SUMMARY				

**BILL OF QUANTITIES FOR PROPOSED CONSTRUCTION OF KIPINI FISH LANDING SITE IN TANA RIVER COUNTY**

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
	<b><u>ELEMENT NO. 12.2. (EXTERNAL LANDSCAPING)</u></b>				
	<b><u>GROUND PREPARATION AND GRASSING</u></b>				
	<b><u>Clearing and Levelling</u></b>				
12.2.1	Clear the site of all existing unwanted materials and scarify oversite commencing from main Contractor,s reduced levels, average 150 mm deep to allow for water seepage and retention remove all hardened ground, weeds and any deleterious materials; including carting away all arising wastes, raking and fine levelling of the ground.	SM	1,000		
12.2.2	Approved imported red soil filling to receive planters irrespective of size and spread; spread at varying depths as directed by the landscape architect or Project Manager	SM	1,000		
12.2.3	<b><u>Supply and application of Manure.</u></b> Supply and apply prime quality fertilizers or compost manure at designated locations and as directed by the landscape architect or Project Manager	SM	1,000		
	<b><u>Supply and Installation of Grass and Lawns</u></b>				
12.2.4	Supply, plant, water, weed and tend well undermentioned grass sprigs untill fully established / to reasonable maturity. Grass should also be rolled with a light weight roller to even out 'bumby' areas. This should be carried out one to two weeks after installation Penisetum clandestinum (KIKUYU GRASS) springs spaced at 100mm centres both ways	SM	1,000		
12.2.5	<b><u>Planting of ground Covers</u></b> Supply,plant,weed,water and tend well assorted species of groundcovers till full establishment as per the designs of the landscape architect or as directed by the Project Manager	SM	68		
12.2.6	<b><u>Planting of Shrubs</u></b> Supply, plant, weed, water and tend well assorted species of Shrubs; till full establishment/reasonable maturity as per the designs of the landscape achitect or as directed by the Project Manager	LM	114		
	<b>TOTAL CARRIED FORWARD</b>				

**BILL OF QUANTITIES FOR PROPOSED CONSTRUCTION OF KIPINI FISH LANDING SITE IN TANA RIVER COUNTY**

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
	<b>EXTERNAL LANDSCAPING WORKS CONTINUED...</b>  <b>BROUGHT FORWARD FROM PAGE LW/3</b>  <u>Supply, plant, weed, water and tend well under-mentioned trees/large shrubs till full establishment/reasonable maturity and support the same with strong bamboo stakes, adequate in thickness for each tree.</u>				
12.2.7	Assorted Species of Palm trees and other ornamental trees as per the designs of the landscape architect or as directed by the project manager	NO	15		
12.2.8	Assorted Species of other indegenous trees as per the designs of the landscape architect or as directed by the project manager.	NO	3		
	<b><u>MAINTENANCE</u></b>				
12.2.9	Allow for a follow up of all installations and constructions to insure establishment and concept preservation. Mowing, watering, training and trimming all included	Months	6		
	<b><u>LITTER BINS</u></b>				
	<u>Supply, deliver and install litter bins to specification</u>				
12.2.10	Standard round swivel litter bin, 68L Stainless Steel with detailed pattern perforation, inclusive of installations, fixing to concrete footing or any other approved by project architect	NO	10		
	<b>TOTAL FOR INTERNAL LANDSCAPING WORKS CARRIED FORWARD TO SUMMARY BELOW</b>				
	<b><u>LANDSCAPING WORKS SUMMARRY</u></b>				
12.1	TOTAL FOR ELEMENT NO 1. (INTERNAL LANDSCAPING) B/F FROM PAGE LW/2				
12.2	TOTAL FOR ELEMENT NO 2. (EXTERNAL LANDSCAPING) B/F FROM ABOVE				
	<b>TOTAL FOR LANDSCAPING WORKS CARRIED FORWARD TO GRAND SUMMARY</b>				

**BILL OF QUANTITIES FOR PROPOSED CONSTRUCTION OF KIPINI FISH LANDING SITE IN TANA RIVER COUNTY**

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
------	-------------	------	-----	------	--------

**BILL OF QUANTITIES FOR PROPOSED CONSTRUCTION OF KIPINI FISH LANDING SITE IN TANA RIVER COUNTY**

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
	<b><u>BILL No. 13</u></b> <b><u>MECHANICAL WORKS:</u></b>				
	<b><u>ELEMENT NO. 1 (INTERNAL PLUMBING):</u></b>				
	<i>Supply, deliver and install pipes, tubing and fittings as described and shown on the drawings. The pipes shall be PN 25PPR pipes where exposed to adverse weather conditions and all conforming to the current European standards for PPR installations and to the Engineers Approval. Pipe jointing shall be by polyfusion or use electric coupling, Rates must allow for all metal/plastic threaded adaptors where required for the connection of sanitary fixtures, valves, sockets, sliding and fixed joints support raceways, isolating sheaths, elastic materials, expansion arms and bends cross overs, couplings, clippings, connectors, joints etc. as required in the running legths of pipe work and also where necessary, for pipe fixing clips, holder bats plugged and screwed for the proper and satisfactory functioning of the system. The pipes will be pressure tested before the plastering of wall commences and as per the manufactures recommended testing pressures</i>				
	<b><u>PPR Pipes</u></b>				
13.1.1	20mm diameter pipe	LM	82		
13.1.2	25mm diameter pipe	LM	108		
13.1.3	32mm Ditto	LM	122		
13.1.4	40mm Ditto	LM	75		
13.1.5	50mm Ditto	LM	180		
13.1.6	63mm Ditto	LM	43		
	<b><u>Sockets:</u></b>				
13.1.7	25mm diameter socket	No.	35		
13.1.8	32mm ditto	No.	38		
13.1.9	40mm Ditto	No.	25		
13.1.10	50mm Ditto	No.	40		
13.1.11	63mm Ditto	No.	20		
	<b><u>Tees:</u></b>				
13.1.12	25mm diameter PPR equal tee	No.	50		
13.1.13	32mm diameter PPR equal tee	No.	43		
13.1.14	40mm diameter PPR equal tee	No.	35		
13.1.15	50mm diameter PPR equal tee	No.	47		
13.1.16	63mm diameter PPR equal tee	No.	26		
	<b>TOTAL CARRIED TO NEXT PAGE</b>				

**BILL OF QUANTITIES FOR PROPOSED CONSTRUCTION OF KIPINI FISH LANDING SITE IN TANA RIVER COUNTY**

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
	<b><u>TOTAL BROUGHT FORWARD FROM PREVIOUS PAGE</u></b>				
	<b><u>Bends</u></b>				
13.1.17	25mm diameter bends	No.	35		
13.1.18	32mm ditto	No.	42		
13.1.19	40mm Ditto	No.	35		
13.1.20	50mm Ditto	No.	47		
13.1.21	63mm Ditto	No.	20		
	<b><u>Tees</u></b>				
	<b>Extra over GI tubing for the following:</b>				
13.1.22	25mm diameter PPR 90° elbow	No.	55		
13.1.23	32mm diameter PPR 90° elbow	No.	40		
13.1.24	40mm diameter PPR 90° elbow	No.	45		
13.1.25	50mm diameter PPR 90° elbow	No.	37		
13.1.26	63mm diameter PPR 90° elbow	No.	50		
	<b><u>Reducers</u></b>				
13.1.27	50x32mm diameter PPR reducer tees	No.	30		
13.1.28	50x40mm diameter PPR reducer tees	No.	27		
13.1.29	63x50mm diameter PPR reducer tees	No.	30		
13.1.30	80x50mm diameter PPR reducer tees	No.	26		
	<b><u>Threaded Fittings</u></b>				
13.1.31	50 x 1"ø ditto Male threaded adaptors	No.	30		
13.1.32	25 x 3/4"ø dia Male threaded adaptors (Brass threads).	No.	54		
13.1.33	32 x 1"ø ditto	No.	54		
13.1.34	50 x 1 1/2"ø dia Male threaded adaptors	No.	30		
13.1.35	63 x 1 1/2"ø dia Male threaded adaptors (Brass threads).	No.	10		
	<b><u>Nipples</u></b>				
13.1.36	25mm diameter G.I. nipple	No	45		
13.1.37	32mm ditto	No.	45		
	<b><u>Valves</u></b>				
13.1.38	25mm diameter approved medium pressure screw down full way non-rising stem wedge gate valve to BS 5154 PN 20 for series B rating,with wheel and head jopints to steel tubing and complete with round male threaded transion fittings.The gate valve to be as approved.	No.	20		
13.1.39	32mm ditto	No.	20		
13.1.40	40mm ditto	No.	20		
13.1.41	50mm ditto	No.	16		
	<b><u>TOTAL INTERNAL PLUMBING CARRIED FORWARD TO BILL NO. 4 SUMMARY PAGE</u></b>				



**BILL OF QUANTITIES FOR PROPOSED CONSTRUCTION OF KIPINI FISH LANDING SITE IN TANA RIVER COUNTY**

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
	<b><u>ELEMENT NO. 2:</u></b>				
	<b><u>SANITARY FITTINGS:</u></b> Supply,deliver,install,test and commission the following sanitary appliances complete with all the accessories including all connections to the services,waste,jointing to water supply,overflows,supports and all plugging and screwing to walls and floors. <b><u>Note.</u></b> (i). All sanitary fittings shall be in approved colour. (ii). The model and Ref. No. Indicated is only a guide to the type and quality of fittings. (iii). Equivalent and Approved models may be acceptable				
13.2.1	<b><u>Close Couple Water Closet Suite</u></b> Close Couple water closet suite in approved colour comprising of W.C. bowl,'p'or's' trap connector,heavy duty matching plastic seat and cover with metal top fixed to (chrome plated) hinges and secured to floor or wall and complete with horizontal outlet to BS 3402 with 9 litre valveless Ceramic cistern and fittings including siphon,15mm diameter side inlet ball valves,20mm diameter side overflow,plastic flush bend,inlet connection,and chrome-plated lever.	No	7		
13.2.2	<b><u>Squatting Water Closet</u></b> Squatting Water Closet Suite in white Vitreous China comprising of WC bowl with S-Trap,Connector and Integral foot threads,9 Litre Ceramic Cistern and fittings,including siphon and pull chain,15mm diameter side inlet ball valve,20mm side overflow,first quality plastic 32mm flush pipe,Inlet connector and cistern supports,all to approval.The water closet suite to be as approved.	No.	11		
13.2.3	<b><u>Pedestal wash hand basin</u></b> Wash Hand Basin with pedestal size 510x420mm with one tap hole and chain stay hole,32 mm diameter chrome-plated pop up chain waste and fittings,approved first quality plastic bottle trap(32mm bottle trap) with 75mm seal.The wash hand basin to be as approved.The basin to be supplied and installed complete with 15mm diameter heavy duty Brass Pillar Tap as approved	No	21		
13.2.4	<b><u>Urinal Set</u></b> Urinal system comprising of approved 1No. Ceramic urinal bowl and division complete with doomed waste fitting, sparge and spreader including concealed Push Button-Type Urinal Flush Valve for 3/4" top spud urinals and accessories for proper functioning of the set	No	1		
	<b>TOTAL CARRIED TO NEXT PAGE</b>				

**BILL OF QUANTITIES FOR PROPOSED CONSTRUCTION OF KIPINI FISH LANDING SITE IN TANA RIVER COUNTY**

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
	<b><u>TOTAL BROUGHT FORWARD FROM PREVIOUS PAGE</u></b>				
13.2.5	<b><u>Shower Fittings</u></b> Concealed shower fitting consisting of 25mm diameter x 2500mm long PPR riser pipe for showers, 25mm diameter chrome plated brass cold water swivel/adjustable shower rose, Carina handle and Stop Cock	6	No.		
13.2.6	<b><u>Toilet Roll Holder</u></b> Semi recessed toilet roll holder in Vitreous China of size 165 x 165mm in approved colour as approved.	24	No.		
13.2.7	<b><u>Soap Dispenser</u></b> Wall mounted soap dispenser with a capacity of about 1.5 Litre and having a press action soap release mechanism complete with fixing screws, including allowing for initial soap supply as approved. The soap dispenser shall be size 125x100x290mm high and shall be as approved.	No	11		
13.2.8	<b><u>Mirrors</u></b> 610 X 610 X 6mm thick polished plate silver backed with beveled edges mirror fixed with clear silicon to 100 x 25mm thick wrot mahogany molded framing in 4 labors plugged to wall using 4No. Wall plugs with 75mm long stainless steel screws, painted in three coats polyurethane varnish all to approval	No	21		
13.2.9	<b><u>Bib Tap</u></b> 15mm diameter heavy duty chrome plated bib tap to an approved catalogue	No	10		
13.2.10	<b><u>Flexible Tubing</u></b> 15mm diameter x 300mm long flexible connectors complete with Integral brass angle valve for connecting the Sanitary fitting to water supply, to be as approved.	No.	40		
13.2.11	<b><u>Robe Hook</u></b> Robe hook in vitreous china mounted to concealed screw to wall wedges as approved	No.	10		
13.2.12	<b><u>Shower Fittings</u></b> Concealed shower fitting consisting of 25mm diameter x 2500mm long PPR riser pipe for showers, 25mm diameter Stainless Steel cold water swivel/adjustable shower rose, Carina handle and 'Cobra' Stop Cock	No.	5		
	<b><u>TOTAL CARRIED TO NEXT PAGE</u></b>				

**BILL OF QUANTITIES FOR PROPOSED CONSTRUCTION OF KIPINI FISH LANDING SITE IN TANA RIVER COUNTY**

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
	<b><u>TOTAL BROUGHT FORWARD FROM PREVIOUS PAGE</u></b>				
13.2.13	<p><b>Disabled persons Water Closet and Wash Hand Basin Facility</b></p> <p>Wheel chair accessible W.C facility Comprising of the following:-</p> <p>(i) Close coupled W.C with 7.5 litre cistern with bottom inlet and overflow.The bowl shall e of size 375 x 560 x 420mm high.The bowl and cistern shall be manufactured from vitreous china complying with B.S 3402.The unit shall be complete with valveless cistern fitting including syphon,15mm side inlet ball valve,20mm diameter side overflow,plastic flush bend,inlet connector and reversible metallic chrome plated cistern lever.There shall also be a heavy duty seat(25mm high) and cover with chrome plated metal hinges,toilet roll holder,900 x 450 x 6mm thick mirror and Robe hook</p> <p>(ii) Semi-recessed wall mounted W.H.B of size 600 x 500 x 545mm high with flexible connectors to water taps.The basin shall be manufactured from vitreous china complying with B.S 3402.It shall have one L/H tap hole with 15mm chrome plated lever action pillar tap,chrome plated waste,first quality bottle trap,pedestal and wall fixing bolts.</p> <p>(iii) Hinged support rail with toilet roll holder 770mm long manufactured in nylon coated aluminium and mounted on a wall fixing plate size 230x100mm,4No. 600mm grab rails with covered wall plates.The Disabled set shall be as approved.</p> <p><b><u>Urinal System</u></b></p> <p>Floor standing urinal comprising of grade 304 stainless steel trough(Dimensions 3000mm long x 265mm wide x 1100mm high) with a raised integral waste channel and removable access panel. 50mm chrome plated hinged domed waste outlet on the right side including approved 1No. Ceramic approved cistern, drip valve, sparge and spreader( all stainless steel) and any other accessories for proper functioning of the set.The trough shall screwed on wall using stainless steel bolts all to approval</p>	SET	6		
13.2.14	<p>Floor standing urinal comprising of grade 304 stainless steel trough(Dimensions 3000mm long x 265mm wide x 1100mm high) with a raised integral waste channel and removable access panel. 50mm chrome plated hinged domed waste outlet on the right side including approved 1No. Ceramic approved cistern, drip valve, sparge and spreader( all stainless steel) and any other accessories for proper functioning of the set.The trough shall screwed on wall using stainless steel bolts all to approval</p>	SET	2		
	<b><u>TOTAL CARRIED TO NEXT PAGE</u></b>				

**BILL OF QUANTITIES FOR PROPOSED CONSTRUCTION OF KIPINI FISH LANDING SITE IN TANA RIVER COUNTY**

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
	<b><u>TOTAL BROUGHT FORWARD FROM PREVIOUS PAGE</u></b>				
13.2.15	<b><u>Soap dish</u></b> Semi recessed built in soap dish in vitreous china of size 150x150mm in approved colour as approved .	No.	6		
13.2.16	<b><u>Towel Rail</u></b> Stainless Steel 20mm diameter x 800mm long approved towel rail and brackets as one piece, plugged and screwed (stainless steel screws) into the wall. The fitting ball shall be as approved.	No	6		
13.2.17	<b><u>Single bowl, single drainer kitchen sink</u></b> 16SWG Double Bowl,single Drainer, stainless steel (Grade 316) kitchen sink suitable for mounting on counter of size 1200x600mm.The bowl size to be 450x420x 300mm deep complete with chrome plated 40mm diameter waste fittings,plugs,chain stays,overflow including 1No.15mm diameter heavy duty wall mount stainless steel bib tap.	No.	6		
13.2.18	<b><u>Four Wheel Waste Bin</u></b> 660 litres Heavy Duty Polyethene four wheel waste bin with snap fit lid, locking handle and 4No. Wheels. All to approval	No	4		
	<b>TOTAL SANITARY FITTINGS CARRIED FORWARD TO BILL NO. 4 SUMMARY PAGE</b>				

**BILL OF QUANTITIES FOR PROPOSED CONSTRUCTION OF KIPINI FISH LANDING SITE IN TANA RIVER COUNTY**

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
	<b><u>ELEMENT NO.3:</u></b>				
	<b><u>FOUL DRAINAGE:</u></b>				
	Supply,deliver and install the following UpVC,MUpVC,soil and waste systems,respectively to B.S 5255 with fittings fixed Key Terrain High Grade Golden Brown and Grey UPVC soil and waste pipe and jointing in accordance with manufacture's printed instructions and manufactured by reputable manufacturers.Tenderers must allow in their pipework prices for all the couplings,clippingsconnectors,joints,e.t.c as required in the running lengths of pipework and also where necessary,for pipe fixing clips,holder bats plugged and screwed for the proper and satisfactory functioning of the system				
	<b><u>Internal:</u></b>				
13.3.1	40mm diameter Grey UPVC waste pipe in wall chase.	LM	63		
13.3.2	50mm ditto but boxed in concrete floor slab	LM	129		
13.3.3	100mm ditto	LM	146		
13.3.4	150mm ditto	LM	160		
	<b><u>Extra Ovetubing For:-</u></b>				
13.3.5	100x50mm diameter UPVC floor trap,grating and cover	No	25		
13.3.6	100mm diameter WC connector	No	25		
	<b><u>External:</u></b>				
13.3.7	100mm diameter Grey UPVC soil vent pipe with expansion coupling and fixing to wall with holder bats ducts	LM	20		
13.3.8	100mm diameter Golden Brown UPVC waste pipe in soil	LM	160		
13.3.9	200mm by 200mm u-shaped steel drainage channel	LM	60		
	<b><u>Extra Overtubing For:-</u></b>				
13.3.10	40mm diameter access tee and cap	No	22		
13.3.11	50mm ditto	No	12		
13.3.12	100mm diameter Inspection bend and Access cap.	No	25		
13.3.13	100mm diameter vent cowl	No	20		
13.3.14	100mm diameter weathering Slate and Apron	No	20		
13.3.15	100mm diameter medium duty UPVC gulley trap, grating cover and waste	No	22		
	<b>TOTAL FOUL DRAINAGE CARRIED FORWARD TO BILL NO. 4 SUMMARY PAGE</b>				

## BILL OF QUANTITIES FOR PROPOSED CONSTRUCTION OF KIPINI FISH LANDING SITE IN TANA RIVER COUNTY

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
	<p><b>ELEMENT NO. 4:</b></p> <p><b><u>STERILIZATION AND TESTING:</u></b></p> <p>13.4.1 Allow for sterilization and flushing out of entire cold water installation with chlorine to the Engineer's Satisfaction</p> <p>13.4.2 Ditto for setting to work and testing the whole of the plumbing and drainage installation works both during progress and at completion to the satisfaction of the Engineer's satisfaction and to leave the whole installation in good working condition</p>	ITEM	1		
		ITEM	1		
	TOTAL TESTING CARRIED FORWARD TO BILL NO. 4 SUMMARY PAGE				

**BILL OF QUANTITIES FOR PROPOSED CONSTRUCTION OF KIPINI FISH LANDING SITE IN TANA RIVER COUNTY**

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
	<b><u>ELEMENT NO. 5:</u></b>				
	<b><u>ICE FLAKE MACHINE, ROOM INSULATION AND ACCESSORIES:</u></b>				
	Supply, deliver, install, test and commission the following Ice Flake Machine, Equipment and accessories as herebelow described and to position indicated on mechanical drawings and as instructed by the Engineer:-				
	The works under this category should be done by an approved sub-contractor				
	<b><u>Ice Flake Machine</u></b>				
13.5.1	Modular Ice Flake Machine (Production Capacity 3T/24h, Refrigerating capacity 18Kw, Evaporating temperature - 22°C, Power consumption 17.5kW, Approx dimensions 2000 X 1600 X 1490mm) comprising of an air cooled condenser, gear motor, water pump, salt mix pump control box and control panel with PLC, Low water sensor protection, Ice level thermostat, Ice knife and construction made from stainless steel, base frame made from galvanized steel, ice drum/cylinder with stainless steel inner and outer wall fitted with semi-hermetic compressors, stainless steel ball bearings including all other accessories for proper functioning of the unit. The unit shall be as approved and to approved catalogue	No	1		
	<b><u>Refrigeration Pipework</u></b>				
13.5.2	A set of Refrigeration Pipework complete with flared connections and fittings in approved copper tubing approx.10metres long,including flexible condensate drip line approx.6.0metres long,properly fixed and encased in 20mm diameter black PVC Conduit in conformity with 'APPROVED REFRIGERATION MANUAL'.The suction line shall be insulated with at least 25mm thickness of Armaflex or other equal and approved material	ITEM	1		
	<b><u>Testing</u></b>				
13.5.3	Allow for testing of the above Ice Flake Machine both during progress of installation and at completion to the Engineers satisfaction,including initial charging of the system with Refrigerant gas R.410A or other equal and approved and to leave the system in good and sound working condition	ITEM	1		
13.5.4	Allow for the instruction and training to the client staff (2 no.) on the operation and maintenance of the ice flake production plant for a period of not less than Two (2) weeks. The contractor to allow for structured training on all equipment on content to be agreed upon with the Engineer or his representative.	ITEM	1		
	<b>TOTAL CARRIED TO NEXT PAGE</b>				

**BILL OF QUANTITIES FOR PROPOSED CONSTRUCTION OF KIPINI FISH LANDING SITE IN TANA RIVER COUNTY**

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
	<b>TOTAL BROUGHT FORWARD FROM PREVIOUS PAGE</b>				
13.5.5	Allow for initial service and maintenance including spare parts for the ice flake production plants during the six months' defects liability period	ITEM	1		
13.5.6	Allow for the preparation of record (as installed) drawings and preparation of 2 No. sets of Maintenance and operation manuals	ITEM	1		
	<b><u>Ice flakes collection room</u></b>				
13.5.7	Double rebate type cold room door size 900mm wide x 2100mm high constructed from stainless steel tubes mullions transoms with interior lining to match the walls.	No	1		
13.5.8	Supply and install 100mm thick polystyrene insulation fixed to floor between 100 x 50 x 3mm kitchen grade stainless steel RHS bearers plugged to floor slab to receive 5mm thick Non-slip checkered stainless steel plate on the floor spaced at 1000mm center all to approval	sm	11		
13.5.9	Ditto but on the walls	sm	47		
13.5.10	Ditto but on the roof	sm	10		
13.5.11	Supply and install 0.5mm thick 304 Stainless Steel (grade 304) Sheet fixed firmly on the cold room walls and the ceiling complete with the corner panels. The cost to include any other accessory necessary for the installation.	sm	57		
13.5.12	Supply and install 5mm thick Non-slip checkered stainless steel flooring for the cold room, to be firmly fixed on the floor all to approval. The cost to include any other accessory necessary for the installation.	sm	11		
13.5.13	Allow for application of an approved vapour barrier on the walls and water proofing of the floor to the satisfaction of the Engineer.	ITEM	1		
13.5.14	Supply and install a vapour-sealed bulkhead incandescent lighting fitting with suitably sized door operated switch complete with the associated wiring.	No	1		
13.5.15	Allow for the connection to electrical power supply from a local isolator.	ITEM	1		
13.5.16	Allow for testing, commissioning and leaving it in good working condition.	ITEM	1		
	<b><u>Chilly Bin</u></b>				
13.5.17	120L Heavy Duty Ice box chilly bin, Roto moulded, filled with polyurethane foam, freezer style sealing gasket, recessed leak proof drain plug. All to approval	No	4		
	<b>TOTAL ICE FLAKE MACHINE, ROOM INSULATION AND ACCESSORIES CARRIED FORWARD TO BILL NO. 4 SUMMARY PAGE</b>				



**BILL OF QUANTITIES FOR PROPOSED CONSTRUCTION OF KIPINI FISH LANDING SITE IN TANA RIVER COUNTY**

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
	<b><u>ELEMENT NO.6:</u></b>				
	<b><u>BUILDER'S WORK IN CONNECTION WITH PLUMBING AND DRAINAGE</u></b>				
	<b><u>Masonry Gulley Trap</u></b>				
13.6.1	Construct masonry gulley trap size 200x200mm, approx depth 300mm, complete with seal and Fibre Reinforced Plastics cover, including all disposal and form work	No.	22		
	<b><u>Manholes and Covers</u></b>				
13.6.2	Construct Manholes size 600 x 450mm and averaging 750mm deep constructed in 100mm thick concrete base grade 15, approved 150mm block sides rendered all around in cement and sand (1:4). It shall have an approved Fibre Reinforced Plastics cover to approval, including all necessary excavations, disposal and form work.	No.	32		
	<b><u>Excavations</u></b>				
13.6.3	Excavate trench not exceeding 1.5m deep, average depth 600mm for laying of drain pipes as earlier described, part back fill, part load and cart away remainder	LM	100		
	<b><u>Chasing</u></b>				
13.6.4	Form chase in both 100mm and 200mm thick coral block wall to receive necessary pipe work and make good disturbed areas	LM	110		
	<b><u>Holes</u></b>				
13.6.5	Make a hole through 100mm thick coral block wall for small pipe and make good disturbed areas	No.	24		
13.6.6	Ditto but 200mm thick and for large	No.	20		
	<b>TOTAL BUILDERS WORK CARRIED FORWARD TO BILL NO. 4 SUMMARY PAGE</b>				

**BILL OF QUANTITIES FOR PROPOSED CONSTRUCTION OF KIPINI FISH LANDING SITE IN TANA RIVER COUNTY**

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
	<b><u>ELEMENT NO.7:</u></b>				
	<b><u>WATER RETICULATION</u></b>				
	<b><u>Roof Top Water Tanks</u></b>				
13.7.1	Supply, deliver and install vertical close end plastic moulded tank of capacity <b>1,000 litres</b> and ( <b>size 1160mm diameterx 1110mm high</b> ). The tank to be assembled complete with cover and having screwed connections fo inlet, outlet, overflow, 32mm high pressure ball valve, drain pipes and any other item necessary for its proper functioning. The tank shall be as approved	ITEM	4		
13.7.2	Supply, deliver and install vertical close end plastic moulded tank of capacity <b>2,000 litres</b> and ( <b>size 1340mm diameterx 1460mm high</b> ). The tank to be assembled complete with cover and having screwed connections fo inlet, outlet, overflow, 32mm high pressure ball valve, drain pipes and any other item necessary for its proper functioning. The tank shall be as approved	ITEM	3		
	<b><u>Excavations</u></b>				
13.7.3	Excavate trench in soil/murram for Water Mains supply pipe not exceeding 1200mm deep ,lay pipe, part return in,fill ram and surplus cart away	LM	240		
	<b><u>Pipe Work</u></b>				
13.7.4	50mm diameter PPR (PN-20) pump suction lines	LM	140		
13.7.5	50mm ditto but delivery lines	LM	20		
13.7.6	40mm diameter (PN-20) PPR Riser in wall duct and on roof terrace	LM	20		
13.7.7	50mm distribution pipework laid and jointed on roof terrace and pipe drop	LM	40		
13.7.8	40mm diameter (PN-20) PPR distribution Pipe laid and jointed in trench	LM	40		
13.7.9	50mm ditto	LM	60		
13.7.10	32mm diameter (PN-20) PPR Pipe laid and jointed in trench from water mains	LM	48		
13.7.11	40mm ditto	LM	52		
	<b>TOTAL CARRIED TO NEXT PAGE</b>				

**BILL OF QUANTITIES FOR PROPOSED CONSTRUCTION OF KIPINI FISH LANDING SITE IN TANA RIVER COUNTY**

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
	<b><u>TOTAL BROUGHT FORWARD FROM PREVIOUS PAGE</u></b>				
	<b><u>Extra Overtubing for:</u></b>				
	<b><u>Sockets:</u></b>				
13.7.12	32mm diameter PPR Sockets	No.	13		
13.7.13	40mm ditto	No.	34		
13.7.14	50mm ditto	No.	30		
	<b><u>Bends</u></b>				
13.7.13	32mm diameter bend/Elbow	No.	3		
13.7.14	40mm ditto	No.	5		
13.7.15	50mm ditto	No.	4		
	<b><u>Tees</u></b>				
13.7.14	40mm diameter (PN-20) PPR equal tee	No.	1		
13.7.15	50mm ditto	No.	2		
	<b><u>Valves</u></b>				
13.7.16	40mm diameter supply mains full way gate valve as approved	No.	1		
13.7.17	50mm ditto	No.	3		
	<b><u>Water Connection to Supply mains &amp; Testing</u></b>				
13.7.18	50mm diameter G.I. equal tee	No	3		
13.7.19	50x40mm diameter G.I. reducer	No	3		
13.7.20	40mm diameter G.I. nipple	No	2		
13.7.21	50mm diameter PPR Adaptor	No	2		
13.7.22	40mm diameter full Way gate valve as approved	No	2		
	<b><u>Stand Pipe</u></b>				
13.7.23	15mm diameter bib tap suitable for connecting to a hose pipe complete with threaded adaptors.The tap to be complete with 5-metre long 20mm diameter pipe,bends,e.t.c.The chrome plated bib tap to be as approved	ITEM	1		
	<b><u>TOTAL CARRIED TO NEXT PAGE</u></b>				

**BILL OF QUANTITIES FOR PROPOSED CONSTRUCTION OF KIPINI FISH LANDING SITE IN TANA RIVER COUNTY**

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
	<b><u>TOTAL BROUGHT FORWARD FROM PREVIOUS PAGE</u></b>				
13.7.24	<b><u>Mains Valve Chamber</u></b> Construct Mains Valve Chamber size 600x600x500mm deep with 100mm thick concrete block rendered all round in cement and sand mortar (1:4) including hinged iron cover and frame in grease	ITEM	1		
13.7.25	<b><u>Booster Pump Sets</u></b> Booster Pump Sets (2No) for Roof Top water Tanks (M/S) mounted on a common Mild Steel base Frame and to approval, each set comprising of, One pump duty, One pump stand by, and each of capacity <b>4m<sup>3</sup>/hr</b> against a Maximum Head of <b>40(metres)</b> as approved. Each pump set shall be complete with control panel, MCBs, Pressure and Float switches, Overload protection, ON/OFF Buttons, Indicator Lights, Non -Return and Gate valves, and a Pressure Vessel of Approx Capacity <b>60Litres</b> as approved including all other accessories for proper functioning. The pumps shall be connected in that when the Running Duty pump fails the Standby Pump starts up automatically.	ITEM	1		
13.7.26	<b><u>Testing</u></b> Allow for connecting the above earlier described Booster pumps to the pump delivery and suction lines, including Test Pumping and testing the whole of the water Reticulation system both during progress and at commissioning to the Engineer's satisfaction and to leave the system in and good sound working condition	ITEM	1		
13.7.27	<b><u>Hose Reel Booster Pump Set</u></b> Booster Pump Set for Hose Reels consisting of 2No. parallel duty pumps mounted on a common Mild Steel base Frame to approval, each of capacity <b>12m<sup>3</sup>/hr</b> against a Maximum Head of <b>40(metres)</b> . The pump set shall be complete with control panel, MCBs, Pressure and Float switches, Overload protection, ON/OFF Buttons, Indicator Lights, Non -Return and Gate valves and a Pressure Vessel of Approx Capacity <b>300Litres</b> including all other accessories for proper functioning. The pumps shall be connected in that when the Running Duty pump fails the Standby Pump starts up automatically.	1	ITEM		
13.7.28	<b><u>Testing</u></b> Allow for connecting the above earlier described Booster pumps to the pump delivery and suction lines, including Test Pumping and testing the whole of the water Reticulation system both during progress and at commissioning to the Engineer's satisfaction and to leave the system in good and sound working condition	1	ITEM		
	<b>TOTAL CARRIED TO NEXT PAGE</b>				

**BILL OF QUANTITIES FOR PROPOSED CONSTRUCTION OF KIPINI FISH LANDING SITE IN TANA RIVER COUNTY**

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
	<b><u>TOTAL BROUGHT FORWARD FROM PREVIOUS PAGE</u></b>				
<b>13.7.29</b>	<p><b><u>Surface Mounted Water Storage Tanks</u></b>  Supply, deliver and install vertical close end plastic moulded water storage tank of capacity <b>24,000 litres</b> and <b>(size 3220mm diameterx3400mm high)</b>. The tank to be assembled complete with cover and having screwed connections fo inlet, outlet, overflow, 32mm high pressure ball valve, drain pipes and any other item necessary for its proper functioning.. The tank shall be installed on a reinforced flat surface platform base approx. 900mm high (M/S). R.O</p>	ITEM	2		
<b>13.7.30</b>	<p><b><u>Tank Base</u></b>  Allow for the construction of the above mentioned tank base Approx.size 3500mm diameter x 900mm high consisting of 200mm thick coral block wall,100mm thick well compacted harcore filling,50mm thick blinding,Approved Damp proof membrane,A142 BRC Mesh,100mm thick vibrated grade 20 concrete floor slab, 15mm thick screed on the general faces of the tank base in (1:3) cement/sand mortar, 600mm widex1500mm deep srip foundation,including all Excavations and disposal</p>	ITEM	1		
<b>13.7.31</b>	<p><b><u>Testing</u></b>  Allow for testing the general water supply and reticulation systems to level in sound working condition and to the Engineer's satisfaction</p>	ITEM	1		
	<b>TOTAL WATER RETICULATION CARRIED FORWARD TO BILL NO. 4 SUMMARY PAGE</b>				

**BILL OF QUANTITIES FOR PROPOSED CONSTRUCTION OF KIPINI FISH LANDING SITE IN TANA RIVER COUNTY**

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
	<b>ELEMENT NO.08 (FIRE FIGHTING AND PROTECTION SERVICES);</b>				
	<u>Supply,deliver and install the following Air Conditioners to positions indicated on the conract drawings and as instructed by the Engineer:-</u>				
	<b>HOSEREELS</b>				
	Supply , deliver and install galvanised mild steel tubing to BS 1387 Class C, socketed joints to BS21 and galvanised malleable iron fittings including fixing and jointing.Tenderers must allow in their pipework prices for all the couplings, connectors, joints etc.required in the running length of pipework and also where necessary, for pipe fixing clips, holderbats plugged and screwed, brackets and pipe sleeves through structural members.				
13.8.1	25mm diameter GMS tubing Surface Mounted	LM	40		
13.8.2	50mm diameter GMS tubing Surface Mounted	LM	168		
	<b>Extra over GMS tubing for the following:</b>				
13.8.3	25mm diameter galvanised malleable iron elbow	No.	20		
13.8.4	50mm dia ditto	No	15		
	<b>Tees</b>				
13.8.5	25mm galvanised malleable iron equal tee	No	14		
13.8.6	50mm ditto	No	14		
	<b>Reducing Bushes</b>				
13.8.7	25 x 20mm galvanised malleable iron reducing bush	No	14		
13.8.8	50 x 25 mm ditto	No	14		
	<b>Unions</b>				
13.8.9	50mm diameter galvanised malleable iron union	No	21		
	<b>Gate Valves</b>				
13.8.10	25mm dia approved high pressure screw- down full way non-rising stem solid wedge disc gate valve to BS 5154 PN 16 for Series B Rating with wheel head and joints to steel tubing.	No	8		
13.8.11	50 mm Ditto	No	4		
13.8.12	Reducing Tee				
	<b>TOTAL CARRIED TO NEXT PAGE</b>				

**BILL OF QUANTITIES FOR PROPOSED CONSTRUCTION OF KIPINI FISH LANDING SITE IN TANA RIVER COUNTY**

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
	<b><u>TOTAL BROUGHT FORWARD FROM PREVIOUS PAGE</u></b>				
13.8.13	50x25 mm malleable iron galvanised reducing tee	No	16		
	<b><u>Hosereels</u></b>				
13.8.14	Non recessed swinging type hosereel complete with 30 metres of 20mm internal diameter rubber fire hose with nylon spray/jet shut off nozzle , conforming to BS 5274	No	7		
13.8.15	Wire brush , clean, and paint complete installation with one coat of red oxide primer, undercoat, and gloss coat to Architects colour including banding and colour coding to British Standards	Sum	1		
	<b><u>Portable Fire Extinguisher</u></b>				
13.8.16	9Kg cartridge type general purpose portable dry powder fire extinguisher fully charged or equal and approved.	No.	14		
	<b><u>Carbon dioxide Gas Fire Extinguisher</u></b>				
13.8.17	5kg carbon dioxide gas portale fire extinguisher complete with pressure gauge,initial charge and mounting brackets	No.	14		
	<b><u>Water Carbon Dioxide</u></b>				
13.8.18	9.0Litre Water carbon dioxide (WCo2) portable fire extinguisher complete wth pressure gauge,initial charge and mounting brackets.	No.	14		
	<b><u>Signage</u></b>				
13.8.19	Allow for the Signage for fire exits and fire instructions all as described in the particular specifications and to the Project Enginneer's Approval.	ITEM	1		
	<b><u>Testing</u></b>				
13.8.20	Allow for testing the whole fire fighting equipments to leave in sound working condition and to the Engineer's satisfaction	ITEM	1		
	<b>TOTAL FIRE FIGHTING CARRIED FORWARD TO BILL NO. 4 SUMMARY PAGE</b>				

**BILL OF QUANTITIES FOR PROPOSED CONSTRUCTION OF KIPINI FISH LANDING SITE IN TANA RIVER COUNTY**

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
	<b>ELEMENT NO.15.10: ON-SITE WASTEWATER TREATMENT PLANT</b>				
	<b><u>Preliminaries, Drawings, Manuals, Handovers, Training, Regulatory Matters, Operation &amp; Maintenance</u></b>				
13.9.1	Allow for Start-Up & Training Programme of Clients designated Site Operators & Maintenance Personnel. A start-up and operator training program enables the operator to learn about the treatment process and the equipment used in the process. Start-up involves pre-commissioning checks of the process mechanical and electrical equipment. After wet-testing procedures, maintenance and servicing requirements are given. When the process has been commissioned, operator training will take place so that the operator/s can learn operational monitoring, process cycle changes, and troubleshooting. Personnel to be full capable of regular and routine maintenance tasks and reporting.	SUM	1		
13.9.2	Allow for Monthly Maintenance visits for period of Twelve (12) Months	SUM	1		
13.9.3	Allow to liaise with the NEMA authorities, assist client with submitting application and obtaining discharge licence for the Waste Water treatment Plant	SUM	1		
13.9.4	On completion of the Waste water treatment plant, take water samples as necessary to Certified Laboratory for testing. Submit tests and results to NEMA along with all necessary application forms and obtain NEMA approval and licence to operate the Waste Water treatment Plant	SUM	1		
13.9.5	Allow for any other item not necessarily mentioned here to provide a complete working system to the Satisfaction of the engineer	SUM	1		
	<b><u>WASTE WATER TREATMENT SYSTEM</u></b>				
	<b><u>Waste Water Treatment Plant</u></b>				
13.9.6	Supply, Install, Test and Commission the Moving Bed Biofilm Reactor (MBBR) Waste Water Treatment System, With a capacity of treating <b>100PE</b> with an average flow rate of <b>15,000 lts per day</b> . With a <b>BOD load of 40Kgs per day, Ammonia Nitrogen load of 4Kgs per day</b> . With minimum treated discharge requirement of <b>BOD &lt;30mg/lit, TSS &lt;30mg/lit, Ammonia Nitrogen &lt;20mg/lit</b> . Complete with all Media, Screens, Pumps, Aeration Blowers, Aeration Diffusers, Manifolds, Level sensors, Valves, Piping, Fittings and Accessories to fully conform to the specified discharge requirements.	Item	1		
	<b>TOTAL CARRIED FORWARD</b>				



**BILL OF QUANTITIES FOR PROPOSED CONSTRUCTION OF KIPINI FISH LANDING SITE IN TANA RIVER COUNTY**

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
	<b>BROUGHT FORWARD FROM PREVIOUS PAGE</b>				
13.9.7	Main control panel (MCP), NEMA 4 free-standing enclosure with forced air ventilation. The MCP is the "intelligence" of the treatment process. Electrical Control Panel with PLC, electrical isolators, overload protection, Equipment running and trip indication lights, automatic and manual override switches. Minimum IP 55 enclosure. Audio-visual alarm indicator to be provided outside the control shed. Allow for PLC complete with Graphical Human Machine Interface (HMI). Alarm, fault and process indicators will be displayed on the process control panel.	NO	1		
13.9.8	Allow for high specification internet based Remote Monitoring & Control using GSM/GPRS/IoT technology with real-time monitoring, control and alerts of the status and alarms of the plant's operations by both supplier and client parties. User access via mobile phone App, web portal, SMS/Email alerts for critical plant condition.	SUM	1		
13.9.9	Allow for MBBR media of High Quality Virgin High Density Polyethylene (HDPE). Quality of media shall have Specific Gravity of 0.96 and bulk density of 125kg/m <sup>3</sup> . Required Surface Area specification shall be 675m <sup>2</sup> /m <sup>3</sup> .	SUM	1		
13.9.10	Process Aeration Blowers 1.6 kW / 3 HP positive displacement (PD), one (1) duty, one (1) standby.	NO	2		
13.9.11	Fine bubble aeration system, in-basin pipes and connections to the top of the wall of the basin.	SUM	1		
13.9.12	9" Fine Bubble Disc diffusers. Specification is PTFE coated EPDM membranes. PTFE protective layer is to ensure extended useful lifespan of diffusers over standard EPDM diffuser products.	NO	35		
13.9.13	Allow for Coarse inlet Screen 2" slots for capture of large rags and solids. Fabricated with 50mm polypropylene structure & Stainless Steel.	NO	1		
13.9.14	Allow for PolyLok PL-625 Effluent Filter with 1/32" linear feet filter slot size for capture of smaller fine solids. Effluent Filter shall come with automatic shutoff ball for closing outlet to avoid solids wash through during servicing, as acting as a gas deflector.	NO	3		
13.9.15	1 HP submersible RAS/WAS pumps	NO	1		
13.9.16	Influent pumps, one (1) duty and one (1) standby	NO	2		
	<b>TOTAL CARRIED FORWARD</b>				

**BILL OF QUANTITIES FOR PROPOSED CONSTRUCTION OF KIPINI FISH LANDING SITE IN TANA RIVER COUNTY**

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
	<b>BROUGHT FORWARD FROM PREVIOUS PAGE</b>				
13.9.17	Chemical dosing pumps and controls for sodium hypochlorite, plus chemical makeup tank. System for Chlorine Disinfection of Treated Waste Water.	SUM	1		
13.9.18	All pipe & fittings as required to complete the interconnecting system and all necessary fittings, valves and accessories.	SUM	1		
13.9.19	All Electrical wiring as required to complete the interconnecting system and all necessary conduits, fittings and accessories.	SUM	1		
13.9.20	Allow for Installation of Wastewater Treatment Plant Equipment, include all Labour, Transport & Sundries Costs	SUM	1		
	<b><u>Bio- Reactor</u></b>				
	<b><u>Supply, install, test and commission the following</u></b>				
13.9.21	5000lts/ hr Bio- Reactor DAF- Dissolved Air Floatation-system with a bubble size of less than 10um, Dissolved gas efficiency is over 95%, the solid suspended matter content in effluent to be less than 20 mg/L	1	ITEM		
	<b><u>TOTAL FOR ON-SITE WASTEWATER TREATMENT PLANT CARRIED TO SUMMARY</u></b>				

## BILL OF QUANTITIES FOR PROPOSED CONSTRUCTION OF KIPINI FISH LANDING SITE IN TANA RIVER COUNTY

[illegible]

BILL OF QUANTITIES FOR PROPOSED CONSTRUCTION OF KIPINI FISH LANDING SITE IN TANA RIVER COUNTY

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
	<p><u>BILL NO. 13 SUMMARY PAGE:-</u></p> <p>INTERNAL PLUMBING BROUGHT FORWARD FROM MECH/3</p> <p>SANITARY FITTINGS BROUGHT FORWARD FROM MECH/7</p> <p>FOUL DRAINAGE BROUGHT FORWARD FROM MECH/9</p> <p>TESTING BROUGHT FORWARD FROM MECH/10</p> <p>ICE FLAKE MACHINE, ROOM INSULATION AND ACCESSORIES BROUGHT FORWARD FROM MECH/13</p> <p>BUILDERS WORK BROUGHT FORWARD FROM MECH/14</p> <p>WATER RETICULATION BROUGHT FORWARD FROM MECH/18</p> <p>FIRE FIGHTING BROUGHT FORWARD FROM MECH/19</p> <p>ON-SITE WASTEWATER TREATMENT PLANT BROUGHT FORWARD FROM MECH/42</p> <p>GENERAL ITEMS</p>				
	TOTAL FOR MECHANICAL WORKS CARRIED FORWARD TO GRAND SUMMARY PAGE				

**BILL OF QUANTITIES FOR PROPOSED CONSTRUCTION OF KIPINI FISH LANDING SITE IN TANA RIVER COUNTY**

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
	<i>(All Rates are V.A.T Inclusive)</i> <b>BILL NO. 14; ELECTRICAL WORKS</b>				
	<b>SCHEDULE 1:</b> <b>GROUND FLOOR &amp; GATE HOUSE</b> <u>Supply Install, Test and Commission Following:-</u>				
	<b>LIGHTING POINTS</b> Lighting points wired in 3x4.5mm <sup>2</sup> PVC/SC copper cables drawn in concealed 20mm diameter heavy gauge PVC conduit including all boxes, saddles and accessories for				
14.1.1	i)One way switching	No.	84		
	ii)Two Way switching	No.	57		
14.1.2	<b>10A plastic switch plates as follows</b> i)One gang one way ii)One gang two way iii)Two gang two way iv)Intermediate switch v)Two gang one way switch	No. No. No. No. No.	27 6 18 1 1		
	<b>LIGHTING FITTINGS</b> Light fittings complete with all the necessary fixing accessories and rated energy lamps as follows:-				
14.1.3	i) Exit Light	No.	9		
	ii) Type 600X600	No.	7		
	iii)Type 2	No.	42		
	iv) Type 2D	No.	16		
	v) Type 4	No.	28		
	vi) Type N	No.	16		
	viii) Type 4C	No.	10		
	ix) Type M	No.	7		
14.1.4	Motion Sensors for lighting in washrooms	No.	15		
	<b>POWER OUTLETS</b> Socket outlet point in Ring wiring of 3x2.5 mm <sup>2</sup> PVC-SC-Cu cables drawn inside 20mm diameter HG conduits	No.	39		
14.1.6	13A Twin switched moduled socket outlet plate	No.	39		
14.1.7	20A Double Pole outlet point comprising of wiring in 3x4.0 mm <sup>2</sup> PVC-SC-Cu cables drawn inside 20mm diameter HG conduits	No.	26		
14.1.8	20A Double pole switch complete with neon light	No.	26		
	<b>ELECTRICAL SWEEP FANS</b> Ceiling fan points wired in 3x2.5mm <sup>2</sup> PVC/SC copper cables drawn in concealed 20mm diameter heavy gauge PVC conduit including all boxes, saddles and all accessories	No.	12		
14.1.10	<b>CEILING FANS</b> i) 49W 1400mm 3-arm 5- speed, Ceiling fan complete with the regulator	No.	12		
14.1.11	Ceiling fan hook (M-10) complete with rawl bolt.	No.	12		
	<b>TOTAL C/F TO NEXT PAGE</b>				

**BILL OF QUANTITIES FOR PROPOSED CONSTRUCTION OF KIPINI FISH LANDING SITE IN TANA RIVER COUNTY**

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
	<b>BALANCE B/F/ FROM PREVIOUS PAGE</b>				
	<b><u>FIRE DETECTION AND ALARM SYSTEM</u></b>				
14.1.12	Fire alarm panel/Fire alarm bell/Break glass Unit Points/Smoke detector points comprising iring in 3x1.5mm <sup>2</sup> fire resistant cables concealed in PVC conduits concealed in ceiling space but excluding bell and break glass unit	No.	41		
14.1.13	Addressable Call point	No.	9		
14.1.14	Addressable Sounder complete with beacon	No.	9		
14.1.15	Addressable Smoke detectors complete with base	No.	18		
14.1.16	Heat detectors complete with base	No.	4		
14.1.17	Single Loop, Expandable to 8, Intelligent Addressable fire alarm panel with atleast 200 addresses complete with full network capability,stand-by batteries and intergral battery charger, touch screen, thermal printer and CAN modules	No.	1		
	<b><u>TELEVISION, CCTV AND DATA WORKS</u></b>				
14.1.18	16 SWG,(450 x 300 x 100)mm <sup>3</sup> flush mounted galvanised powder coated draw box for telephone & data works	4	No		
14.1.19	Telephone/Data outlet point comprising of concealed 20mm diameter HG PVC conduits plus draw wire	20	No		
14.1.20	RJ45, Single Data outlet plate a) Single	5	No		
	<b><u>DISTRIBUTION BOARDS</u></b>				
14.1.21	4-Way TP/N distribution board flush mounted complete 1No. 63A TPN integral isolator.	No.	1		
14.1.22	8-Way TP/N distribution board flush mounted complete 1No. 100A TPN integral isolator.	No.	2		
14.1.23	4-Way TP/N distribution board flush mounted complete 1No. 100A TPN integral isolator.	No.	2		
14.1.24	6- way SP/N Consumer Unit flush mounted complete 1No. SP/N intergral isolator	No	8		
14.1.25	<b>MCBs for the above boards</b> i)16A SP ii)20ASP iii)32ASP iv)32ATP vi) Blanking Plates	No. No. No. No. No.	20 26 14 3 41		
	<b><u>SUB-MAINS CABLES</u></b>				
14.1.26	4 core 25mm <sup>2</sup> PVCC/SWA/PVC (armoured) + 1X16mm <sup>2</sup> single Core copper cables drawn inside HG conduits	LM	364		
14.1.27	4 core 16mm <sup>2</sup> PVCC/SWA/PVC (armoured) + 1X16mm <sup>2</sup> single Core copper cables drawn inside HG conduits	LM	75		
14.1.28	3 core 10mm <sup>2</sup> PVC/SWA/PVC (armoured) copper cables drawn inside 50mm diameter HG conduits	Lm	332		
	<b>TOTAL C/F TO NEXT PAGE</b>				

**BILL OF QUANTITIES FOR PROPOSED CONSTRUCTION OF KIPINI FISH LANDING SITE IN TANA RIVER COUNTY**

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
	<b>BALANCE B/F/ FROM PREVIOUS PAGE</b>				
<b>14.1.29</b>	Cable glands for the above cable	No.	12		
<b>14.1.30</b>	Cable lugs for the above cable complete with hydraulic crimping	No.	24		
<b>14.1.31</b>	Single phase isolator point comprising of wiring in 3x6.0 mm <sup>2</sup> PVC-SC-Cu cables drawn inside 20mm diameter HG conduits	No	2		
<b>14.1.32</b>	32A Single phase Isolator complete with 3 pin industrial socket and plug	No	2		
<b>14.1.33</b>	Three phase isolator point comprising of wiring in 5x6.0 mm <sup>2</sup> PVC-SC-Cu cables drawn inside 20mm diameter HG conduits	No.	4		
<b>14.1.34</b>	63A Three phase Isolator complete with 5 pin industrial socket and plug	No.	4		
<b>14.1.35</b>	Powder Coated Electrical Pedestal Socket Box with provision for 4No. Standard Twin sockets and 4 No. Standard double data outlet	No.	4		
	<b>TOTAL GROUND FLOOR C/F TO COLLECTION SUMMARY PAGE</b>				

BILL OF QUANTITIES FOR PROPOSED CONSTRUCTION OF KIPINI FISH LANDING SITE IN TANA RIVER COUNTY

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
14.2.1	<p><b><u>SCHEDULE 2 MAIN POWER DISTRIBUTION</u></b></p> <p>Free-standing purpose made front access sub main switchboard, modular, metal clad, manufactured in 12 SW/G galvanised mild steel sheet and finished in cream (or appropriate colour) powder coating as shown on the schematic. The switchboard should consist of a PLC section. The switchboard to be complete with the following:-</p> <p>i) Digital multimeter with CTs and fuse protection capable of measuring voltage in the range 0 – 1000V, 3-phase, current in the range 0-630A, 3-phase, and all power system parameters (KW, KVA, KW/Hr, KVARs, Frequency, P.F., harmonics and all the parameters). The multimeter should be complete with selector switches for viewing/displaying the various parameters.</p> <p>ii) Set of neon phase presence indicator lamps</p> <p>iii) 400A adjustable TPN MCCB main incomer and having a short-circuit breaking capacity of 100KA at 415Vac, 50Hz.</p> <p>iv) 4No. 400A TPN copper bus bars</p> <p>v) 3 No. 100A 3 P TPN MCCBs</p> <p>vi) 8 No. 63A DPN MCBs</p> <p>vii) 5 No. 63A TPN MCBs</p> <p>viii) 2 No. 32A TPN MCBs</p> <p>viii) 5 No. Single Phase Check Meters</p> <p>viii) Sufficient spare capacity for future development all fitted with 2 No. 63A SP MCBs &amp; 2 No. 100A TP MCCB</p> <p>x) Sealable studs for all cover plate screws and all necessary accessories</p> <p>xi) 6mm perspex viewing window</p> <p>xii) Heavy duty rubber lining for all the perspex viewing windows</p> <p>xiii) 415V three-phase surge diverter, wired as shown, complete with enclosure with viewing window.</p> <p>xiv) 100 KVAR's automatic Power Factor Correction Capacitor Bank comprising the following:-</p> <p>a) 1 No 50 KVAR's 415 V, 50Hz, 3-Phase</p> <p>b) 1 No 25 KVAR's 415 V, 50Hz, 3-Phase</p> <p>b) 2 No 10 KVAR's 415 V, 50Hz, 3-Phase</p> <p>b) 1 No 5 KVAR's 415 V, 50Hz, 3-Phase</p> <p>c) 5 No Special contactors for capacitor switching</p> <p>d) 5 No Fuse bases and fuses for each capacitor protection</p> <p>e) 5 No Step indicator lamps</p> <p>f) 5 No Control circuit protection fuse/fuse holder</p> <p>g) 1 No. 5-Step automatic control regulator for maintaining power factor at the set level and regulating the switching of capacitor steps</p> <p>h) 1 No 400/5A Current transformer (to be mounted after the mains incoming circuit breaker)</p> <p><b><i>The bank to be made from low-loss bio-degradable capacitive units, complete with earthed enclosure. All the contactors, controls and indicator lamps, including a digital read-out screen, to be included.</i></b></p> <p>xv) Allow for Fireman's switch connection as indicated in the schematic drawing</p> <p>xvi) Comprehensive protective multiple earthing of the board in 1500mm long 12mm diameter pure electrolytic copper earth rod deep driven to permanent moisture level, copper clamp. 120mm<sup>2</sup> green earth lead complete with all accessories. (Note: Use parallel rods if effective earthing cannot be achieved with 1 No. rod).</p>	Item	1		
	<b>TOTAL C/F TO NEXT PAGE</b>				



**BILL OF QUANTITIES FOR PROPOSED CONSTRUCTION OF KIPINI FISH LANDING SITE IN TANA RIVER COUNTY**

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
	<b>BALANCE B/F FROM PREVIOUS PAGE</b>				
14.2.2	185mm <sup>2</sup> PVC/SWA/PVC 4C armoured copper cable laid in ducts in trench from KPLC Meter to main low voltage board complete with glands and lugs	LM	100		
14.2.3	95mm <sup>2</sup> PVC/SWA/PVC 4C armoured copper cable laid in ducts in trench from KPLC Meter to main low voltage board complete with glands and lugs	LM	100		
	<b>UNDERGROUND CABLE DUCTING</b>				
14.2.4	Allow for 300mm deep trenching and back filling for the cable mentioned before, Telecommunication and street lighting.	Lm	800		
14.2.5	Ducting for the above in 150mm HGPVC Pipes complete with haunching	Lm	800		
14.2.6	Allow for cable markers in concrete tiles marked "HATARI" for the item above	No.	19		
	<b>WATER PUMPS PROVISIONS</b>				
14.2.7	3 core 6mm <sup>2</sup> PVC/SWA/PVC (armoured) copper cables drawn inside 32mm diameter HG conduits	Lm	100		
14.2.8	32A Single phase Isolator complete with 3 pin industrial socket and plug	No.	2		
	<b>BIO- DIGESTER/BIO REACTOR PROVISIONS</b>				
14.2.9	4 core 25mm <sup>2</sup> PVC/SWA/PVC (armoured) copper cables drawn inside 32mm diameter HG conduits	Lm	284		
14.2.10	Cable glands for the above cable	No.	4		
14.2.11	Cable lugs for the above cable complete with hydraulic crimping	No.	20		
	<b>TOTAL FOR POWER DISTRIBUTION C/F TO SUMMARY PAGE</b>				

**BILL OF QUANTITIES FOR PROPOSED CONSTRUCTION OF KIPINI FISH LANDING SITE IN TANA RIVER COUNTY**

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
	<b><u>SCHEDULE 3</u></b>				
	<b><u>100KW SOLAR SYSTEM</u></b>				
14.3.1	72- cell 575W Monocrystalline Solar Modules, Efficiency 80%,Cell Specific Safety - Class II, Application Class A, Life time - 25Years, Guarantee - 10Years Rated Current (Im) 8.8A Rated voltage (Vm) 17.5v, Cell Efficiency - 15.0%	No.	174		
14.3.2	25KWh Deep Cycle Gel Battery Life span - 5Years, Guarantee - 2 Years	No.	2		
14.3.3	DC/AC off-grid 48V Power inverter full protection function:over-voltage, over-frequency, over-current, over-temperature, AC short-circuit automatic protection Rated Output power 100KW/ MPPT efficiency of upto 99.5% Pure Sinewave output	No.	1		
14.3.4	Solar MPPT charge controller with the following characteristics; PV open circuit voltage 500V, Max PV power 100KW, PV rated current 100A, MPPT input voltage 100-150vdc LCD display: Solar panel current, Solar panel voltage, Solar panel power, Battery group voltage,charge & current Protection function against solar reverse charge, solar reverse connection, battery reverse connection, battery overcharge , battery overcurrent	No.	1		
14.3.5	Racks/brackets to fit for item "4.31" above. To be Alluminium or approved equivalent resisting corrosion	No.	75		
14.3.6	Non-corrosive brackets to fit item "4.32" above	No.	75		
14.3.7	Non-corrosive brackets to fit item "4.33" above	No.	2		
14.3.8	Non-corrosive brackets to fit item "4.34" above	No.	1		
14.3.9	Solar surge protection device rated for 60VDC or to the Engineers approval	No.	1		
14.3.10	List any other item necessary to complete the installation of the 100KW solar system  <i>Contractor to note that the inverter and batteries together with their associate works should be housed in a container. Rates included should include the container housing</i>	Lot	1		
	<b>TOTAL FOR HYBRID SOLAR POWER C/F TO SUMMARY PAGE</b>				

**BILL OF QUANTITIES FOR PROPOSED CONSTRUCTION OF KIPINI FISH LANDING SITE IN TANA RIVER COUNTY**

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
	<b><u>SCHEDULE 4</u></b>				
	<b><u>STANDBY POWER SUPPLY SYSTEM (GENERATOR SET)</u></b>				
	<b><u>GENERATING SET</u></b>				
14.4.1	Supply, deliver to site, install, test and commission a prime rated 100 KVA 3 phase, 415V, 50Hz diesel generating set with a continuous power factor of 0.8 lagging as directed by the Engineer's specifications. The generator set is to be complete with a sound attenuated canopy and an integral base/belly daily service fuel tank with an operational running capacity of 8 hours.	No	1		
14.4.2	Supply, deliver to site and install a steel exhaust pipe of not less than 14 SWG and of adequate diameter running from the generating set to the outside of the generator house	LM	10		
14.4.3	Connect the exhaust pipe above in item above using steel pipes of adequate diameter, and flexible piping off engine exhaust manifold complete with heavy duty silencer	Item	1		
14.4.4	Complete earthing of generating set to electrical engineer's approval	Item	1		
	<b><u>AMF CONTROL PANEL</u></b>				
	<b>Supply, deliver to site, install, test and commission the following:</b>				
14.4.5	An electrical control panel complete with 150A incoming MCCBs and contactors for automatic change over operation and complete with all other control accessories	No	1		
14.4.6	Suitable rated manual by-pass switch with clearly labeled <b>NORMAL-OFF-BYPASS</b> positions, <b>and shall such be wired that when the switch is on either OFF or BYPASS position, the generator shall receive no signal to start</b>	No.	1		
14.4.7	240V AC/12V DC mains power supply trickle battery charger as directed by the Engineer's specifications. The trickle charger shall charge the battery when the set is on <b>IDLE mode</b> , otherwise when the set is <b>RUNNING</b> , the battery shall be charged by the <b>generator charger</b> .	No.	1		
14.4.8	12 volts battery as directed by the Engineer's specifications	No.	1		
	<b><u>RECOMMENDED SPARE PARTS AND LUBRICATORS</u></b>				
	<b>For the supply to the site of the following spare parts and lubricators:</b>				
14.4.9	Oil Filters	No.	2		
14.4.10	Air Filters	No.	2		
14.4.11	Fuel filters to suit the set	No.	2		
14.4.12	Set of Fan belts to suit the set	No.	1		
14.4.13	10 litres container of sump oil of grade.....*	No.	1		
	<b>TOTAL C/F TO NEXT PAGE</b>				

**BILL OF QUANTITIES FOR PROPOSED CONSTRUCTION OF KIPINI FISH LANDING SITE IN TANA RIVER COUNTY**

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
	<b>BALANCE B/F FROM PREVIOUS PAGE</b>				
14.4.14	2 kilogram grease in a tin of grade .....*	No.	1		
14.4.15	10 litre plastic container of distilled water	No.	1		
14.4.16	20 litre of engine oil in a tin of grade .....*	No.	1		
14.4.17	Any other spare parts recommended by Tenderer **	Sum	1		
	<b>*The tenderer to fill in the Grade quality to be supplied</b>				
	<b>**The tenderer to fill in the details and price of items but the price not to be included in total carried forward to summary page</b>				
	<b><u>SCHEDULE 4 -TOOLS TO BE SUPPLIED WITH THE SET</u></b>				
	<b>For the supply to site of the following tools:</b>				
14.4.18	Metal tool box with lock and two keys	No.	1		
14.4.19	Set of 8 No. Chrome vanadium ring spanners in sizes to suit the set	No.	1		
14.4.20	Set of 3 screwdrivers, 75mm, 200mm and 300mm plus one 200mm Philips type	No.	1		
14.4.21	- ditto -but open ended spanners	No.	1		
14.4.22	Set of feeler gauges	No.	1		
14.4.23	Set of 8 No. Ratchets in sizes to suit the set	No.	1		
14.4.24	Grease gun to suit greasing points complete with compressor	No.	1		
14.4.25	Oil can, trigger type	No.	1		
14.4.26	Any other special tools which the tenderer recommends should be purchased as an optional:*	Item	1		
	<b><u>NOTE*</u> Tenderer should give detail and prices of item 5.7.26 but the price not to be included in total carried forward.</b>				
	<b>TOTAL FOR 100KVA GENERATOR C/F TO SUMMARY PAGE</b>				

**BILL OF QUANTITIES FOR PROPOSED CONSTRUCTION OF KIPINI FISH LANDING SITE IN TANA RIVER COUNTY**

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
	<b><u>SCHEDULE 5</u></b> <b><u>SOLAR STREET LIGHTING</u></b>				
<b>14.5.1</b>	Type P4	No.	13		
<b>14.5.2</b>	Type M	No.	24		
<b>14.5.3</b>	7 meter Long Class B Galvanized Iron Solar Street Lighting pole as per detail for Type M lighting	No.	13		
<b>14.5.4</b>	7 meter Long Class B Galvanized Iron Solar Street Lighting pole as per detail for Type M lighting	No.	6		
<b>14.5.5</b>	Excavate holes to take the poles above, average depth 1000mm, install pole back-fill with concrete, and compact to natural ground level.	No.	19		
	<b>TOTAL FOR SOLAR STREET LIGHTING C/F TO SUMMARY PAGE</b>				

BILL OF QUANTITIES FOR PROPOSED CONSTRUCTION OF KIPINI FISH LANDING SITE IN TANA RIVER COUNTY

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
	<b>ELEMENT 6</b>				
	<u>Supply, install, test, commission and set to work (To the full satisfaction of all parties to the contract) the following: -</u>				
	<u>CCTV</u>				
14.6.1	<b>Dome Camera</b> 4MP resolution, Excellent low light performance, Efficient H.265+ compression technology, IP67, 24/7 colourful imaging	No.	11		
14.6.2	Ditto but Bullet Cameras	No.	4		
14.6.3	Network Video Recording System base to be mounted in a 42U data Cabinet with the following features:-  <ul style="list-style-type: none"> <li>• Up to 32 channel IP cameras can be connected</li> <li>• Up to 576 Mbps high incoming bandwidth ensures IP cameras can be connected</li> <li>• 2 HDMI (different source) and 1 VGA interfaces16 HDD can be used for continuous video recording</li> <li>• 16 HDD can be used for continuous video recording</li> <li>• Supports some specialist cameras, including people counting camera/ANPR (automatic number plate recognition) camera/fisheye camera</li> <li>• Advanced streaming technology enables smooth live view in poor network conditions</li> <li>• Supports RAID 0, 1, 5, 6, 10 and N+1 hot spare for even more reliable data storage, effectively avoids data loss risks</li> </ul>	No.	1		
14.6.4	24 Port layer 2 100Mbps POE SFP Switch with Min 30W Power availability per port	No.	2		
14.6.5	GBIC transceiver modules (LC to LC) multimode for the switches above	No.	2		
14.6.6	Fibre Patch Panels for Data cable termination	No.	2		
14.6.7	9 U 600X600 wall mounted data cabinet complete with all accessories including power supply points	No.	2		
14.6.8	10TB Surveillance Hard Disk Drive	No.	5		
14.6.9	STP Cat 6 structured cables	Rolls	12		
14.6.10	STP Cat. 6 patch cord, 3M for the Cameras.	No.	15		
14.6.11	UPT Cat. 6A patch cord, 1M	No.	15		
14.6.12	Associated Fiber and UTP (CAT 6) cabling between field devices and Main Switch	Item	1		
<b>TOTAL FOR CCTV CARRIED FORWARD TO SUMMARY PAGE</b>					

**BILL OF QUANTITIES FOR PROPOSED CONSTRUCTION OF KIPINI FISH LANDING SITE IN TANA RIVER COUNTY**

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
	<b><u>SCHEDULE 7</u></b>				
	<b><u>GENERAL ITEMS</u></b>				
14.7.1	Carry out comprehensive 24-hour power analysis, after installing main switchboard, but before switching on load with a digital power meter (with printer) to: i) Record and print all the power system parameters. ii) Submit 3 copies of the print-outs. <i>(Note: Parameters must be satisfactory before building is switched on).</i>	Item			
14.7.2	Allow for presentation of all the required samples as per specifications, Bills of Quantities and Drawings.	Item			
14.7.3	<b>Working/ Shop Drawings</b> Prepare and submit three sets of record (shop) plan and isometric layout drawings to easily readable scale, A1 or A0 paper size format as follows: i) general arrangement drawings of all mechanical services, equipment, plant etc ii) routes-types and sizes and arrangement of all pipeworks iii) any other details as per specifications Drawings are to be submitted in soft copy (CAD Files) and hard copy to the client, the architect and the engineer. The soft copies to be stored in SSD drive. Allow for preparation and submitting draft and three final copies of operation, instruction and maintenance manuals to Engineers approvals.	Item			
14.7.4	<b>As Installed Drawings</b> As above but for as built/ installed drawings	Item			
14.7.5	Prepare and submit Maintenance Manuals for all items installed.				
14.7.6	All other items of general preliminary to cover, but not limited to:- i)Attendance on all other sub-contractors, such as for Communication Services, Mechanical Installations, Security Installations, Sound Equipment/ Wiring Installations, Generator Installations, Lift Services, Solar Water Heating, V-Sat services etc. ii)Hiring and keeping a Supervisor/Foreman on site iii)Constant supervision of the works. iv)Provision of all the required spares. v)Testing and Inspection of materials/works. vi)Provision of labour camps. vii)Storage of materials. viii)Initial maintenance (During Defects Liability) ix)Providing water/electricity for the works. x)Protection of the works/materials xi)Clearing away on completion. xii)Preparing Final Account. xiii)Providing all Test Certificates, etc.  Provisional Sum for Contribution to KPLC for power upgrade	Item			
	<b>TOTAL C/F TO NEXT PAGE</b>				

**BILL OF QUANTITIES FOR PROPOSED CONSTRUCTION OF KIPINI FISH LANDING SITE IN TANA RIVER COUNTY**

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
<b>14.7.7</b>	<p><b>BALANCE B/F FROM PREVIOUS PAGE</b></p> <p>Allow for sub-contractors charges for liaison with Kenya Power and Lighting comprising the following:-</p> <ul style="list-style-type: none"> <li>i)Extracting load details from the drawings</li> <li>ii)Calculating total load, together with necessary diversity</li> <li>iii)Verifying the details with the engineer.</li> <li>iv)If need be getting the required documentation and letters from client for the purposes of Additional Load Applications</li> <li>v)Filling all the required forms, and generating correspondences for power application.</li> <li>vi)Presenting application and getting reference number.</li> <li>vii)Making regular follow-ups with Kenya Power</li> <li>viii)Facilitating inspection, approvals and certification by Kenya Power</li> <li>ix)Providing attendance and materials required for power connection.</li> <li>x)Filling out and submitting Commencement and Completion certificates</li> <li>xi)Handing over all approved drawings and certificates to the client.</li> <li>xii)Performing all other services required for power supply to site.</li> <li>xiii)Building/modifying all power manholes to KPLC standards.</li> <li>xiv)All other incidental KPLC requirements/charges.</li> </ul>				
	<b>TOTAL FOR AUDITORIUM AUDIO-VISUAL C/F TO SUMMARY PAGE</b>				



**BILL OF QUANTITIES FOR PROPOSED CONSTRUCTION OF KIPINI FISH LANDING SITE IN TANA RIVER COUNTY**

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
	<u>ELECTRICAL INSTALLATIONS SUMMARY PAGE</u>				
14.1	TOTAL FOR SCHEDULE 1 GROUND FLOOR				
14.2	TOTAL FOR SCHEDULE 2 MAINS DISTRIBUTION				
14.3	TOTAL FOR SCHEDULE 3 SOLAR POWER				
14.4	TOTAL FOR SCHEDULE 4 STANDBY GENERATOR				
14.5	TOTAL FOR SCHEDULE 5 SOLAR STREET LIGHTING				
14.6	TOTAL FOR SCHEDULE 6 CCTV				
14.7	TOTAL FOR SCHEDULE 7 GENERAL ITEMS				
	TOTAL FOR ELECTRICAL WORKS, CARRIED TO GRAND SUMMARY				

**BILL OF QUANTITIES FOR PROPOSED CONSTRUCTION OF KIPINI FISH LANDING SITE IN TANA RIVER COUNTY**

Item	Description	Unit	Qty	Rate	Amount
	<b><i>(All Rates are V.A.T Inclusive)</i></b> <b><u>BILL NO. 15; DAYWORKS</u></b>				
	<b><u>The dayworks rates priced below should include all overheads and profits</u></b>				
<b>15.1</b>	<b><u>Provision of labour</u></b>				
15.1.1	Porter	Hrs	10		
15.1.2	Semi-skilled	Hrs	10		
15.1.3	Mason/	Hrs	10		
15.1.4	Steel fixer	Hrs	10		
15.1.5	Carpenter	Hrs	10		
15.1.6	Painter	Hrs	10		
15.1.7	Tile fixer	Hrs	10		
15.1.8	Welder/Electrician	Hrs	10		
15.1.9	Foreman	Hrs	10		
15.1.10	Carpenter for joinery	Hrs	10		
15.1.11	Plumber	Hrs	10		
15.1.12	Electrician	Hrs	10		
<b>15.2</b>	<b><u>Provision of plant</u></b>				
	<b><u>Any plant to be provided must be in good working condition. The day works rate provided must be inclusive of all running costs and overheads</u></b>				
15.2.1	Lorry (minimum 8 tonne capacity - or similar)	Hrs	5		
15.2.2	Tipper (8 tonne capacity - or similar)	Hrs	5		
15.2.3	Compressor	Hrs	5		
15.2.4	Roller	Hrs	5		
15.2.5	Plate compactor	Hrs	5		
15.2.6	Wheel loader	Hrs	5		
15.2.7	Grader	Hrs	5		
15.2.8	Crawl loader	Hrs	5		
15.2.9	Jack hammer	Hrs	5		
15.2.10	Dewatering pump	Hrs	5		
15.2.11	Concrete mixer	Hrs	5		
15.2.12	Dumper	Hrs	5		
15.2.13	Hand tools (power drills, grinders, torque wrenches, etc.)	Hrs	5		
15.2.14	Excavator	Hrs	5		
15.2.15	Bulldozer	Hrs	5		
15.2.16	Motor grade	Hrs	5		
15.2.17	Portable generator	Hrs	5		
15.2.18	3-Phase power generator	Hrs	5		
15.2.19	Vibrator	Hrs	5		
	<b>Total Carried to Summary</b>				

**BILL OF QUANTITIES FOR PROPOSED CONSTRUCTION OF KIPINI FISH LANDING SITE IN TANA RIVER COUNTY**

Item	Description	Unit	Qty	Rate	Amount
<b>15.3</b>	<b><u>Provision of material</u></b> <b><u>Any materials to be provided must be of good quality and upto standard for use in permanent works. The rate provided must be inclusive of all delivery costs and overheads</u></b>				
15.3.1	Ordinary portland cement @ 50kg bags	Bags	10		
15.3.2	Clean river sand	m3	10		
15.3.3	12-20mm graded course aggregate	m3	10		
15.3.4	Manufactured sand / Quarry dust / 0-6mm aggregate	m3	10		
15.3.5	Graded crushed stone (crusher run - 0 to 60mm)	m3	10		
15.3.6	Murram	m3	10		
15.3.7	Hardcore	m3	10		
15.3.8	Redsoil	m3	10		
15.3.9	Reinforcement steel	Kg	100		
15.3.10	Sawn timber formwork	m2	10		
15.3.11	6mm thick clear glass	m2	10		
15.3.12	Water	lts	100		
15.3.13	Diesel fuel	lts	10		
	<b>Total Carried to Summary Below</b>				
	<b><u>DAYWORKS SUMMARY</u></b>				
A	Total Brought Forward from page DW/1				
B	Total Brought Forward from above				
	<b>TOTAL FOR DAY WORKS CARRIED TO GRAND SUMMARY</b>				

**BILL OF QUANTITIES FOR PROPOSED CONSTRUCTION OF KIPINI FISH LANDING SITE IN TANA RIVER COUNTY**

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
16.0.1	<p>(All Rates are V.A.T Inclusive)  <b><u>BILL NO. 18; ESMP</u></b>  <b><u>PRELIMINARIES FOR HEALTH AND SAFETY, AIR AND NOISE MONITORING &amp; CONTROL, WASTE MANAGEMENT</u></b></p> <p><b><u>SAFETY, HEALTH AND WELFARE OF WORKERS</u></b>  The Contractor shall allow for providing for the safety, health and welfare of work people and for complying with any relevant Ordinances, Regulations or Union Agreement</p> <p>In addition to complying with the requirements of the Occupational Safety &amp; Health Act 2007 and the Factories Act, the Contractor and Sub-Contractors shall be required to comply in all respects with the Factories (Building Operations and Work of Engineering Construction) rules together with the Construction Safety Plan in compliance with International Labour Organizations (ILO) Regulations.</p> <p>The Contractor will further be required to identify a Site Safety Officer in accordance with the above Rules who will be responsible for the health and safety of workers on the site. This include awareness and sensitization of risk of spread of HIV/AIDS ,Gender Equity, Sexual Harassment and abuse amongst workers in the workplace, Spread of COVID-19 amongst community members during consultation processes and Grievance redress mechanism.</p> <p>The Contractor will also be required to provide approved good quality hard hats, gumboots and other necessary protective gear for all workers on site including Sub-Contractors' workers and also for the exclusive use by the Clerk of Works and representatives of the Employer and Consultants.</p> <p>The Contractor will also be required to provide approved good quality hard hats, gumboots and other necessary protective gear for all workers on site including Sub-Contractors' workers and also for the exclusive use by the Clerk of Works and representatives of the Employer and Consultants.</p> <p>The Tenderer's attention is drawn to the fact that the Employer reserves the right to hold back the amount priced against this Clause either in full or in part due to any non-performance on the Contractor's part of his obligations under this Clause.</p> <p>The tenderer's attention is further drawn to the fact that he is required to submit with his tender a detailed write-up on how he intends to implement the above Construction Safety Plan. It should be noted that this write-up will form a heavily weighted criteria in the evaluation of the tenders.</p> <p>Adequate temporary Notices and Signs shall be posted to indicate e.g. that "building operations are in progress" and "entry is at ones own risk" or "trespassers are liable to be prosecuted" or such other Notices and Signs as the Architect may consider necessary from time to time. The design and location of such signs will be to the approval of the Architect.</p>	Item	1	1,500,000.00	1,500,000.00
	<b>Total Carried to Collection</b>				
				<b>Ksh</b>	<b>1,500,000.00</b>

**BILL OF QUANTITIES FOR PROPOSED CONSTRUCTION OF KIPINI FISH LANDING SITE IN TANA RIVER COUNTY**

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
16.0.2	<b><u>SANITATION OF THE WORKS</u></b> The sanitation of the works shall be provided, maintained and removed on completion by the Contractor to the satisfaction of the Architects, health department and local Authorities.  The sanitation shall be for the use by Contractors and sub-Contractors workmen etc without charge.  The Latrine/toilet shall be enclosed plastered and painted masonry wall, corrugated sheets roofs ,with concrete tiled floors to facilitate washing. Their location shall be agreed with the Architects and the works shall not be commenced before the sanitary accommodation has been approved by the above mentioned authorities.  The Contractor will be required to pay all conservancy charges and shall ensure clean daily maintenance and disinfecting of the latrines/toilet, and not less than once per week, the whole area shall be sprayed with disinfectant and insecticides and any temporary drains shall be removed and all works and surfaces disturbed made good and then the whole area disinfected and left clean and free from pollution to the satisfaction of the Architect and local authorities.	Item	1	200,000.00	200,000.00
	<b><u>PREVENTION OF DISTURBANCE AND NUISANCE</u></b> Tenderers should note that normal activities shall be continuing in the surrounding buildings during the construction period.  Minimum disturbance by noise, dust, water or movement of vehicles, materials, labour or plant must be caused to the function of the existing adjacent buildings in the vicinity and the occupants and staff therein. The Contractor shall comply with all instructions issued by the Employer or Architect with regard to minimizing such disturbances.  The Contractor shall not directly or indirectly or otherwise by himself or through his agents cause nuisance. Should he do so he shall be directly responsible for such acts.  The works and such sections of the site necessary shall be under the entire care and control of the contractor during the whole period of the contract and shall take all possible precautions to prevent any nuisance, inconvenience or injury to the holder or occupiers of the existing or surrounding properties and to the public generally, and shall at all times keep all paths and roads affected by the works in a safe and clear state, and shall use proper precautions to ensure the safety of all wheeled traffic and pedestrians.				
	<b>Total Carried to Collection</b>			Ksh	350,000.00

**BILL OF QUANTITIES FOR PROPOSED CONSTRUCTION OF KIPINI FISH LANDING SITE IN TANA RIVER COUNTY**

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
16.0.4	<p><b><u>CLEANING, REMOVAL OF PLANT AND RUBBISH ETC</u></b>  The Contractor shall upon completion of the works remove and clear away all temporary buildings, scaffolding, plant, rubbish and unused materials, surplus excavated materials and shall leave the whole of the site of the works in a clean and tidy state to the satisfaction of the Architect, including clearing away and making good all traces of dirt.</p> <p>Particular care shall be taken in leaving windows, floors and fittings clean and the removal of all paint and cement stains therefrom.</p> <p>He shall also remove all rubbish and dirt from the site as it accumulates or as directed by the Architect. The Contractor is to find his own dump and shall pay all charges in connection therewith.</p>	Item	1	50,000.00	50,000.00
16.0.5	<p><b><u>AMBIENT AIR QUALITY AND NOISE MONITORING</u></b>  The Contractor to carry out continuous monitoring of the ambient air quality and Noise measurements as well as vibration monitoring on quarterly basis during the construction phase and this should be done at different weather and seasons to ensure that all the weather patterns are taken into consideration during the monitoring process.</p>	Item	1	300,000.00	300,000.00
	<b>Total Carried to Collection Below</b>			Ksh	<b>350,000.00</b>
	<p><b><u>SECTION SUMMARY- ESMP</u></b></p> <p>Total Brought Forward from Page ESMP/1</p> <p>Total Brought Forward from Page ESMP/2</p> <p>Total Brought Forward from Above</p>				<p>1,500,000.00</p> <p>350,000.00</p> <p>350,000.00</p>
	<b>TOTAL FOR DAY WORKS CARRIED TO GRAND SUMMARY</b>				<b>2,200,000.00</b>

## BILL OF QUANTITIES FOR PROPOSED CONSTRUCTION OF KIPINI FISH LANDING SITE IN TANA RIVER COUNTY

[illegible]

## 17. GRAND SUMMARY

Contract Name: CONSTRUCTION OF KIPINI FISH LANDING SITE”

RFBNo.: KE-MOMBE&MA-TR-2024-012-CW

<i>General Summary</i>	<i>Page</i>	<i>Amount</i>
Bill No. 1: PARTICULAR PRELIMINARIES	PP/7	
Bill No. 2: GENERAL PRELIMINARIES	GP/13	
Bill No. 3: MEETING HALL	MH/7	
Bill No. 4: BOAT YARD	BY/7	
Bill No. 5: FISH BANDA	FB/12	
Bill No. 6: STALLS	ST/8	
Bill No. 7: ABLUTION BLOCK	AB/8	
Bill No. 8: PUMP ROOM	PRBW/8	
Bill No. 9: POWER HOUSE	PHBW/6	
Bill No. 10: GATE HOUSE	GH/8	
Bill No. 11: CIVIL WORKS	CW/7	
Bill No. 12: LANDSCAPING	LW/2	
Bill No. 13: MECHANICAL WORKS	MECH/22	
Bill No. 14: ELECTRICAL INSTALLATIONS	ELEC/13	
Bill No. 15: DAY WORKS	DW/2	
Bill No. 16: ESMP	ESMP/3	2,200,000.00
<i>Subtotal of Bills</i>	<i>(A)</i>	
<i>Total for Daywork (Provisional Sum)*</i>	<i>(B)</i>	
<i>Provisional Sum of Kenya Shillings Seven Million (Kes 7,000,000.00) for fluctuations<sup>ii</sup></i>	<i>(C)</i>	<i>7,000,000.00</i>
<i>Total of Bills Plus Provisional Sums (A + B + C)<sup>i</sup></i>	<i>(D)</i>	
<i>Add Provisional Sum of Kenya Shillings Ten Million (Kes 10,000,000.00) for Contingency Allowance<sup>ii</sup></i>	<i>(E)</i>	<i>10,000,000.00</i>
<i>Bid Price (D + E) (Carried forward to Letter of Bid)</i>	<i>(F)</i>	

i) All Provisional Sums are to be expended in whole or in part at the direction and discretion of the Engineer in accordance with Sub-Clauses 13.4 and 13.5 of the General Conditions except with respect to DAAB Fees and Expenses for which Sub-Clause 13.4 of the Particular Conditions – Part B shall apply.

ii) To be entered by the Employer.

\* For evaluation purposes, Provisional Sum, other than Daywork will be excluded